




BICYCLE TIRES 2019

ENGLISH



SCHWALBE E-BIKE TIRES

UNCOMPROMISINGLY E-BIKE

THE FUTURE ELECTRIFIED. SCHWALBE E-BIKE TIRES.

E-BIKE TIRES are our answer to the question "Which Schwalbe tires are the best choice for E-Bikes?" Grip, stability, puncture protection, braking power and lower rolling resistance. These are our demands. And that is why we do exactly what we do best: Tires for bicycles and E-Bikes. Schwalbe E-BIKE Tires are the future and our recommendation when it comes to excellent E-Bike tires.



06 - 19 E-BIKE



20 - 27 ROAD



30 - 33 CROSS | GRAVEL



34 - 45 DOWNHILL | ENDURO | TRAIL | ALL MOUNTAIN



46 - 49 X-COUNTRY



50 - 53 ALL TERRAIN | FATBIKE



54 - 55 DIRT/BMX



56 - 57 SPIKES



60 - 67 MARATHON



70 - 73 URBAN



74 - 78 ACTIVE



79 SPECIAL PURPOSE



80 - 85 WHEELCHAIR



12	E-BIKE INFO
28 - 29	TUBELESS TECHNOLOGY
39	PROCORE
40 - 43	ADDIX MTB-TECHNOLOGY
68 - 69	PUNCTURE PROTECTION SYSTEM
86 - 89	TUBES
90 - 93	TOOLS & ACCESSORIES
94	RIM TAPES
95	VALVE PARTS
96 - 97	OVERVIEW & LEGEND
98 - 99	GREEN MILESTONES

QUICKFINDER

AIRBORNE 83	HS228 78 / 83	RACING RAY 46 / 47
BIG APPLE 70	HURRICANE 52	RANGE CRUISER 77
BIG APPLE PLUS 70	ICE SPIKER PRO 56	RAPID ROB 53
BIG BEN 71	INSIDER 25	RIGHTRUN 82
BIG BEN PLUS 17 / 71	JUMBO JIM 52	RIGHTRUN PLUS 82
BLACK JACK 53	JUMPIN' JACK 54	ROAD CRUISER 76
CITY JET 72	KID PLUS 79	ROCK RAZOR 38
CRAZY BOB 55	KNOBBY 55	ROCKET RON 48
CX COMP 52	KOJAK 72	SCHWALBE E-ONE 18
CX PRO 33	LAND CRUISER 75 / 83	SCHWALBE G-ONE ALLROUND 19 / 30
DELTA CRUISER 74	LAND CRUISER PLUS 75	SCHWALBE G-ONE BITE 19 / 31
DELTA CRUISER PLUS 74	LITTLE BIG BEN 71	SCHWALBE G-ONE SPEED 19 / 30
DIRTY DAN 38 / 49	LITTLE JOE 79	SCHWALBE ONE 23 / 84
DOWNTOWN 82	LUGANO 27	SCHWALBE PRO ONE 22 / 85
DURANO 24 / 85	LUGANO ENDURANCE 26	SCHWALBE PRO ONE HT 22
DURANO DD 18 / 25	LUGANO T 26	SCHWALBE X-ONE ALLROUND 32
DURANO PLUS 24	MAD MIKE 55	SCHWALBE X-ONE BITE 33
EDDY CURRENT FRONT/REAR 08	MAGIC MARY 09 / 36	SCHWALBE X-ONE SPEED 32
ENERGIZER PLUS 13	MARATHON 14 / 64	SILENTO 73
ENERGIZER PLUS TOUR 13	MARATHON ALMOTION 66	SMART SAM 11 / 50 / 51
FAT ALBERT FRONT/REAR 45	MARATHON GT 15 / 63	SMART SAM PLUS 11 / 50 / 51
FAT FRANK 73	MARATHON GT 365 16 / 62	SPACE 53
FURIOUS FRED 49	MARATHON GT TOUR 15 / 63	SPEEDAIR 84
HANS DAMPF 09 / 37	MARATHON MONDIAL 67	SPICER 73
HS110 78	MARATHON PLUS 14 / 60 / 81	SUPER MOTO-X 17
HS116 78	MARATHON PLUS MTB 16 / 61	TABLE TOP 54
HS127 78 / 83	MARATHON PLUS TOUR 61	THUNDER BURT 49
HS140 78	MARATHON RACER 65	TOUGH TOM 53
HS158 78 / 83	MARATHON SUPREME 66	TRACER 79
HS159 78	MARATHON WINTER PLUS 57	TRYKER 17 / 79
HS166 78	NOBBY NIC 10 / 44	WINTER 56
HS180 78	RACING RALPH 46 / 47	



E-BIKE TIRES



MTB / ROAD / TOUR



EDDY CURRENT

SOFT

The revolution for E-MTB's. Our first real E-MTB specialist for All Mountain and Enduro. It allows uncompromising riding even uphill, takes fierce acceleration as well as technical riding on the trails. Its solid appearance comes from the stable blocks, more rubber and the big widths. The concept with 29" inch front wheel size and 27.5" rear wheel size provides maximum performance. **Profile design:** Specially adapted tread design for front and rear wheel (Front and Rear). Blocks up to 20% more massive than other Enduro/All Mountain profiles. Aggressive arrangement, open design and concise V-Grooves in the center and side blocks for direct, precise steering characteristics and perfect transmission of engine power to the ground, with extreme durability.

Super Gravity version: For EDDY CURRENT FRONT and REAR with ADDIX Soft (orange). Extremely stable and puncture-proof yet very dynamic handling.



NEW! EDDY CURRENT FRONT Evolution Line, Folding tire – HS 496

	ETRTO	Size	!	⚡	⚙	☁	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	70-584	27.5x2.80, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1350	48	67	115 kg	11653983
29"	62-622	29x2.40	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1250	44	67	115 kg	11653984
	65-622	29x2.60	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1350	48	67	115 kg	11654023

NEW! EDDY CURRENT REAR Evolution Line, Folding tire – HS 497


27.5"	70-584	27.5x2.80, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1350	48	67	115 kg	11653985
29"	65-622	29x2.60	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1415	50	67	115 kg	11653986

NEW! HANS DAMPF Evolution Line, Folding tire – HS 491

27.5"	60-584	27.5x2.35, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1065	38	67	115 kg	11601101
	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	900	32	67	115 kg	11601106
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1000	35	67	120 kg	11601107
29"	60-622	29x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1150	41	67	125 kg	11601109
	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	970	34	67	115 kg	11601110

NEW! HANS DAMPF Performance Line, Folding tire – HS 491


24"	60-507	24x2.35	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	770	27	67	115 kg	11601118
-----	--------	---------	------------------	------	-------	-------	------	---------	-------	-----	----	----	--------	----------



MAGIC MARY

SOFT **ULTRA SOFT**


The Gravity tire for your E-MTB. Mary is the favorite among downhill and Enduro experts. The perfect choice for virtually any track. Expect maximum brake traction and cornering grip even on extremely muddy terrain thanks to strong shoulder studs and the aggressive, open tread design. A combination for optimum uphill traction: Magic Mary on the front and Hans Dampf on the rear wheel. In the Super Gravity Version it is perfect for particularly demanding E-MTB trails.



HANS DAMPF

SOFT **SPEEDGRIP**

The new Hans Dampf has everything to increase the fun with E-Enduro. Up to 2.80 width, SuperGravity carcass, Apex versions and of course Addix compounds. For gorgeous handling and highest puncture protection on demanding trails – uphill as well as downhill. All in all much more aggressive, Hans Dampf still remains good-natured at the limits and gives optimal ground feedback.



MAGIC MARY

Evolution Line, Folding tire – HS 447

	ETRT0	Size	!	⚡	🍷	🍷	Skin	Bar	Psi	🍷 9	🍷 02	EPI	Load	Art.-No.
27.5 "	60-584	27.5x2.35, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600511.02
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600537.02
	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1050	37	67	115 kg	11601010
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1050	37	67	120 kg	11601012
29 "	60-622	29x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1165	41	67	125 kg	11600615.02
	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1065	38	67	115 kg	11601102

MAGIC MARY

Performance Line, Wired tire – HS 447

27.5"	60-584	27.5x2.35, 650B	BikePark	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	1475	52	20D2	115 kg	11100977.01
-------	--------	-----------------	----------	------	--------------	-------	------	---------	-------	------	----	------	--------	-------------


NOBBY NIC

SPEEDGRIP

The E-MTB tire with the greatest range of applications.

The all-rounder that works in every situation, no matter the weather, no matter the terrain. Widest possible range of use: for tour and all-mountain, for difficult cross-country tracks as well as technically challenging enduro trails. **Tread design:** excellent traction and braking performance thanks to special central stud arrangement, large shoulder studs for excellent control on tricky trails.

See page 44 for the complete range.



NOBBY NIC

Evolution Line, Folding tire – HS 463

	ETRTO	Size	!	⚡	⚙	☁	Skin	Bar	Psi	9	02	EPI	Index	Load	Art.-No.
27.5"	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	910	32	67		115 kg	11600910.01
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	960	34	67		120 kg	11600912.01
	75-584	27.5x3.00, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.0-2.4	15-35	1010	36	67		120 kg	11600914.01
29"	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	950	34	67		115 kg	11601025

NOBBY NIC

Performance Line, Folding tire – HS 463

26"	60-559	26x2.35	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	800	28	67	35B	121 kg	11600981.01
27.5"	60-584	27.5x2.35, 650B	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	845	30	67	35B	121 kg	11600983.01
29"	60-622	29x2.35	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	895	32	67	35B	121 kg	11600988.01



NEED A SPECIAL TIRE FOR AN E-BIKE?

On an e-bike, whether it is a trekking bike, E-MTB, Gravel or Road bike it means travelling at higher average speeds. Due to the motor and battery the weight is significantly higher compared to a bicycle. And a flat tire on an E-Bike is particularly annoying, because repairing it is usually more time-consuming. Therefore we have marked all tires in this catalogue with “E-25” or “E-50” which we recommend for the use on Pedelecs.

Tires with the endorsement “E-25” are the perfect choice for all pedelecs with motor assist up to 25 km/h. Our most important criterion for this recommendation: Safety.

For fast E-Bikes – S-Pedelecs with type approval, insurance, and motor assist over 25 km/h – special tire approval is necessary. We recommend E-Bike tires with the European ECE-R75 approval for these kind of bikes. More than 70 tires on the following E-bike pages bear the mark.

THE LOAD AND SPEED INDEX

When replacing tires on fast E-bikes always pay attention to: ECE-R75 mark, maximum load and maximum speed. A Load and Speed Index engraved on the tire identifies the parameters in a code (e.g. “28B”). The number identifies the load (e.g. 28 = 100 kg), the letter identifies the speed (e.g. B = 50 km/h).

6 FACTS ABOUT OUR E-BIKE TIRES

1

BEST GRIP

=

EXCELLENT TRACTION,
MORE SAFETY WHEN
CORNERING AND ASCENT

2

HIGH BRAKING POWER

=

SHORTER BRAKING DISTANCES

3

MORE STABILITY

=

PERFECT CONTROL,
HIGH COMFORT,
LESS ABRASION

4

GOOD PUNCTURE PROTECTION

=

LESS DEFECTS

5

LOW ROLLING RESISTANCE

=

BETTER PERFORMANCE,
LONGER BATTERY

6

ECE-R75 CERTIFICATION

=

RECOMMENDED FOR FAST E-BIKES

ENERGIZER PLUS


ENERGIZER PLUS TOUR

Specially made for E-Bikes. The new Energizer Plus has an ultramodern, dynamic touring profile with a smooth center section and strong diamond sides. It rolls easily on the road and has good grip, even on unpaved ground. The newly created Addix E-Compound is specially optimized for maximum durability, low rolling resistance and exceptional grip even at high speed. The proven, 3mm GreenGuard guarantees reliable puncture protection in everyday touring. Of course, the new Energizer Plus is also ECE-R75 certified.

Energizer Plus Tour. The same high level of security as Energizer Plus but with a durable trekking tread.



NEW!



NEW!

ENERGIZER PLUS

Performance Line, Wired tire – HS 492

	ETRT0	Size	!	⚡	🍷	🍷	Skin	Bar	Psi	🍷	🍷	EPI	Index	Load	Art.-No.	
26 "	47-559	26x1.75	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	3.0-5.0	45-70	880	32	67	31B	109 kg	11101366	
27.5 "	50-584	27.5x2.00, 650B	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	2.5-4.5	35-65	1010	36	67	32B	112 kg	11101367	
28 "	37-622	28x1.40, 700x35C	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	4.0-6.0	55-85	735	26	67	26B	95 kg	11101368	
	40-622	28x1.50, 700x38C	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	3.5-6.0	50-85	820	29	67	28B	100 kg	11101363	
	47-622	28x1.75	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	3.0-5.0	45-70	980	35	67	33B	115 kg	11101370	
	50-622	28x2.00	GreenGuard	E-50	ADDIX B	Black-Reflex	Twin	2.5-4.5	35-65	1080	38	67	35B	121 kg	11101371	

ENERGIZER PLUS TOUR

Performance Line, Wired tire – HS 441

26"	47-559	26x1.75	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.0-5.0	45-70	875	31	67	31B	109 kg	11100527
28"	37-622	28x1.40, 700x35C	GreenGuard	E-50	Energizer	Black-Reflex	Twin	4.0-6.0	55-85	730	26	67	26B	95 kg	11100528
	40-622	28x1.50, 700x38C	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.5-6.0	50-85	845	30	67	28B	100 kg	11100529
	47-622	28x1.75	GreenGuard	E-50	Energizer	Black-Reflex	Twin	3.0-5.0	45-70	985	35	67	33B	115 kg	11100532



MARATHON PLUS

The Flat-less tire. The most puncture resistant pneumatic tire there is. The patented, 5 mm thick SmartGuard layer, when compared to all generic products, has a significant advantage in rolling resistance. The main sizes are approved and tested for E-bikes up to 50 km/h.

See page 60 for the complete range.



MARATHON

The original. The archetypal high quality touring tire. The highly elastic GreenGuard layer is 3 mm thick. The main sizes of Marathon are approved and tested for E-bikes up to 50 km/h.

See page 64 for the complete range.



MARATHON PLUS

Performance Line, Wired tire – HS 440

	ETRTO	Size	!	⚡	⚙️	⚫	Skin	Bar	Psi	g	oz	EPI	Index	Load	Art.-No.
20"	47-406	20x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	725	26	67	20B	80 kg	11100758
26"	47-559	26x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	995	35	67	31B	109 kg	11100762
	50-559	26x2.00	SmartGuard	E-25	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	1100	39	67	34B	118 kg	11100763
27.5"	40-584	27.5x1.50, 650x38B	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.5	55-95	920	32	67	28B	100 kg	11100881
28"	37-622	28x1.40, 700x35C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	900	32	67	26B	95 kg	11100769
	40-622	28x1.50, 700x38C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	960	34	67	28B	100 kg	11100770
	47-622	28x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1100	39	67	33B	115 kg	11100771

MARATHON

Performance Line, Wired tire – HS 420


20"	47-406	20x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	640	23	67	20B	80 kg	11100137
26"	47-559	26x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	875	31	67	31B	109 kg	11100138
	50-559	26x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	970	34	67	34B	118 kg	11100143
28"	37-622	28x1.40, 700x35C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	730	26	67	26B	95 kg	11100007
	40-622	28x1.50, 700x38C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	810	29	67	28B	100 kg	11100005
	47-622	28x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	985	35	67	33B	115 kg	11100140
	50-622	28x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1080	38	67	35B	121 kg	11100613

1 2 3 4 5 6 7
SCHWALBE PROTECTION



TIPP
Trekkingbike

Tip Trekkingbike 3/2017:
City tires



MARATHON GT

The Lifestyle Marathon. The dynamic Marathon with extra comfort. For everyone who wants to be mobile every day – while completely trusting in their beloved E-Bike. The exclusive tread design hides the newly developed DualGuard, which protects against cuts and punctures in the same reliable way.



1 2 3 4 5 6 7
SCHWALBE PROTECTION



aktiv
Rad
fahren
TESTSIEGER
8/2018

TESTWINNER



MARATHON GT TOUR

For highest requirements. The tire of the GT series, which performs well in (almost) every terrain. With the new Delta profile the GT TOUR is extremely agile but remains stable even on unpaved bike paths. Durable, puncture-free E-Bike riding thanks to Endurance Compound and DualGuard puncture protection technology.



MARATHON GT

Performance Line, Wired tire – HS 480

	ETRTO	Size	!	⚡	⚙	☁	Skin	Bar	Psi	g	oz	EPI	Index	Load	Art.-No.
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	765	27	67	26B	95 kg	11101117
	40-622	28x1.50, 700x38C	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	850	30	67	28B	100 kg	11101118
	50-622	28x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1100	39	67	35B	121 kg	11101119

MARATHON GT TOUR

Performance Line, Wired tire – HS 485

26"	50-559	26x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	995	35	67	34B	118 kg	11101292
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	765	27	67	26B	95 kg	11101290
	40-622	28x1.50, 700x38C	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	850	30	67	28B	100 kg	11101289
	47-622	28x1.75	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1050	37	67	33B	115 kg	11101291

1 2 3 4 5 6 7
SCHWALBE PROTECTION



TIPP
Trekkingbike

Tip Trekkingbike 3/2017:
All-season tires



MARATHON GT 365

1 tire. 4 seasons, 365 days, no E-Bike tire change is necessary. The Marathon GT 365 is a first choice E-bike tire that can be ridden safely throughout the year in almost every condition. The new lamella tread and the specially developed "FourSeason" compound provide full grip, no matter what time of the year. Of course fitted with DualGuard puncture protection technology for maximum safety.

! The GT 365 is the perfect solution for almost every condition. But on icy roads only real spike tires provide reliable grip.



1 2 3 4 5 6 7
SCHWALBE PROTECTION



MARATHON PLUS MTB

The most puncture resistant MTB-tire is approved for fast E-Bikes. With ECE-R75 mark. On the central ribs it rolls easily over hard paths, while strong outer lugs give great offroad traction. The SmartGuard provides superior puncture protection. Good visibility even in the dark thanks to reflective lines on the sidewalls. Available in 26", 27.5" and 29".



MARATHON GT 365

Performance Line, Wired tire – HS 475

	ETRTO	Size	!	⚡	⚙	⚙	Skin	Bar	Psi	g	oz	EPI	Index	Load	Art.-No.
20"	40-406	20x1.50	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.0-6.0	45-85	580	20	67	18B	75 kg	11101341
26"	50-559	26x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.0-5.0	30-70	990	35	67	34B	118 kg	11101203
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.5-6.0	50-85	765	27	67	26B	95 kg	11101204
	40-622	28x1.50, 700x38C	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.5	35-80	850	30	67	28B	100 kg	11101205
	47-622	28x1.75	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.0	35-70	1045	37	67	33B	115 kg	11101342
	50-622	28x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-4.5	35-65	1115	39	67	35B	121 kg	11101343

MARATHON PLUS MTB


Performance Line, Wired tire – HS 468

26"	54-559	26x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1150	41	67	35B	121 kg	11101005
	57-559	26x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1260	44	67	36B	125 kg	11101212
27.5"	54-584	27.5x2.10, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1200	42	67	36B	125 kg	11101024
	57-584	27.5x2.25, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1270	45	67	36B	125 kg	11101213
29"	54-622	29x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1275	45	67	36B	125 kg	11101025
	57-622	29x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1350	48	67	38B	132 kg	11101334



SUPER MOTO-X

Wide, comfortable, safe! Whether travelling on tarmac or trail, the beefy Super Moto-X offers the best riding characteristics and plenty of comfort. The extra-resilient DoubleDefense construction lets you reach your destination safely, even in the toughest conditions. Naturally, with the mark for fast e-bikes.



BIG BEN PLUS

Large volume for optimum suspension effect. The robust 3 mm GreenGuard protection and reinforced sidewalls make this tough Balloonbike tire a real slogger. ECE-R75 approved, comfortable and resilient. The perfect choice for cargo bikes and every kind of E-Bike.



TRYKER

The special tire for tricycle recumbents. Tire construction and profile contours are co-ordinated with the special requirements of a multi-track vehicle in mind. Minimal rolling friction and high durability for the recumbent tricyclist. It has ECE-R75 certification for faster E-Bikes.



SUPER MOTO-X

Performance Line, Wired tire – HS 439

	ETRTO	Size	!	⚡	⚙	⚙	Skin	Bar	Psi	g	oz	EPI	Index	Load	Art.-No.	
NEW!	20"	62-406	20x2.40	DD, GreenGuard	E-50	Dual	Black-Reflex	Snake	2.0-4.5	30-65	880	31	67	33B	115 kg	11101327.01
	26"	62-559	26x2.40	DD, GreenGuard	E-50	Dual	Black-Reflex	Snake	2.0-4.0	30-55	1095	39	67	40B	140 kg	11101381.01
NEW!	27.5"	62-584	27.5x2.40, 650B	DD, GreenGuard	E-50	Dual	Black	Snake	2.0-4.0	30-55	1125	40	67	41B	145 kg	11100726.01
		62-584	27.5x2.40, 650B	DD, GreenGuard	E-50	Dual	Black-Reflex	Snake	2.0-4.0	30-55	1125	40	67	41B	145 kg	11101112.01
		70-584	27.5x2.80, 650B	DD, RaceGuard	E-50	Dual	Black	Snake	1.5-3.0	20-45	910	32	67	43B	155 kg	11101108

BIG BEN PLUS

Performance Line, Wired tire – HS 439

20"	55-406	20x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	680	24	67	26B	95 kg	11101122
24"	55-507	24x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	835	29	67	34B	118 kg	11101340
26"	55-559	26x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	935	33	67	37B	128 kg	11101123
27.5"	50-584	27.5x2.00, 650B	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.5-5.0	35-70	860	30	67	37B	128 kg	11101124
28"	50-622	28x2.00	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.5-5.0	35-70	920	32	67	38B	132 kg	11101125


TRYKER

Performance Line, Folding tire – HS 433

20"	40-406	20x1.50	RaceGuard	E-50	Endurance	Black-Reflex	Lite	4.0-6.0	55-85	320	11	67	17B	73 kg	11600303
-----	--------	---------	-----------	------	-----------	--------------	------	---------	-------	-----	----	----	-----	-------	----------



Specially developed for E-Race bikes. Fast racing tire specially designed for E-performance: The V-Guard puncture protection belt ensures high puncture resistance and the new Addix Race Compound offers tenacious grip at high cornering speeds and extensive durability in E-operation. 28 mm and 32 mm wide for added comfort on the home track as well as on an uphill, Alpine pass. Also the new E-One has ECE-R75 approval for fast E-Bikes.



DD stands for Double Defense. Double protection for the E-Race tire. In addition to the RaceGuard protection belt there is an effective fabric protector on the sidewall. Extra high level of puncture protection and mileage for E-Race bikes.



	ETRT0	Size	!	⚡			Skin	Bar	Psi			EPI	Index	Load	Art.-No.
28 "	28-622	28x1.10	V-Guard	E-50	ADDDX RACE	Black	Lite	6.0-8.0	85-115	315	11	127	22B	85 kg	11653999
	32-622	28x1.25, 700x32C	V-Guard	E-50	ADDDX RACE	Black	Lite	6.0-8.0	85-115	400	14	127	22B	85 kg	11654000

28"	28-622	700x28C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	330	12	67	75 kg	11600812
-----	--------	---------	---------------	------	------	---------------	-------	---------	--------	-----	----	----	-------	----------

28"	28-622	700x28C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	430	15	67	75 kg	11101061
-----	--------	---------	---------------	------	------	---------------	-------	---------	--------	-----	----	----	-------	----------

27.5"	40-584	27.5x1.50, 650B	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11600792.01
28"	35-622	28x1.35, 700x35C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	400	14	127	75 kg	11600764.01
	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11600766.01
			V-Guard	E-25	OneStar	Classic-Skin	Lite	3.0-5.0	45-70	420	15	127	100 kg	11601075

27.5"	35-584	27.5x1.35, 650B	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	360	13	67	75 kg	11600927
	70-584	27.5x2.80, 650B	DD, RaceGuard	E-25	Dual	Black	Snake	1.5-3.0	20-45	790	28	67	150 kg	11600953
28"	35-622	28x1.35, 700x35C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	380	13	67	75 kg	11600774
	40-622	28x1.50, 700x38C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	440	16	67	100 kg	11600775



Tip Trekkingbike 3/2017:
Gravel tires



SCHWALBE G-ONE ALLROUND

Schwalbe One goes Gravel. An all-rounder for Gravel bikes with motor assist. The smooth rolling G-One profile and Tubeless Easy technology make it a pleasure to ride over forest paths and rolling fields but also on any road.

*(This rating refers to tubeless operation.)

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
MicroSkin TL Easy*					
V-Guard					
RaceGuard					
DD RaceGuard					



SCHWALBE G-ONE SPEED

The Special One. Also for E-Race bikes. Unleashing profile and breathtakingly fast – especially when large volume counts. With Tubeless Easy technology and extra V-Guard protection, G-One Speed is a tire for the real tough jobs.

*(This rating refers to tubeless operation.)

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
MicroSkin TL Easy*					
RaceGuard					



SCHWALBE G-ONE BITE

A true off-roader. This G-One feels pretty good on the road but its real strength is offroad. G-One Bite is made even more for off-road terrain than its colleagues. The open tread design and strong outer blocks provide stability when cornering and deliver this G-One the perfect "Bite".

*(This rating refers to tubeless operation.)

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
MicroSkin TL Easy*					

SCHWALBE G-ONE SPEED

Evolution Line, Folding tire – HS 472

	ETRTO	Size	!	⚡	⚙	⚫	Skin	Bar	Psi	g	🔧	EPI	Load	Art.-No.
27.5"	40-584	27.5x1.50, 650B	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.5-5.0	50-70	450	16	127	100 kg	11600997
28"	30-622	28x1.20, 700x30C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.5-5.5	50-80	330	12	127	75 kg	11600951
	35-622	28x1.35, 700x35C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.0-5.0	45-70	450	16	127	75 kg	11601054
	40-622	28x1.50, 700x38C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.0-5.0	45-70	480	17	127	100 kg	11600995

SCHWALBE G-ONE SPEED

Performance Line, Folding tire – HS 472

NEW!	27.5"	30-584	27.5x1.20, 650B	RaceGuard	E-25	Dual	Black	Lite	3.5-5.5	50-80	320	11	67	75 kg	11600929
	28"	30-622	28x1.20, 700x30C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	350	12	67	75 kg	11600773.01

SCHWALBE G-ONE BITE

Evolution Line, Folding tire – HS 487

NEW!	27.5"	40-584	27.5x1.50	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11601094
	28"	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11601003





TOUR
TEST
SIEGER

6 / 2018 Test
Tubeless-Reifen

TOUR TESTWINNER
"With all its features,
the properties of the
Schwalbe Pro One
can't be beaten. The
weight advantage of its
tubeless-system also
played an important role.
This made it an overall
test winner."



Bikeradar.com (2017)



RoadBike
TESTWINNER
12/2017

SCHWALBE PRO ONE

The fastest road tire in the world. Schwalbe Pro One sets new standards. A truly thrilling ride. It's fast. It's reliable. It's light. The patented MicroSkin construction makes this all possible. The rolling resistance is minimal! All around cut resistance and puncture protection are extraordinary, especially in combination with Doc Blue Professional sealant. This is the absolute top model from Schwalbe brand new in the extra-wide size 30-622.

! You can also use the Schwalbe Pro One with a normal tube, but its true strengths are experienced only in tubeless form.

SCHWALBE PRO ONE HT

Handmade tubular. The holy grail of tire manufacturing and first choice for professionals. OneStar Triple compound and a carcass mixture made from polyester and cotton provide a low rolling resistance and high pinch flat protection. The diamond tread indicates grip even in difficult conditions. Now available in the new size 27-622.

The Schwalbe Pro One HT is entirely handmade. This guarantees exceptional quality of every single tire.



SCHWALBE PRO ONE Evolution Line, Folding tire – HS 462

	ETRTO	Size	!	🌀	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	28-406	20x1.10	MicroSkin, TLE	OneStar	Black	Micro	6.0-8.0	85-115	205	7	127	70 kg	11600811
	26-559	26x1.10	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	275	10	127	75 kg	11601076
27.5"	25-584	650x25B	MicroSkin, TLE	OneStar	Black	Micro	5.0-7.5	70-110	265	9	127	70 kg	11600874
28"	23-622	700x23C	MicroSkin, TLE	OneStar	Black	Micro	5.0-8.5	70-125	240	8	127	70 kg	11600808
	25-622	700x25C	MicroSkin, TLE	OneStar	Black	Micro	5.0-7.5	70-110	260	9	127	70 kg	11600809
	28-622	700x28C	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	280	10	127	75 kg	11600810
	30-622	28x1.20	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	295	10	127	75 kg	11653989

NEW!

SCHWALBE PRO ONE HT Evolution Line, Tubular – HS 423

28"	22-622	700x22	Handmade Tubular, V-Guard	OneStar	Black	Lite	8.0-14.0	115-205	250	9	107	70 kg	11101217
	25-622	700x25	Handmade Tubular, V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	290	10	107	70 kg	11101216
	27-622	700x27	Handmade Tubular, V-Guard	OneStar	Black	Lite	5.0-8.0	70-115	310	11	107	75 kg	11159011

NEW!



TUBELESS-SET

2x SCHWALBE Pro One. Size 25-622. Easy Fit & Doc Blue.
Art.-No. 16700024.01

SCHWALBE ONE

Schwalbe One. The name alone indicates how significant this tire is for Schwalbe. With a sporty tread design, excellent Race-Compound and quality workmanship, the Schwalbe One sets a new benchmark in terms of quality and performance.

A highlight is the new Performance Line, Tubeless Easy Version in size 25-622, an economical tubeless-alternative to the top model Schwalbe Pro One. Equipped with a high safety level and all the advantages of tubeless technology.



Tip RoadBike (11/16): best-value!

TOUR
TEST
SIEGER

6 / 2018 Test
Climber-Reifen

TOUR TESTWINNER

"Its forgiving steering behaviour is stable and easy to control. Excellent suspension and shock absorption. It provides speed, grip and safety, while remaining very balanced and also very comfortable."



Available in many colour options as well as a stylish version with Classic-Skin sidewall.



SCHWALBE ONE Evolution Line, Folding tire – HS 462A

	ETRTO	Size	!	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
	20"	25-451 20x1.00	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	175	6	127	70 kg	11600872
	24"	25-540 24x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	205	7	127	70 kg	11600870
	26"	25-559 26x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	215	8	127	70 kg	11600871
		23-571 650x23C	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	205	7	127	70 kg	11600945
	27.5"	25-584 650x25B	V-Guard	OneStar	Black	Lite	6.0-8.0	85-115	215	8	127	70 kg	11600869
	28"	23-622 700x23C	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	210	7	127	70 kg	11600862
		25-622 700x25C	V-Guard	OneStar	Black	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600863
			V-Guard	OneStar	Red Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600865
			V-Guard	OneStar	Blue Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600866
			V-Guard	OneStar	White Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600867
NEW!			V-Guard	OneStar	Classic-Skin	Lite	6.0-9.0	85-130	230	8	127	70 kg	11601050
		28-622 700x28C	V-Guard	OneStar	Black	Lite	6.0-8.0	85-115	245	9	127	75 kg	11600864
NEW!		30-622 28x1.2, 700x30C	V-Guard	OneStar	Black	Lite	4.5-7.0	65-100	265	9	127	75 kg	11653988

NEW! SCHWALBE ONE Performance Line, Folding tire – HS 462

28"	25-622 700x25C	RaceGuard, TLE	Dual	Black	Micro	5.0-7.5	70-110	350	12	67	70 kg	11601117.01
-----	----------------	----------------	------	-------	-------	---------	--------	-----	----	----	-------	-------------





DURANO

Mile eater. The popular Durano has outstanding qualities: Extremely high mileage. Dual Compound for best grip – even training on wet winter roads. Proven RaceGuard protection belt.

ⓘ Available in lots of attractive colours.



DURANO PLUS

Maximum puncture protection for race bikes! Durano Plus with a racy, dynamic profile. The SmartGuard belt is not as deep as the Marathon Plus's, it offers though a unique level of protection for racing tires. The most puncture resistant road bike tire, there is.



DURANO Performance Line, Folding tire – HS 464

	ETRTO	Size	!	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	28-406	20x1.10	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	200	7	67	70 kg	11600683
24"	23-520	24x0.90	RaceGuard	Dual	Black	Lite	6.0-10.0	85-145	195	7	67	60 kg	11600685
26"	28-559	26x1.10	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	280	10	67	70 kg	11600686
28"	23-622	700x23C	RaceGuard	Dual	Black	Lite	6.0-10.0	85-145	225	8	67	70 kg	11600645
	25-622	700x25C	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	280	10	67	70 kg	11600639
			RaceGuard	Dual	Blue Stripes	Lite	6.0-8.0	85-115	245	9	67	70 kg	11600961
			RaceGuard	Dual	Red Stripes	Lite	6.0-8.0	85-115	280	10	67	70 kg	11600962
			RaceGuard	Dual	White Stripes	Lite	6.0-8.0	85-115	245	9	67	70 kg	11600963
	28-622	700x28C	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	305	11	67	75 kg	11600687

DURANO Performance Line, Wired tire – HS 464


20"	28-406	20x1.10	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	250	9	67	70 kg	11100916
	28-451	20x1 1/8	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	280	10	67	70 kg	11100917
28"	23-622	700x23C	RaceGuard	Dual	Black	Lite	6.0-10.0	85-145	300	11	67	70 kg	11100892
	25-622	700x25C	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	405	14	67	70 kg	11100893
	32-622	28x1.25, 700x32C	RaceGuard	Dual	Black	Lite	4.0-6.5	55-95	435	15	67	90 kg	11100918

DURANO PLUS Performance Line, Folding tire – HS 464

28"	23-622	700x23C	SmartGuard	Dual	Black	Twin	6.0-10.0	85-145	370	13	67	70 kg	11600680
	25-622	700x25C	SmartGuard	Dual	Black	Twin	6.0-8.0	85-115	410	14	67	70 kg	11600640

DURANO PLUS Performance Line, Wired tire – HS 464

28"	23-622	700x23C	SmartGuard	Dual	Black	Twin	6.0-10.0	85-145	410	14	67	70 kg	11100912
	25-622	700x25C	SmartGuard	Dual	Black	Twin	6.0-8.0	85-115	450	16	67	70 kg	11100913
	28-622	700x28C	SmartGuard	Dual	Black-Reflex	Twin	6.0-8.0	85-115	530	19	67	85 kg	11100915



DURANO DD

With all-round protection. DD stands for Double Defense. In addition to the RaceGuard protection belt there is an effective fabric protector on the sidewall. Due to its high level of protection and good riding characteristics, Durano DD is our recommendation for use on E-Race bikes.



INSIDER

Specifically for turbo trainers. The compound has a much lower internal resistance thus making it particularly suitable for roller training.

⚠ Insider should not be used on the road!

DURANO DD Performance Line, Folding tire – HS 464

	ETRTO	Size	!	⚡	⚙	🌀	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	23-622	700x23C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-10.0	85-145	275	10	67	70 kg	11600740
	25-622	700x25C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	300	11	67	70 kg	11600739
	28-622	700x28C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	330	12	67	75 kg	11600812

DURANO DD Performance Line, Wired tire – HS 464

	ETRTO	Size	!	⚡	⚙	🌀	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	23-622	700x23C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-10.0	85-145	355	13	67	70 kg	11100971
	25-622	700x25C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	385	14	67	70 kg	11100970
	28-622	700x28C	DD, RaceGuard	E-25	Dual	Graphite-Skin	Snake	6.0-8.0	85-115	430	15	67	75 kg	11101061

INSIDER Performance Line, Folding tire

	ETRTO	Size	!	⚡	⚙	🌀	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	35-559	26x1.35	Performance		Roller	Blue	Twin	4.0-6.5	55-95	470	17	67	90 kg	11600063.02
28"	23-622	700x23C	Performance		Roller	Blue	Twin	6.0-10.0	85-145	310	11	67	70 kg	11600084.02
	35-622	700x35C	Performance		Roller	Blue	Twin	4.0-6.5	55-95	525	19	67	100 kg	11600564.01




LUGANO ENDURANCE

Doesn't matter whether Fixie, road bike or urban bike. With a lasting compound and reinforced tread. The new Lugano Endurance is the perfect choice for every urban adventure.



LUGANO T

A classic tubular at the best price. Lugano T is our most economical tubular tire.



LUGANO ENDURANCE Active Line, Wired tire – HS 471													
	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
28"	25-622	700x25C	Reinforced	Silica	Black	Twin	6.0-8.0	85-115	495	17	50	65 kg	11101214

LUGANO T Active Line, Tubular – HS 424													
28"	22-622	700x22	K-Guard	Silica	Beige-Skin	Lite	6.0-10.0	85-145	300	11	T30	65 kg	11100489.01
			K-Guard	Silica	Black	Lite	6.0-10.0	85-145	300	11	T30	65 kg	11100490.01
	25-622	700x25	K-Guard	Silica	Black	Lite	5.0-10.0	70-145	330	12	T30	70 kg	11101159



LUGANO

Our entry-level model. With a dynamic tread design. The attractive colors are available for the first time in the comfortable 25 mm width. The Lugano offers reliable performance at an affordable price.

 The Lugano comes with a classic retro-label in the Classic-Skin execution.



LUGANO Active Line, Folding tire – HS 471

	ETRTO	Size	!			Skin	Bar	Psi	 g	 oz	EPI	Load	Art.-No.
28"	23-622	700x23C	K-Guard	Silica	Black	Lite	6.0-9.0	85-130	260	9	50	65 kg	11600754
	25-622	700x25C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	280	10	50	65 kg	11600763
			K-Guard	Silica	Blue Stripes	Lite	6.0-8.0	85-115	280	10	50	65 kg	11600965
			K-Guard	Silica	Red Stripes	Lite	6.0-8.0	85-115	280	10	50	65 kg	11600967
			K-Guard	Silica	White Stripes	Lite	6.0-8.0	85-115	280	10	50	65 kg	11600968

LUGANO Active Line, Wired tire – HS 471

28"	20-622	700x20C*	K-Guard	Silica	Black	Lite	6.0-9.0	85-130	305	11	50	60 kg	11146000.01
	23-622	700x23C	K-Guard	Silica	Black	Lite	6.0-9.0	85-130	325	11	50	65 kg	11101009
			K-Guard	Silica	Classic-Skin	Lite	6.0-9.0	85-130	325	11	50	65 kg	11101015.02
	25-622	700x25C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	365	13	50	65 kg	11101010
			K-Guard	Silica	Black-Reflex	Lite	6.0-8.0	85-115	365	13	50	65 kg	11101063
			K-Guard	Silica	Red Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11101050
			K-Guard	Silica	White Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11101051
			K-Guard	Silica	Blue Stripes	Lite	6.0-8.0	85-115	350	12	50	65 kg	11101052
			K-Guard	Silica	Yellow Stripes	Lite	6.0-8.0	85-115	365	13	50	65 kg	11101239
			K-Guard	Silica	Classic-Skin	Lite	6.0-8.0	85-115	350	12	50	65 kg	11101053.02
	28-622	700x28C	K-Guard	Silica	Black	Lite	6.0-8.0	85-115	400	14	50	70 kg	11101029

*HS 384





TUBELESS TECHNOLOGY

www.schwalbe.com/tubeless-technology

THE STANDARD FOR BEST PERFORMANCES

Whether mountain bike, road race or touring. For all ambitious sports riders Tubeless is the right choice. Only Tubeless achieves the best values in terms of:

- ⊕ **SPEED**
- ⊕ **GRIP**
- ⊕ **PUNCTURE PROTECTION**
- ⊕ **COMFORT**

TUBELESS IS THAT SIMPLE

YOU NEED: Tubeless compatible wheels, Schwalbe TLE tires, Doc Blue Professional.



LET'S GO: Today tubeless assembly is as easy as conventional assembly with a tube. Helpful tips and tricks for the easy use of tubeless tires can be found on www.schwalbe.com/tubeless. Complementary tools & accessories are on pages 90 – 93.

PRACTICAL TIPS

Always ride tubeless tires with sufficient sealant. This increases the puncture protection enormously and prevents frequent punctures.

Check tire pressure and sealant regularly. Depending on the weather conditions and mileage, the durability and safety function of the sealant can vary.

OUR FORMULA FOR STRESSLESS RIDING: Refill every month with approx. 10 ml sealant through the valve, so there is no need to demount the tire.



SCHWALBE G-ONE ALLROUND

Schwalbe One goes Gravel. The Schwalbe One family provides the right tire for the latest gravel bike trend. The smooth rolling G-One profile and Tubeless Easy technology make it a pleasure to ride over forest paths and rolling fields.

*(This rating refers to tubeless operation.)

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
MicroSkin TL Easy*					
SnakeSkin TL Easy*					
V-Guard					
RaceGuard					
DD RaceGuard					



SCHWALBE G-ONE SPEED

The Special One. Unleashing profile and breathtakingly fast – especially when large volume counts. As a 30mm wide road race version with V-Guard protection, G-One Speed is a tire for the real tough jobs. You can ride it as a handmade tubular or with the most modern Tubeless Easy technology. But it is also a guarantee for maximum speed in the extra-wide 60mm execution – of course not only at the fascinating beach races on Holland's coasts.

*(This rating refers to tubeless operation.)

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
MicroSkin TL Easy*					
SnakeSkin TL Easy*					
Handmade Tubular					
V-Guard					
LiteSkin					
RaceGuard					

SCHWALBE G-ONE ALLROUND Evolution Line, Folding tire – HS 473

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5 "	40-584	27.5x1.50, 650B	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11600792.01
	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.8-3.7	26-54	600	21	67	110 kg	11600954
	70-584	27.5x2.80, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.5-3.0	20-45	750	26	67	120 kg	11600952
28 "	35-622	28x1.35, 700x35C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	400	14	127	75 kg	11600764.01
	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11600766.01
			V-Guard	E-25	OneStar	Classic-Skin	Lite	3.0-5.0	45-70	420	15	127	100 kg	11601075
29 "	57-622	29x2.25	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.8-3.7	26-54	630	22	67	120 kg	11600955

SCHWALBE G-ONE ALLROUND Performance Line, Folding tire – HS 473

27.5 "	35-584	27.5x1.35, 650B	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	360	13	67	75 kg	11600927
	70-584	27.5x2.80, 650B	DD, RaceGuard	E-25	Dual	Black	Snake	1.5-3.0	20-45	790	28	67	150 kg	11600953
28 "	35-622	28x1.35, 700x35C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	380	13	67	75 kg	11600774
	40-622	28x1.50, 700x38C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	440	16	67	100 kg	11600775

SCHWALBE G-ONE SPEED Evolution Line, Folding tire – HS 472

NEW!	20 "	40-406	20x1.50	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.5-5.0	50-70	365	9	127	100 kg	11654018
	27.5 "	40-584	27.5x1.50, 650B	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.5-5.0	50-70	450	16	127	100 kg	11600997
		50-584	27.5x2.00, 650B	SnakeSkin, TLE, V-Guard	E-25	OneStar	Black	Snake	2.5-4.5	35-65	500	18	67	100 kg	11600998
				V-Guard	E-25	OneStar	Classic-Skin	Lite	2.5-4.5	35-65	400	14	127	100 kg	11653998
		60-584	27.5x2.35, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.6-3.5	23-50	500	18	67	125 kg	11600973
	28 "	30-622	28x1.20, 700x30C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.5-5.5	50-80	330	12	127	75 kg	11600951
		35-622	28x1.35, 700x35C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.0-5.0	45-70	450	16	127	75 kg	11601054
		40-622	28x1.50, 700x38C	MicroSkin, TLE, V-Guard	E-25	OneStar	Black	Micro	3.0-5.0	45-70	480	17	127	100 kg	11600995
	29 "	50-622	28x2.00	SnakeSkin, TLE, V-Guard	E-25	OneStar	Black	Snake	2.5-4.5	35-65	520	18	67	100 kg	11600996
		60-622	29x2.35	LiteSkin	E-25	OneStar	Black	Lite	1.6-3.5	23-50	440	16	127	125 kg	11600974
			SnakeSkin, TLE	E-25	OneStar	Black	Snake	1.6-3.5	23-50	530	19	67	125 kg	11600975	


SCHWALBE G-ONE SPEED Evolution Line, Tubular – HS 472

28 "	30-622	28x1.20, 700x30	V-Guard	E-25	OneStar	Black	Lite	4.0-7.0	55-100	360	13	107	75 kg	11101231
------	--------	-----------------	---------	------	---------	-------	------	---------	--------	-----	----	-----	-------	----------

SCHWALBE G-ONE BITE

A real off-roader. This G-One feels pretty good on the road but its true strength shines through offroad. G-One Bite is made even more for off-road terrain than its colleagues.

The open tread design and strong outer blocks provide stability when cornering and deliver this G-One the perfect “Bite”



SCHWALBE G-ONE BITE Evolution Line, Folding tire – HS 487

		ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
NEW!	27.5 "	40-584	27.5x1.50	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	420	15	127	100 kg	11601094
		54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	OneStar	Black	Snake	2.0-4.0	30-55	550	19	67	110 kg	11601057
	28 "	40-622	28x1.50, 700x38C	MicroSkin, TLE	E-25	OneStar	Black	Micro	3.0-5.0	45-70	460	16	127	100 kg	11601003
NEW!	29 "	50-622	29x2.00	SnakeSkin, TLE	E-25	OneStar	Black	Snake	2.5-4.5	35-65	500	18	67	100 kg	11601098

SCHWALBE G-ONE SPEED Performance Line, Folding tire – HS 472

NEW!	27.5 "	30-584	27.5x1.20, 650B	RaceGuard	E-25	Dual	Black	Lite	3.5-5.5	50-80	320	11	67	75 kg	11600929
	28 "	30-622	28x1.20, 700x30C	RaceGuard	E-25	Dual	Black	Lite	3.0-5.0	45-70	350	12	67	75 kg	11600773.01

SCHWALBE G-ONE – BEST USE

CATEGORY \ SURFACE	TARMAC	PAVE	GRAVEL ROADS	FOREST ROADS DRY	FOREST ROADS WET	FOREST ROADS WET AND MUDDY	ROUGH FOREST ROADS AND EASY TRAILS	BEACH
SPEED 30 - 50 MM	●	●	●	●				
SPEED 60 MM	●	●	●	●				●
ALLROUND 35 - 40 MM	●	●	●	●	●			
ALLROUND 70 MM	●	●	●	●	●		●	●
ALLROUND 57 MM	●	●	●	●	●		●	
BITE 40 MM	●	●	●	●	●	●		
BITE 54 MM	●	●	●	●	●	●	●	

With the **Gravel series G-One** you get the best tire for every purpose. The overview shows which G-One is the best for you. Do you ride mostly on roads, then use G-One Speed. Do you feel home offroad? Then decide for the “**Bite**”. If you are in both worlds, then the “**Allround**” is the best choice.




SCHWALBE X-ONE ALLROUND

Tubeless Easy for Cylo-crossers. The exceptional profile and OneStar rubber compound make the Schwalbe X-One the most versatile and unbelievably fast cross tire ever. To make it the absolute high-flyer, mount it without a tube on a tubeless-compatible wheel.

! In combination with the right wheel you can run tubeless tires for cyclo-cross with extremely low air pressures without fear of "Burping" (unwanted air leakage). For instance, it works extremely well with the Iron Cross from No Tubes.

*(This rating refers to tubeless operation.)



SCHWALBE X-ONE SPEED

For 100 % Speed – The X-One Speed makes the One-Cross-Series complete. A real Speed-Miracle. The flat round knobs are supported by novel "Multi-Rip"-Blocks for good traction on dry tracks. Vertical side knobs give stability when cornering.

*(This rating refers to tubeless operation.)



SCHWALBE X-ONE ALLROUND Evolution Line, Folding tire – HS 467

	ETRTO	Size	!	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
27.5"	33-584	27.5x1.30	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11600959
28"	33-622	28x1.35, 700x35C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11601005
			V-Guard	OneStar	Classic-Skin	Lite	2.8-4.8	40-70	330	12	127	75 kg	11601074
	33-622	28x1.30, 700x33C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11601006

SCHWALBE X-ONE ALLROUND Performance Line, Folding tire – HS 467

28"	33-622	28x1.35, 700x35C	Performance	Dual	Black	Lite	2.8-4.8	40-70	350	12	67	75 kg	11601007
	33-622	28x1.30, 700x33C*	Performance	Dual	Black	Lite	2.8-4.8	40-70	350	12	67	75 kg	11600772

*HS 467A

SCHWALBE X-ONE SPEED Evolution Line, Folding tire – HS 483

28"	33-622	28x1.30, 700x33C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	370	13	127	75 kg	11600956
-----	--------	------------------	----------------	---------	-------	-------	---------	-------	-----	----	-----	-------	----------

SCHWALBE X-ONE SPEED Performance Line, Folding tire – HS 483

28"	33-622	28x1.30, 700x33C	RaceGuard	Dual	Black	Lite	2.8-4.8	40-70	350	12	67	75 kg	11600957
-----	--------	------------------	-----------	------	-------	------	---------	-------	-----	----	----	-------	----------





SCHWALBE X-ONE BITE

The X-One is available in a "mud-version" with an even coarser tread. The Cross specialist for the real muddy days.

*(This rating refers to tubeless operation.)



CX PRO

High speed cross-country. Classical tread design with excellent grip.



SCHWALBE X-ONE BITE Evolution Line, Folding tire – HS 481

	ETRTO	Size	!	🌀	🔵	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
28"	33-622	28x1.30, 700x33C	MicroSkin, TLE	OneStar	Black	Micro	2.8-4.8	40-70	390	14	127	75 kg	11600922

CX PRO Performance Line, Wired tire – HS 269

26"	35-559	26x1.35	Performance	Dual	Black	Lite	4.0-6.5	55-95	405	14	67	75 kg	11100185.02
28"	30-622	28x1.20, 700x30C	Performance	Dual	Black	Lite	4.0-6.5	55-95	400	14	67	65 kg	11100186.02


SCHWALBE X-ONE – BEST USE

CATEGORY \ SURFACE	SURFACE				UCI LEGITIMATE BETWEEN 17C AND 23C RIMS
	TARMAC	OFFROAD DRY	OFFROAD WET	OFFROAD WET, ROUGH AND MUDDY	
SPEED 33 MM	•	•			•
ALLROUND 33 MM	•	•	•		•
ALLROUND 35 MM	•	•	•		
BITE 33 MM	•	•	•	•	•





The favorite among downhill and enduro experts. The perfect choice for virtually any track. Intermediate tread: maximum brake traction and corner grip even on extremely muddy terrain thanks to strong shoulder studs and the aggressive, open tread design. **Downhill version:** ADDIX Ultra Soft (purple). Especially robust, double carcass design with downhill apex, clincher tyres. **Super Gravity version:** ADDIX Soft (orange) or ADDIX Ultra Soft (purple). Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride. **Tubeless Easy version:** ADDIX Soft (orange). Only in 27.5+ with ADDIX Speedgrip and Apex. **Bikepark version:** a lot of tire for little money. Unbelievably robust with super long life.

**NEW!**


	ETRTO	Size	!	⚡	🔗	🌙	Skin	Bar	Psi	🇯🇵	🇺🇸	EPI	Load	Art.-No.		
26 "	60-559	26x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1045	37	67	115 kg	11600513.02		
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1045	37	67	115 kg	11600536.02		
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	795	28	67	115 kg	11600538.02		
27.5 "	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.7-3.8	24-55	835	29	67	110 kg	11600992.01		
			60-584	27.5x2.35, 650B	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600511.02
					Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1100	39	67	115 kg	11600537.02
	65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	835	29	67	115 kg	11600539.02		
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1000	35	67	115 kg	11601010		
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1050	37	67	120 kg	11601012		
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.7-3.8	24-55	880	31	67	110 kg	11601026		
29 "	60-622	29x2.35	Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	1165	41	67	125 kg	11600615.02		
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	885	31	67	125 kg	11600616.02		
			65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	1065	38	67	115 kg	11601102

26"	60-559	26x2.35	Downhill		Black	Snake	1.6-3.5	23-50	1190	42	2x67	115 kg	11100746.02
	65-559	26x2.60	Downhill		Black	Snake	1.5-3.2	20-46	1350	48	2x67	120 kg	11100943.01
27.5"	60-584	27.5x2.35, 650B	Downhill		Black	Snake	1.6-3.5	23-50	1250	44	2x67	115 kg	11100747.02
	65-584	27.5x2.60, 650B	Downhill		Black	Snake	1.5-3.2	20-46	1410	50	2x67	120 kg	11100966.01
29"	60-622	29x2.35	Downhill		Black	Snake	1.6-3.5	23-50	1350	48	2x67	125 kg	11101361

26"	60-559	26x2.35	BikePark	E-25		Black	Twin	1.6-3.5	23-50	1400	49	20D2	115 kg	11100976.01	32,90
27.5"	60-584	27.5x2.35, 650B	BikePark	E-25		Black	Twin	1.6-3.5	23-50	1475	52	20D2	115 kg	11100977.01	32,90

HANS DAMPF SPEEDGRIP SOFT

The new Hans Dampf has everything to increase fun in Enduro. Up to 2.80 width, SuperGravity carcass, Apex versions and of course Addix compounds. For gorgeous handling and the highest puncture protection on demanding trails - uphill as well as downhill. All in all much more aggressive, Hans Dampf still remains good-natured at the limits and gives optimal feedback from the ground. **Super Gravity version:** ADDIX Soft (orange). Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride. **Tubeless Easy version:** ADDIX Speedgrip (blue), ADDIX Soft (orange). In 27.5+ and 29+ reinforced with Apex.




NEW! HANS DAMPF Evolution Line, Folding tire – HS 491

	ETRTO	Size	!	⚡	🌀	🌀	Skin	Bar	Psi	🇩🇪	🇬🇧	EPI	Load	Art.-No.
26 "	60-559	26x2.35	SnakeSkin, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	760	27	67	115 kg	11601125
			Super Gravity, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	1020	36	67	115 kg	11601126
27.5 "	60-584	27.5x2.35, 650B	Super Gravity, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	1065	38	67	115 kg	11601101
			SnakeSkin, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	795	28	67	115 kg	11601104
	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex		ADDIX	Black	Snake	1.2-2.6	17-38	900	32	67	115 kg	11601106
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex		ADDIX	Black	Snake	1.2-2.6	17-38	1000	35	67	120 kg	11601107
29 "	60-622	29x2.35	SnakeSkin, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	850	30	67	125 kg	11601108
			Super Gravity, TLE		ADDIX	Black	Snake	1.6-3.5	23-50	1150	41	67	125 kg	11601109
	65-622	29x2.60	SnakeSkin, TLE, Apex		ADDIX	Black	Snake	1.2-2.6	17-38	970	34	67	115 kg	11601110

NEW! HANS DAMPF Performance Line, Folding tire – HS 491


24 "	60-507	24x2.35	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	770	27	67	115 kg	11601118
26 "	60-559	26x2.35	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	840	30	67	115 kg	11601124
27.5 "	60-584	27.5x2.35, 650B	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	880	31	67	115 kg	11601105
29 "	60-622	29x2.35	Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	930	33	67	125 kg	11601119

ⓘ In Performance Line, TLR version, the new Hans Dampf is also available for 24" Bikes.



ROCK RAZOR SPEEDGRIP SOFT

The semi-slick. Used on very fast and dry trails. Little rolling resistance and little weight. Primarily for use on the rear wheel. **Tread design:** fast, flat studs in the center of the tread for good corner grip with sturdy lugs on the tire shoulders. **Super Gravity version:** ADDIX Soft (orange). Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride. **Tubeless Easy** version: ADDIX Speedgrip (blue). In 27.5+ also with Apex.



DIRTY DAN ULTRA SOFT

The specialist for sludge. For deep soils and soft terrain. Aggressive open tread. Excellent brake traction and extremely good self-cleaning characteristics thanks to the large stud gaps. **Downhill version:** ADDIX Ultra soft (purple). Especially robust, double carcass design with downhill apex, clincher tires. **Super Gravity version:** ADDIX Ultra soft (purple). Puncture-proof (with Apex) with extreme lateral stability for a dynamic ride.

ROCK RAZOR Evolution Line, Folding tire – HS 452

	ETRTO	Size	!	⚡	🌀	🌀	Skin	Bar	Psi	🏋️	🏋️	EPI	Load	Art.-No.
27.5"	60-584	27.5x2.35, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	695	25	67	115 kg	11600534.02
			Super Gravity, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	965	34	67	115 kg	11600535.02
	65-584	27.5x2.60, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	850	30	67	115 kg	11601013
29"	60-622	29x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	740	26	67	125 kg	11600660.01

DIRTY DAN Evolution Line, Folding tire – HS 417


27.5"	60-584	27.5x2.35, 650B	Super Gravity, TLE	ADDIX	Black	Snake	1.6-3.5	23-50	1075	38	67	115 kg	11600557.02
-------	--------	-----------------	--------------------	-------	-------	-------	---------	-------	------	----	----	--------	-------------

DIRTY DAN Evolution Line, Wired tire – HS 417

27.5"	60-584	27.5x2.35, 650B	Downhill	ADDIX	Black	Snake	1.6-3.5	23-50	1345	47	2x67	115 kg	11100862.02
29"	60-622	29x2.35	Downhill	ADDIX	Black	Snake	1.6-3.5	23-50	1345	47	2x67	125 kg	11101351

Procore®

RIDE PROGRESSIVE



OUTER CHAMBER extremely low pressure | (0,8 – 1,5 bar) | tubeless with sealant | maximum grip | optimum performance

INNER CHAMBER high pressure | (4- 6 bar) | with special tube | safer against snakebites | prevents burping | secures the rim



SET OF 2 WITH ALL NECESSARY COMPONENTS, IN ORDER TO CONVERT A COMPLETE BIKE.

- 2 x PROCORE inner tire
- 2 x PROCORE special tube
- 2 x AirGuide
- Tubeless rim tape
- Doc Blue
- Tire fitting aids

Set 26"	16610001
Set 27,5"	16610002
Set 29"	16610003

INDIVIDUAL PARTS

Procore inner tube 26"	11600759
Procore inner tube 27,5"	11600760
Procore inner tube 29"	11600761
Procore tube 26"	10400213
Procore tube 27,5"	10400223
Procore tube 29"	10400233
AirGuide	3671

Weighing ca. 200 g per wheel. Compatible with all wheels regardless of brand. Internal rim width min. 23mm and max. 40mm. Tire Width min. 57mm.


PROCORE IS A JOINT DEVELOPMENT OF SCHWALBE AND SYNTACE.

The colour blue is a trademark of PARK TOOL for bicycle tools and is used under license.



reddot award 2015
best of the best





ADDIX®

**THE COMPOUND FOR ALL
LEGENDARY MTB TIRES.**

XC RACE

ADDIX SPEED is the compound for XC race specialists. It catapults our XC tires into a new performance dimension.

XC / AM / TRAIL

ADDIX SPEEDGRIP, the universal compound. It definitely has the widest range of use. Perfect for XC, AM and Trail: for the majority of EVO tires there's a version with ADDIX Speedgrip! It replaces the previous PaceStar compound where a significant, though not the only difference, during extensive use is more mileage and a longer life.

ADDIX makes all of our legendary EVO mountain bike tires better. With four compounds – **SPEED**, **SPEEDGRIP**, **SOFT**, **ULTRA SOFT** – we can respond to every demand. The tests in the lab and in the field demonstrate that **ADDIX** performs better than any other compound before – in all disciplines: XC, AM and TRAIL, ENDURO and DOWNHILL. **ADDIX** is immediately recognizable by the label on the sidewall and the colored stripe in the tread.

COMPOUND		XC RACE	XC / AM / TRAIL	ENDURO / DOWNHILL	ENDURO / DOWNHILL
TIRE					
EDDY CURRENT	FRONT	SG		•	
	REAR	SG		•	
MAGIC MARY	DH				•
	SG			•	•
	TLE APEX*			•	
	TLE			•	
DIRTY DAN	DH				•
	SG				•
HANS DAMPF	SG			•	
	TLE APEX*		•		
	TLE			•	
ROCK RAZOR	SG			•	
	TLE APEX*		•		
	TLE		•		
FAT ALBERT	FRONT	TLE		•	
	REAR	TLE	•		
NOBBY NIC	TLE APEX*		•		
	TLE		•		
	LS		•		
ROCKET RON	TLE APEX*		•		
	TLE	•	•		
	LS	•			
RACING RALPH	TLE	•			
RACING RAY	TLE		•		
THUNDER BURT	TLE	•			
	LS	•			
FURIOUS FRED	LS	•			
DIRTY DAN XC	LS		•		
JUMBO JIM	TLE		•		
	LS		•		

*TLE Apex exclusively for 27.5+ and 29+



ADDIX IS ALSO AVAILABLE IN A PERFORMANCE VERSION: Very durable, very versatile. Like Speedgrip it is a universal compound, but these tires are not as light and fast as tires from the Evolution Line.

ENDURO / DOWNHILL

ADDIX SOFT is a compound that bridges many disciplines. It's just as at home in the Enduro and downhill world as it is in the demanding discipline of all-mountain and trail riding. It also impresses when used in combination with other ADDIX tires – more speed: Soft on the front, Speedgrip on the back. Or more damping: Ultra Soft on the front, Soft on the back.

ENDURO / DOWNHILL

ADDIX ULTRA SOFT is the ADDIX compound for hardcore use in enduro and downhill. Sensational-ly good damping has been further improved over the previous VertStar compound, while at the same time ADDIX Ultra Soft is suitable for all-weather use due to significantly improved low-temperature properties when it comes to grip and damping.

BEST USE

**BEST USE &
MTB-TECHNOLOGIES**



BEST USE & MTB-TECHNOLOGIES


TERRAIN			MODELL	PURPOSE			
Hardpac	Mix	Soft		Competition	Sport/Fun	Tour	
☐	☒	☐	MAGIC MARY	☐	☒	☐	DH / Enduro
☒	☐	☐	HANS DAMPF	☐	☒	☐	Enduro
☒	☐	☐	ROCK RAZOR	☐	☒	☐	Enduro
☐	☒	☐	DIRTY DAN GRAVITY	☐	☒	☐	DH
☒	☐	☐	NOBBY NIC	☐	☒	☐	Enduro / AM / Trail
☒	☐	☐	FAT ALBERT	☐	☒	☐	Enduro / AM / Trail
☒	☐	☐	RACING RALPH	☐	☒	☐	XC / Marathon
☐	☒	☐	ROCKET RON	☐	☒	☐	XC / Marathon
☐	☒	☐	DIRTY DAN XC	☐	☒	☐	XC
☒	☐	☐	THUNDER BURT	☐	☒	☐	XC / Marathon
☒	☐	☐	FURIOUS FRED	☐	☒	☐	
☐	☒	☐	JUMBO JIM	☐	☒	☐	
☒	☐	☐	HURRICANE	☐	☐	☒	
☒	☐	☐	SMART SAM	☐	☒	☐	

DH

DOWNHILL

DOWNHILL.

Very durable tyres. 6 layers of carcass in the center and sturdy 7 fabric layers on the sidewall (SnakeSkin, Apex, 4-ply carcass) make these tires almost indestructible. With stable wired bead cores.



SG

SUPER GRAVITY

SUPER GRAVITY. GENERATION II.

Revised construction. More stable. Protection almost at DH level, but due to the patented "Turn Up" construction the tread remains more flexible. All around Snakeskin is excellent protection against cuts. All Super Gravity tires are Tubeless Easy. Overall, there's an appreciable weight saving compared to classic downhill tires.



BIKE PARK

PERFORMANCE

BIKEPARK.

Unbelievably robust.
Incredibly durable.
A lot of tire for half the cost.




APX

REINFORCED

APEX. REINFORCED.

Additional to the SnakeSkin fabric, these TL Easy tires are reinforced on the sidewalls by 2 layers of extremely robust motorcycle carcass.



TLE

SNAKESKIN

TUBELESS EASY.
SNAKESKIN.

The excellent tubeless standard in our Evo tires! The Snakeskin material assures cut-resistant sidewalls and extremely easy Tubeless conversion.

! All important information and advice about Tubeless can be found at: www.schwalbe.com/tubeless



LS

LITESKIN

LITESKIN.

The lightest option. LiteSkin MTB tires forego Snakeskin, but still have extra-strong tire beads. If you don't mind the extra effort, these tires can also be converted to Tubeless by using a liquid sealant.

! However, we cannot guarantee that LiteSkin tires used with commercially available sealants will be safely and permanently sealed.



TLR

TUBELESS READY

PERFORMANCE.
TL READY.

Tubeless for Performance versions. Extra-strong bead cores, with rubber reinforced sidewalls. Tubeless conversion as easy as with EVO tires.

! All important information and advice about Tubeless can be found at: www.schwalbe.com/tubeless




DD

DOUBLE DEFENSE

PERFORMANCE.
DOUBLE DEFENSE.

Double protection. All around SnakeSkin + RaceGuard under the tread provides maximum security for off-road tires. The ideal requirement for the use on E-MTBs.



NOBBY NIC SPEEDGRIP

The MTB tire with the greatest range of applications. The all-rounder that works in every situation, no matter the weather, no matter the terrain. Widest possible range of use: for tour and all-mountain, for difficult cross-country tracks as well as technically challenging enduro trails. **Tread design:** excellent traction and braking performance thanks to special central stud arrangement, large shoulder studs for excellent control on tricky trails. **Tubeless Easy version:** ADDIX Speedgrip (blue). In size 27.5+ and 29+ also with Apex. **LiteSkin Version:** ADDIX Speedgrip (blue). Only in this version with a stylish sidewall in Classic-Skin colour.

ADDIX

TUBELESS EASY

ES 50

ES 25

bike

5/2018 TEST WINNER

01/18 MOUNTAINBIKE TEST-SIEGER

TESTWINNER



	Rolling	Road Grip	Off-Road Grip	Protection	Durability
TLE Speedgrip					
TLE Apex Speedgrip					
LiteSkin Speedgrip					
DD RaceGuard					
Performance TL Ready					
Performance					

NOBBY NIC Evolution Line, Folding tire – HS 463

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	🏋️	🏴‍☠️	EPI	Load	Art.-No.
26 "	54-559	26x2.10	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	575	20	67	100 kg	11600663.01
	57-559	26x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	635	22	67	110 kg	11600664.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	570	20	67	110 kg	11601070
27.5 "	60-559	26x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	680	24	67	115 kg	11600665.01
	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	670	24	67	110 kg	11600666.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	600	21	67	110 kg	11601071
	60-584	27.5x2.35, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	720	25	67	115 kg	11600667.01
	65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	810	29	67	115 kg	11600875.01
			SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	910	32	67	115 kg	11600910.01
	70-584	27.5x2.80, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	960	34	67	120 kg	11600912.01
29 "	75-584	27.5x3.00, 650B	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.0-2.4	15-35	1010	36	67	120 kg	11600914.01
	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	710	25	67	120 kg	11600668.01
			LiteSkin		ADDIX	Classic-Skin	Lite	1.8-3.7	26-54	690	24	67	120 kg	11601069
	60-622	29x2.35	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.6-3.5	23-50	765	27	67	125 kg	11600669.01
	65-622	29x2.60	SnakeSkin, TLE, Apex	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	950	34	67	115 kg	11601025

NOBBY NIC Performance Line, Folding tire – HS 463

26 "	54-559	26x2.10	Performance, TLR	E-25	ADDIX	Black	Twin	2.0-4.0	30-55	620	22	67	100 kg	11601029
	57-559	26x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	715	25	67	110 kg	11601030
	60-559	26x2.35	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	800	28	67	121 kg	11600981.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	790	28	67	115 kg	11601031
27.5 "	57-584	27.5x2.25, 650B	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	745	26	67	110 kg	11601032
	60-584	27.5x2.35, 650B	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	845	30	67	121 kg	11600983.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	825	29	67	115 kg	11601033
29 "	57-622	29x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	790	28	67	120 kg	11601034
	60-622	29x2.35	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.6-3.5	23-50	895	32	67	121 kg	11600988.01
			Performance, TLR	E-25	ADDIX	Black	Twin	1.6-3.5	23-50	880	31	67	125 kg	11601035

NOBBY NIC Performance Line, Wired tire – HS 463

26 "	54-559	26x2.10	Performance	E-25	ADDIX	Black	Lite	2.0-4.0	30-55	610	22	67	100 kg	11100978.01
	57-559	26x2.25	Performance	E-25	ADDIX	Black	Lite	1.8-3.7	26-54	660	23	67	110 kg	11100896.01
27.5 "	57-584	27.5x2.25, 650B	Performance	E-25	ADDIX	Black	Lite	1.8-3.7	26-54	680	24	67	110 kg	11100897.01
29 "	57-622	29x2.25	Performance	E-25	ADDIX	Black	Lite	1.8-3.7	26-54	730	26	67	120 kg	11100898.01




NEW!

RACING RALPH SPEED

The perfect racer. Faced with the extreme challenges of today's XC tracks, we have completely revised Racing Ralph. The result is a very fast and versatile XC profile, specially developed for the rear wheel. **Profile design:** Numerous grip edges in the tread center for super traction and excellent acceleration. Good rolling properties and extremely quiet. **Tubeless Easy Version:** with ADDIX Speed (red) for speed, stability and durability.

RACING RAY SPEEDGRIP

The front wheel specialist. The completely new, extra aggressive XC profile paired with the versatile Addix Speedgrip compound makes Racing Ray an XC weapon and an ingenious addition to Racing Ralph. **Profile design:** The shifted center blocks and stable shoulder blocks are striking. In between a sophisticated open area. This enables precise steering, reliable cornering far into the limit, sporty handling and direct feedback, together with high braking performance under all conditions. **Tubeless Easy Version** with ADDIX Speedgrip (blue) for speed, grip and durability.



NEW! RACING RAY Evolution Line, Folding tire – HS 489


	ETRTO	Size	!	⚡	🔗	🌞	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26 "	57-559	26x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	565	20	67	110 kg	11601129
27.5 "	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	590	21	67	110 kg	11601113
29 "	54-622	29x2.10	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	595	21	67	110 kg	11601130
	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	625	22	67	120 kg	11601100

NEW! RACING RAY Performance Line, Folding tire – HS 489

27.5 "	57-584	27.5x2.25, 650B	Performance, TLR	ADDIX	Black	Twin	1.8-3.7	26-54	680	24	67	110 kg	11601112
29 "	57-622	29x2.25	Performance, TLR	ADDIX	Black	Twin	1.8-3.7	26-54	735	26	67	120 kg	11601111

ROCKET RON SPEEDGRIP SPEED

Lift Off! The cross-country rocket combines speed and corner control at the highest possible level. An excellent all-rounder for racetracks. Ultra light with 127-EPI-Evo-carcass. **Tread design:** balanced proportion between stable studs and sufficient gaps for excellent rolling characteristics and amazing self-cleaning properties. 27.5+ versions with additional stud rows. **Tubeless**
Easy version: ADDIX Speed (red) or ADDIX Speedgrip (blue). **LiteSkin version:** ADDIX Speed (red). With 127-EPI-Evo-carcass.



ROCKET RON Evolution Line, Folding tire – HS 438

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	🏋️	🏊	EPI	Load	Art.-No.
26 "	54-559	26x2.10	LiteSkin		ADDIX	Black	Lite	2.0-4.0	30-55	435	15	127	100 kg	11600381.02
	57-559	26x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	540	19	67	110 kg	11600621.02
27.5 "	54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	520	18	67	100 kg	11600554.02
	57-584	27.5x2.25, 650B	LiteSkin		ADDIX	Black	Lite	1.8-3.7	26-54	490	17	127	110 kg	11600476.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	570	20	67	110 kg	11600555.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	570	20	67	110 kg	11601017
	65-584	27.5x2.60, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.5-3.0	20-45	735	26	67	115 kg	11600891.01
	70-584	27.5x2.80, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.2-2.6	17-38	785	28	67	120 kg	11600826.01
	75-584	27.5x3.00, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.0-2.4	15-35	830	29	67	120 kg	11600794.01
29 "	54-622	29x2.10	LiteSkin		ADDIX	Black	Lite	2.0-4.0	30-55	485	17	127	110 kg	11600384.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	560	20	67	110 kg	11600553.02
	57-622	29x2.25	LiteSkin		ADDIX	Black	Lite	1.8-3.7	26-54	520	18	127	120 kg	11600385.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	610	22	67	120 kg	11600492.02
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	610	22	67	120 kg	11601018

ROCKET RON Performance Line, Folding tire – HS 438

24 "	54-507	24x2.10	Performance	E-25	ADDIX	Black	Lite	2.0-4.0	30-55	435	15	67	90 kg	11600506.02
26 "	54-559	26x2.10	Performance	E-25	ADDIX	Black	Lite	2.0-4.0	30-55	480	17	67	100 kg	11600387.02
	57-559	26x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	645	23	67	110 kg	11601042
27.5 "	57-584	27.5x2.25, 650B	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	670	24	67	110 kg	11601043
29 "	54-622	29x2.10	Performance	E-25	ADDIX	Black	Lite	2.0-4.0	30-55	535	19	67	110 kg	11600389.02
	57-622	29x2.25	Performance, TLR	E-25	ADDIX	Black	Twin	1.8-3.7	26-54	715	25	67	120 kg	11601044



THUNDER BURT SPEED

Range of use: fast and dry XC tracks. Extremely low rolling resistance, very light - the fastest MTB tyre from Schwalbe. **Tread design:** extra-ordinary amount of small and flat central studs for fast rolling, strong, pronounced outer studs for corner control and grip. **Tubeless Easy version:** ADDIX Speed (red), **LiteSkin version:** ADDIX Speed (red).



FURIOUS FRED SPEED

The lightweight. Only approx. 360 grams. Minimal material use, 127-EPI-Evo-carcass. Attention: this not an all-rounder. It has limited grip and a high puncture risk. **LiteSkin version:** ADDIX Speed (red).

⚠ **Attention!** To anyone who wants everything. It is not an allrounder. Grip is limited and risk of puncturing is high



THUNDER BURT Evolution Line, Folding tire – HS 451

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	🇩🇪g	🇬🇧oz	EPI	Load	Art.-No.
27.5 "	54-584	27.5x2.10, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	480	17	67	100 kg	11600623.02
	57-584	27.5x2.25, 650B	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	540	19	67	110 kg	11600655.01
29 "	54-622	29x2.10	LiteSkin		ADDIX	Black	Lite	2.0-4.0	30-55	435	15	127	110 kg	11600510.02
	54-622	29x2.10	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	515	18	67	110 kg	11600562.02
	57-622	29x2.25	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	1.8-3.7	26-54	575	20	67	120 kg	11600657.01

FURIOUS FRED Evolution Line, Folding tire – HS 395

29 "	50-622	29x2.00	LiteSkin		ADDIX	Black	Lite	2.2-4.3	32-62	360	13	127	100 kg	11600075.03
------	--------	---------	----------	--	-------	-------	------	---------	-------	-----	----	-----	--------	-------------

DIRTY DAN Evolution Line, Folding tire – HS 417A

29 "	50-622	29x2.00	LiteSkin		ADDIX	Black	Lite	2.2-4.3	32-62	520	18	127	100 kg	11600543.02
------	--------	---------	----------	--	-------	-------	------	---------	-------	-----	----	-----	--------	-------------



DIRTY DAN SPEEDGRIP

Range of use: Sludge and very soft, very loose terrain. Primarily for cross country. **Tread design:** large stud spacing for excellent self-cleaning and brake traction properties. Only **LiteSkin version** in 29 x 2.00: ADDIX Speedgrip (blue).



SMART SAM Performance Line, Wired tire – HS 476

	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	60-406	20x2.35	Performance		ADDIX	Black	Lite	1.6-3.5	23-50	580	20	67	90 kg	11101336
24"	54-507	24x2.10	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	550	19	67	100 kg	11101229.01
	60-507	24x2.35	Performance		ADDIX	Black	Lite	1.6-3.5	23-50	710	25	67	90 kg	11101337
26"	54-559	26x2.10	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	645	23	67	100 kg	11101178.01
			RaceGuard		ADDIX	Black-Reflex	Lite	2.0-4.0	30-55	680	24	67	100 kg	11101179.01
	57-559	26x2.25	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	765	27	67	110 kg	11101181.01
			Performance		ADDIX	White Stripes	Lite	1.8-3.7	26-54	765	27	67	110 kg	11101182.01
27.5"	54-584	27.5x2.10, 650B	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	664	23	67	100 kg	11101146.01
	57-584	27.5x2.25, 650B	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	740	26	67	110 kg	11101147.01
	65-584	27.5x2.60, 650B	Performance		ADDIX	Black	Lite	1.5-3.0	20-45	850	30	67	115 kg	11101154.01
28"	37-622	28x1.40, 700x35C	Performance		ADDIX	Black	Lite	3.5-6.0	50-85	475	17	67	100 kg	11101134.01
			Performance		ADDIX	Black-Reflex	Lite	3.5-6.0	50-85	475	17	67	100 kg	11101137.01
	42-622	28x1.60, 700x40C	Performance		ADDIX	Black	Lite	3.5-6.0	50-85	555	20	67	110 kg	11101135.01
			Performance		ADDIX	Black-Reflex	Lite	3.5-6.0	50-85	555	20	67	110 kg	11101138.01
	44-622	28x1.65	Performance		ADDIX	Black	Lite	3.0-5.0	45-70	590	21	67	110 kg	11101150.01
			Performance		ADDIX	Black-Reflex	Lite	3.0-5.0	45-70	590	21	67	110 kg	11101151.01
29"	47-622	29x1.75	Performance		ADDIX	Black	Lite	3.0-5.0	45-70	650	23	67	110 kg	11101136.01
	54-622	29x2.10	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	730	26	67	110 kg	11101139.01
	57-622	29x2.25	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	810	29	67	120 kg	11101142.01
	65-622	29x2.60	Performance		ADDIX	Black	Lite	1.5-3.0	20-45	920	32	67	115 kg	11159037

SMART SAM PLUS

First class all-rounder with extra puncture protection due to the 3mm GreenGuard layer and SnakeSkin sidewall. ECE-R75 approved for great riding fun on you E-MTB.



	Rolling	Road Grip	Off-Road Grip	Protection	Durability
Performance	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]
RaceGuard	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]
DD I RaceGuard	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]
Smart Sam Plus	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]	[Progress Bar]


	ETRT0	Size	!	⚡	🔗	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26 "	54-559	26x2.10	Performance		ADDIX	Black	Lite	2.0-4.0	30-55	560	20	67	100 kg	11600916.01
	57-559	26x2.25	Performance		ADDIX	Black	Lite	1.8-3.7	26-54	625	22	67	110 kg	11600917.01
27.5 "	57-584	27.5x2.25, 650B	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	840	30	67	121 kg	11600982.02
	65-584	27.5x2.60, 650B	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.5-3.0	20-45	970	34	67	121 kg	11600984.01
29 "	57-622	29x2.25	DD, RaceGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	890	31	67	121 kg	11600985.02

26"	54-559	26x2.10	DD, GreenGuard	E-25	ADDIX	Black	Snake	2.0-4.0	30-55	895	32	67	100 kg	1101177.01
	57-559	26x2.25	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	980	35	67	121 kg	1101180.01
27.5"	57-584	27.5x2.25, 650B	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	1025	36	67	121 kg	1101148.01
28"	42-622	28x1.60, 700x40C	DD, GreenGuard	E-25	ADDIX	Black	Snake	3.5-6.0	50-85	835	29	67	110 kg	1101183.01
29"	54-622	29x2.10	DD, GreenGuard	E-50	ADDIX	Black	Snake	2.0-4.0	30-55	965	34	67	121 kg	1101143.01
	57-622	29x2.25	DD, GreenGuard	E-50	ADDIX	Black	Snake	1.8-3.7	26-54	1090	38	67	121 kg	1101152.01



JUMBO JIM SPEEDGRIP

The fat bike tire. Extremely light. The large volume can be ridden with extremely low air pressure. Ideal on deep soils, rough and very loose terrain. Available in widths of 100, 110 or 120 millimetres. **Tubeless Easy version:** ADDIX Speedgrip (blue). **LiteSkin version:** ADDIX Speedgrip (blue).



HURRICANE

Hurricane rolls fast and noiselessly, offering sufficient traction for short off-road excursions.



CX COMP

A tire with a low, semi-slick profile. Fast rolling and with good cornering grip.



JUMBO JIM Evolution Line, Folding tire – HS 466

	ETRTO	Size	!	⚡	⚙	☾	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	100-559	26x4.00	LiteSkin		ADDIX	Black	Lite	0.4-2.0	5-30	990	35	127	120 kg	11600714.01
			SnakeSkin, TLE	E-25	ADDIX	Black	Snake	0.4-2.0	5-30	1090	38	127	120 kg	11600715.01
	110-559	26x4.40	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	0.4-2.0	5-30	1230	43	127	120 kg	11600815.01
	120-559	26x4.80	SnakeSkin, TLE	E-25	ADDIX	Black	Snake	0.4-2.0	5-30	1290	46	127	120 kg	11600717.01

JUMBO JIM Performance Line, Folding tire – HS 466

26"	100-559	26x4.00	Performance		ADDIX	Black	Lite	0.4-2.0	5-30	1050	37	67	120 kg	11601021
-----	---------	---------	-------------	--	-------	-------	------	---------	------	------	----	----	--------	----------

HURRICANE Performance Line, Wired tire – HS 352

26"	50-559	26x2.00	Performance		Dual	Black	Lite	2.5-5.0	35-70	650	23	67	105 kg	11100122.02
			RaceGuard		Dual	Black-Reflex	Lite	2.5-5.0	35-70	690	24	67	105 kg	11100123.01
27.5"	50-584	27.5x2.00, 650B	Performance		Dual	Black	Lite	2.5-5.0	35-70	670	24	67	105 kg	11101109
28"	42-622	28x1.60, 700x40C	Performance		Dual	Black	Lite	3.5-6.0	50-85	540	19	67	100 kg	11100190.02
			RaceGuard		Dual	Black-Reflex	Lite	3.5-6.0	50-85	590	21	67	100 kg	11100193.01
29"	50-622	29x2.00	Performance		Dual	Black	Lite	2.5-5.0	35-70	725	26	67	105 kg	11100790.01


CX COMP Active Line, Wired tire – HS 369

20"	47-406	20x1.75	K-Guard		SBC	Black-Reflex	Lite	2.0-4.5	30-65	425	15	50	65 kg	11100125.02
24"	47-507	24x1.75	K-Guard		SBC	Black-Reflex	Lite	2.0-4.5	30-65	525	19	50	70 kg	11100126.01
26"	50-559	26x2.00	K-Guard		SBC	Black	Lite	2.0-4.5	30-65	620	22	50	90 kg	11139369.02
			K-Guard		SBC	Black-Reflex	Lite	2.0-4.5	30-65	620	22	50	90 kg	11139979.01
28"	30-622	28x1.20, 700x30C	K-Guard		SBC	Black	Lite	3.0-5.5	45-80	430	15	50	55 kg	11148969.02
	35-622	28x1.35, 700x35C	K-Guard		SBC	Black	Lite	2.5-4.5	35-65	480	17	50	60 kg	11149369.02
			K-Guard		SBC	Black-Reflex	Lite	2.5-4.5	35-65	480	17	50	60 kg	11149979.01
	40-622	28x1.50, 700x38C	K-Guard		SBC	Black-Reflex	Lite	2.5-4.5	35-65	550	19	50	80 kg	11150368.01
			K-Guard		SBC	Black	Lite	2.5-4.5	35-65	550	19	50	80 kg	11150369.02



RAPID ROB | TOUGH TOM

Top Choice for rookies. A first-class tire combination. Rapid Rob uses the former Racing Ralph profile. An excellent XC tire which is perfectly suited for use on the rear wheel. Tough Tom, using the previous Nobby Nic profile, is the right choice for rougher trails or for the front wheel.




BLACK JACK

Versatile tread with good grip and easy rolling.

SPACE

Gravity tire at an affordable price.



NEW! RAPID ROB Active Line, Wired tire – HS 425

	ETRTO	Size	!				Skin	Bar	Psi			EPI	Load	Art.-No.
26 "	54-559	26x2.10	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	650	23	50	100 kg	11101391	
	57-559	26x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	720	25	50	110 kg	11101392	
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	720	25	50	110 kg	11101393	
27.5 "	54-584	27.5x2.10, 650B	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	680	24	50	100 kg	11101394	
	57-584	27.5x2.25, 650B	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	750	26	50	110 kg	11101395	
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	750	26	50	110 kg	11101396	
29 "	54-622	29x2.10	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	725	26	50	110 kg	11101397	
	57-622	29x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	790	28	50	120 kg	11101398	
			K-Guard	SBC	White Stripes	Lite	1.8-3.7	26-54	790	28	50	120 kg	11101399	

TOUGH TOM Active Line, Wired tire – HS 411

26 "	57-559	26x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	705	25	50	110 kg	11101027.01
27.5 "	57-584	27.5x2.25, 650B	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	730	26	50	110 kg	11101020.01
	60-584	27.5x2.35, 650B	K-Guard	SBC	Black	Lite	1.6-3.5	23-50	785	28	50	115 kg	11101028.01
29 "	57-622	29x2.25	K-Guard	SBC	Black	Lite	1.8-3.7	26-54	785	28	50	120 kg	11101026.01

BLACK JACK Active Line, Wired tire – HS 407

12 "	47-203	12x1.90	K-Guard	Black 'n' Roll	Black	Twin	2.0-4.5	30-65	260	9	50	50 kg	11100043.03
16 "	47-305	16x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	360	13	50	55 kg	11100065.02
18 "	47-355	18x1.90	K-Guard	Black 'n' Roll	Black	Lite	2.0-4.5	30-65	420	15	50	65 kg	11100066.02
20 "	47-406	20x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	450	16	50	65 kg	1116407.02
24 "	47-507	24x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	560	20	50	70 kg	11125407.02
	54-507	24x2.10	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	670	24	50	100 kg	11126417.02
26 "	47-559	26x1.90	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	605	21	50	85 kg	11131407.02
	50-559	26x2.00	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	640	23	50	90 kg	11132397.02
	54-559	26x2.10	K-Guard	SBC	Black	Lite	2.0-4.5	30-65	740	26	50	100 kg	11132417.02
	57-559	26x2.25	K-Guard	SBC	Black	Lite	2.0-4.0	30-55	820	29	50	110 kg	11133427.02

SPACE Active Line, Wired tire – HS 326

26 "	60-559	26x2.35	K-Guard	SBC	Black	Twin	2.0-4.0	30-55	1060	37	50	115 kg	11133328.02
------	--------	---------	---------	-----	-------	------	---------	-------	------	----	----	--------	-------------

DIRT



TABLE TOP

Timo Pritzel Series. Closed block tread is the outstanding basis for sophisticated tricks. We developed this tire together with Timo Pritzel. It is extremely light, in order to give Timo maximum momentum for record jumps.

Now with a stylish sidewall in Classic-skin color.



!

Timo Pritzel: "It puzzled me how heavily and badly other tires ran. Makers obviously thought that Dirt Jumping riders didn't care about rolling resistance and light weight, but it is exactly the opposite. Schwalbe converted my feedback into the superb Table Top tire!"

Performance

Rolling

Road Grip

Off-Road Grip

Protection

Durability

JUMPIN' JACK

Born to jump in the dirt. Designed for "Dirt" riding, large regular lugs give outstanding grip in sand and dirt. Special strengthening protects the sidewalls.



Performance

Rolling

Road Grip

Off-Road Grip

Protection

Durability

TABLE TOP Performance Line, Folding tire – HS 373													
	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
26"	57-559	26x2.25	Performance	ADDIX	Classic-Skin	Lite	2.0-4.0	30-55	590	21	67	110 kg	11600837.02
TABLE TOP Performance Line, Wired tire – HS 373													
24"	57-507	24x2.25	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	605	21	67	100 kg	11100127.03
26"	57-559	26x2.25	Performance	ADDIX	Black	Lite	2.0-4.0	30-55	670	24	67	110 kg	11100128.03
JUMPIN' JACK Performance Line, Wired tire – HS 331													
20"	54-406	20x2.10	Performance	ADDIX	Black	Twin	2.0-4.5	30-65	640	23	67	80 kg	11100134.03
	57-406	20x2.25	Performance	ADDIX	Black	Twin	2.0-4.5	30-65	765	27	67	90 kg	11100135.03

54




CRAZY BOB

Chilled on wild tricks and steep ramps. The wraparound tread has great grip in half-pipes. Special strengthening protects the sidewalls



MAD MIKE | KNOBBY

Proven BMX profiles in an affordable standard version.



CRAZY BOB Performance Line, Wired tire – HS 356														
	ETRTO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	54-406	20x2.10	Performance		ADDIX	Black	Twin	4.5-7.0	65-100	720	25	67	100 kg	11100131.03
24"	60-507	24x2.35	Performance	E-50	ADDIX	Black	Twin	2.0-4.5	30-65	965	34	67	132 kg	11100132.03
26"	60-559	26x2.35	Performance	E-50	ADDIX	Black	Twin	2.0-4.5	30-65	1060	37	67	145 kg	11100133.03

MAD MIKE Active Line, Wired tire – HS 137														
16"	47-305	16x1.75	K-Guard		SBC	Black	Twin	2.5-4.5	35-65	430	15	50	40 kg	11106400.01
	57-305	16x2.125	K-Guard		SBC	Black	Twin	2.5-4.5	35-65	540	19	50	55 kg	11107400.01
20"	47-406	20x1.75	K-Guard		SBC	Black	Twin	2.5-4.5	35-65	580	20	50	50 kg	11116400.01
	57-406	20x2.125	K-Guard		SBC	Black	Twin	2.5-4.5	35-65	720	25	50	70 kg	11117400.01

KNOBBY NIC Active Line, Wired tire – HS 160														
20"	54-406	20x2.00	K-Guard		SBC	Black	Twin	2.5-4.5	35-65	750	26	50	75 kg	11117028.01

SPIKE



Steel Spike
(Performance &
Active Line)



Aluminum Spike
(Evolution Line)



ICE SPIKER PRO

Lighter, grippier, faster. The ‘turbo’ of spike tires. With up to 402 spikes it bites firmly into icy roads. The tungsten carbide core of each spike is clad in weight-saving aluminum. The tire remains agile and sporty.



WINTER

Reduced to its essentials. With half the amount of spikes, the Winter provides excellent control on glassy ice. Only in extreme cornering is its big brother Marathon Winter superior. With 50 EPI carcass, reflective lines and K-Guard it offers great benefits at an entry-level price.



ICE SPIKER PRO Evolution Line, Folding tire, Aluminium Spikes – HS 379														
	ETRTO	Size	!	Spikes			Skin	Bar	Psi			EPI	Load	Art.-No.
27.5"	57-584	27.5x2.25, 650B	LiteSkin	378	Winter	Black	Lite	1.8-3.7	26-54	835	29	67	110 kg	11600628
	65-584	27.5x2.60, 650B	LiteSkin	344	Winter	Black	Lite	1.5-3.0	20-45	1015	36	67	115 kg	11600991
29"	57-622	29x2.25	LiteSkin	402	Winter	Black	Lite	1.8-3.7	26-54	890	31	67	120 kg	11600272.02


ICE SPIKER PRO Performance Line, Wired tire, Steel Spikes – HS 379														
26"	54-559	26x2.10	RaceGuard	361	Winter	Black	Lite	2.0-4.0	30-55	995	35	67	100 kg	11100937
27.5"	57-584	27.5x2.25, 650B	RaceGuard	378	Winter	Black	Lite	1.8-3.7	26-54	1100	39	67	110 kg	11100939
29"	57-622	29x2.25	RaceGuard	402	Winter	Black	Lite	1.8-3.7	26-54	1170	41	67	120 kg	11100938

WINTER Active Line, Wired tire – HS 396														
16"	30-349	16x1.20	K-Guard	72	Winter	Black-Reflex	Twin	4.5-8.0	65-115	465	16	50	65 kg	11100905.01
18"	42-355	18x1.60	K-Guard	76	Winter	Black-Reflex	Twin	3.5-6.0	50-85	540	19	50	65 kg	11100906.01
26"	47-559	26x1.75	K-Guard	100	Winter	Black-Reflex	Twin	2.0-5.0	30-70	1000	35	50	100 kg	11100599.01
28"	30-622	28x1.20, 700x30C	K-Guard	118	Winter	Black-Reflex	Twin	3.5-6.5	50-95	805	28	50	75 kg	11100600.01
	35-622	28x1.35, 700x35C	K-Guard	120	Winter	Black-Reflex	Twin	2.5-6.0	35-85	870	31	50	80 kg	11100601.01
	40-635	28x1 1/2, 700x38B	K-Guard	120	Winter	Black-Reflex	Twin	2.5-5.0	35-70	925	33	50	85 kg	11100879.01
	42-622	28x1.60, 700x40C	K-Guard	116	Winter	Black-Reflex	Twin	2.0-5.0	30-70	905	32	50	90 kg	11100602.01



MARATHON WINTER PLUS

For a safer journey. You have full control on icy roads with the Marathon Winter Plus. Even in tight bends and under violent braking everything remains under control. For best possible puncture protection it now comes with a SmartGuard layer. The spikes work best on ice when running at minimum pressure, while at maximum pressure the tires can be ridden on ice-free roads with minimal road noise.



NEW! MARATHON WINTER PLUS Performance Line, Wired tire – HS 396

	ETRTO	Size	!	Spikes			Skin	Bar	Psi			EPI	Load	Art.-No.
20"	42-406	20x1.60	SmartGuard	168	Winter	Black-Reflex	Twin	2.0-5.0	30-70	675	24	67	70 kg	11116448.02
	55-406	20x2.15	SmartGuard	144	Winter	Black-Reflex	Twin	2.0-4.0	30-55	960	34	67	95 kg	11159003
24"	47-507	24x1.75	SmartGuard	184	Winter	Black-Reflex	Twin	2.0-5.0	30-70	960	34	67	90 kg	11125444.02
26"	47-559	26x1.75	SmartGuard	200	Winter	Black-Reflex	Twin	2.0-5.0	30-70	1025	36	67	100 kg	11136448.02
	50-559	26x2.00	SmartGuard	200	Winter	Black-Reflex	Twin	2.5-5.0	35-70	1150	41	67	105 kg	11100598.01
28"	35-622	28x1.35, 700x35C	SmartGuard	240	Winter	Black-Reflex	Twin	2.5-6.0	35-85	920	32	67	80 kg	11126448.02
	42-622	28x1.60, 700x40C	SmartGuard	240	Winter	Black-Reflex	Twin	2.0-5.0	30-70	970	34	67	90 kg	11156448.02
	50-622	28x2.00	SmartGuard	208	Winter	Black-Reflex	Twin	2.5-5.0	35-70	1265	45	67	115 kg	11100597.01

CAN IT ALSO BE RIDDEN ON A NORMAL ROAD? Without any problem, but if the road is only rarely covered with snow the resulting tire noise may prove annoying.

AND IT WON'T SLIDE OUT IN CORNERING? No. The spikes 'claw' really well into normal asphalt roads and even fast cornering is not a problem.

AREN'T SPIKES ILLEGAL? Bike tire spikes are no problem. Only motor vehicles spikes are prohibited in some countries, because they damage the road. Fast E-bikes are however considered motor vehicles.

DO THE TIRES HAVE TO BE RUN IN? In order to ensure that spikes are permanently fixed, tires should be run in for about 40km on asphalt, while avoiding any fast acceleration or heavy braking.

WHAT IS THE LIFESPAN OF THE SPIKES? All Schwalbe spikes have a core made of extremely hard wearing tungsten carbide, so they can cover a few thousand kilometers. It is normal for the spike edges to round off and for them to become more deeply embedded.

WHAT ARE THE TIRES' LIMITATIONS? In deep snow even spike tires won't help.


50 Alu-Spikes, Art.-No. 5508
50 Steel-Spikes, Art.-No. 5506
50 Steel-Spikes incl. tool for easy insertion, Art.-No. 5512



IN CERTAIN AREAS SNOW RARELY STAYS AROUND LONG. ARE SPIKE TIRES STILL AN OPTION? It would be best to mount the tires on your second bike. Depending upon the morning weather, use the most suitable bike. On icy roads, when even cars are having problems, it is a great feeling to be in full control on spike tires.

SOME SPIKES CAME OUT. CAN THEY BE REPLACED? Yes, we offer a set of replacement spikes incl. tool. Can be easily installed with the special tool.





PORT UR


MARATHON PLUS

The Flat-less tire. Schwalbe's best selling model. The most puncture resistant pneumatic tire there is. In addition to the superior puncture protection it features many inner values: **Rolling resistance.** The patented, 5 mm thick SmartGuard layer, when compared to all generic products, has a significant advantage in rolling resistance. **Recycling.** Also in the SmartGuard, we use a proportion of recycled rubber from old latex products. **“Anti-aging”** side wall. It now lasts much longer before developing unsightly cracks when subjected to use with too low air pressure. **E-Bike ready.** Due to its great properties Marathon Plus is the best choice for E-Bikes (E-25). The main sizes are approved and tested for E-bikes up to 50 km/h.



MARATHON PLUS Performance Line, Wired tire – HS 440

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	35-349	16x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.5	65-110	480	17	67	65 kg	11100756
20"	35-406	20x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.0	65-100	560	20	67	70 kg	11100757
	47-406	20x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	725	26	67	80 kg	11100758
24"	47-507	24x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	920	32	67	95 kg	11100759
26"	35-559	26x1.35	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.0	65-100	775	27	67	85 kg	11100760
	40-559	26x1.50	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.5	55-95	870	31	67	100 kg	11100761
	47-559	26x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	995	35	67	109 kg	11100762
	50-559	26x2.00	SmartGuard	E-25	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	1100	39	67	118 kg	11100763
	37-590	26x1 3/8, 650x35A	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	850	30	67	90 kg	11100764
	42-590	26x1 5/8, 650x40A	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	940	33	67	95 kg	11100765
27.5"	40-584	27.5x1.50, 650x38B	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.5	55-95	920	32	67	100 kg	11100881
28"	25-622	28x1.00, 700x25C	SmartGuard		Endurance	Black-Reflex	Twin	6.0-8.0	85-115	595	21	67	75 kg	11100766.01
	28-622	28x1.10, 700x28C	SmartGuard		Endurance	Black-Reflex	Twin	5.5-7.5	80-110	750	26	67	85 kg	11100767.01
	32-622	28x1.25, 700x32C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	810	29	67	90 kg	11100768
	37-622	28x1.40, 700x35C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	900	32	67	95 kg	11100769
	40-622	28x1.50, 700x38C	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	960	34	67	100 kg	11100770
	47-622	28x1.75	SmartGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1100	39	67	115 kg	11100771
	40-635	28x1 1/2, 700x38B	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	1010	36	67	110 kg	11100772



Flat-less



MARATHON PLUS TOUR

Flat-less – with a purposeful trekking tread. Asphalt or off-road? Everyday use or bicycle expeditions? This versatile tire always does the job. Its robust construction handles almost any mistreatment. Protected by SmartGuard, the most effective puncture protection belt available for bicycle tires.



MARATHON PLUS MTB

The most puncture resistant MTB-tire approved for fast E-Bikes. With ECE-R75 mark. On the central ribs it rolls easily over hard paths, while strong outer lugs give great offroad traction. The SmartGuard provides superior puncture protection. Good visibility even in the dark thanks to reflective lines on the sidewalls. Available in 26", 27.5" and 29".



MARATHON PLUS TOUR Performance Line, Wired tire – HS 404

	ETRTO	Size	!	⚡	⚙	☀	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	47-559	26x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	980	35	67	115 kg	11131404
	50-559	26x2.00	SmartGuard	E-25	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	1100	39	67	130 kg	11132404
28"	37-622	28x1.40, 700x35C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	890	31	67	105 kg	11149404
	42-622	28x1.60, 700x40C	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	940	33	67	120 kg	11150405
	47-622	28x1.75	SmartGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1050	37	67	125 kg	11101057

MARATHON PLUS MTB Performance Line, Wired tire – HS 468

26"	54-559	26x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1150	41	67	121 kg	11101005
	57-559	26x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1260	44	67	125 kg	11101212
27.5"	54-584	27.5x2.10, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1200	42	67	125 kg	11101024
	57-584	27.5x2.25, 650B	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1270	45	67	125 kg	11101213
29"	54-622	29x2.10	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.5	30-65	1275	45	67	125 kg	11101025
	57-622	29x2.25	SmartGuard	E-50	Dual	Black-Reflex	Twin	2.0-4.0	30-55	1350	48	67	132 kg	11101334

ⓘ It is impossible to guarantee that a flat will never happen, but the Marathon Plus has the best defense against everyday tire wreckers such as glass, flints or metal shards. Use a pressure gauge to adjust tire pressures as the common 'thumb check' is insufficient due to the special construction of the Marathon Plus.

for everyone.

Only Marathon Plus tires make your bicycle flat-less.
The 5mm thick puncture guard protects even against thumbtacks.
www.schwalbe.com/unplattbar



MARATHON GT 365

1 tire. 4 seasons, 365 days no tire change necessary. The Marathon GT 365 is the first tire which you will ride safely throughout the year in almost every condition. The new lamella tread and the specially developed "FourSeason" compound provide full grip, no matter what time of the year. Of course fitted with DualGuard puncture protection technology for maximum safety.

! The GT 365 is the perfect solution for almost every condition. But on icy roads only real spike tires provide reliable grip.

1 2 3 4 5 6 7
SCHWALBE PROTECTION



TIPP
Trekkingbike

Tip Trekkingbike 3/2017:
All-season tires



MARATHON GT 365 Performance Line, Wired tire – HS 475

	ETRTO	Size	!	⚡	⚙	☾	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	40-406	20x1.50	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.0-6.0	45-85	580	20	67	75 kg	11101341
26"	50-559	26x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.0-5.0	30-70	990	35	67	118 kg	11101203
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Four Season	Black-Reflex	Twin	3.5-6.0	50-85	765	27	67	95 kg	11101204
	40-622	28x1.50, 700x38C	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.5	35-80	850	30	67	100 kg	11101205
	47-622	28x1.75	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-5.0	35-70	1045	37	67	115 kg	11101342
	50-622	28x2.00	DualGuard	E-50	Four Season	Black-Reflex	Twin	2.5-4.5	35-65	1115	39	67	121 kg	11101343

MARATHON GT TOUR Performance Line, Wired tire – HS 485

	ETRTO	Size	!	⚡	⚙	☾	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	50-559	26x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	995	35	67	118 kg	11101292
28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	765	27	67	95 kg	11101290
	40-622	28x1.50, 700x38C	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	850	30	67	100 kg	11101289
	47-622	28x1.75	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	1050	37	67	115 kg	11101291

MARATHON GT Performance Line, Wired tire – HS 480

28"	37-622	28x1.40, 700x35C	DualGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	765	27	67	95 kg	11101117
	40-622	28x1.50, 700x38C	DualGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	850	30	67	100 kg	11101118
	50-622	28x2.00	DualGuard	E-50	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1100	39	67	121 kg	11101119



TESTWINNER



MARATHON GT TOUR

For highest requirements. The tire of the GT series which performs well in (almost) every terrain. With the Delta profile the GT TOUR is extremely agile but remains stable even on unpaved bike paths. Durable, puncture-free ride thanks to Endurance Compound and DualGuard puncture protection technology.



Tip Trekkingbike 3/2017:
City tires



MARATHON GT

The Lifestyle Marathon. The dynamic Marathon with extra comfort. For everyone who wants to be mobile every day – while completely trusting in their beloved bicycle. The exclusive tread design hides the newly developed DualGuard, which protects against cuts and punctures in the same reliable way.





MARATHON

The original. The archetypal high quality touring tire. The highly elastic GreenGuard layer is 3 mm thick. One third of the GreenGuard is made up of recycled latex products. The "Anti-Aging" sidewall can withstand the typical cracking that results from overloading due to insufficient inflation pressure for much longer.

E-Bike Ready. You can choose every Marathon for your E-Bike (E-25). The main sizes are approved and tested for E-bikes up to 50 km/h (E-50).



MARATHON Performance Line, Wired tire – HS 420

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	35-349	16x1.35	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-7.5	65-110	420	15	67	65 kg	11100147
	47-305	16x1.75	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	500	18	67	70 kg	11100146
18"	44-355	18x1.65	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	465	16	67	70 kg	11100719
20"	40-406	20x1.50	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-7.0	55-100	530	19	67	80 kg	11100148
	47-406	20x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-5.0	50-70	640	23	67	80 kg	11100137
24"	47-507	24x1.75	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	800	28	67	95 kg	11100149
26"	32-559	26x1.25	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	580	20	67	80 kg	11100144
	40-559	26x1.50	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-7.0	55-100	730	26	67	100 kg	11100145
	47-559	26x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	875	31	67	109 kg	11100138
	50-559	26x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.0-5.0	30-70	970	34	67	118 kg	11100143
	37-590	26x1 3/8, 650x35A	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	700	25	67	90 kg	11100150
27"	32-630	27x1 1/4	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	660	23	67	90 kg	11100151
27.5"	44-584	27.5x1.65, 650x42B	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	820	29	67	105 kg	11100680
28"	23-622	28x0.90, 700x23C	GreenGuard	E-25	SpeedGrip	Black-Reflex	Twin	6.0-9.0	85-130	430	15	67	70 kg	11100495.01
	25-622	28x1.00, 700x25C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	6.0-8.0	85-115	520	18	67	75 kg	11100142.01
	28-622	28x1.10, 700x28C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	5.5-7.5	80-110	560	20	67	85 kg	11100139.01
	32-622	28x1.25, 700x32C	GreenGuard	E-25	Endurance	Black-Reflex	Twin	4.5-6.5	65-95	640	23	67	90 kg	11100141
	37-622	28x1.40, 700x35C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	4.0-6.0	55-85	730	26	67	95 kg	11100007
	40-622	28x1.50, 700x38C	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	810	29	67	100 kg	11100005
	47-622	28x1.75	GreenGuard	E-50	Endurance	Black-Reflex	Twin	3.0-5.0	45-70	985	35	67	115 kg	11100140
	50-622	28x2.00	GreenGuard	E-50	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1080	38	67	121 kg	11100613
	40-635	28x1 1/2, 700x38B	GreenGuard	E-25	Endurance	Black-Reflex	Twin	3.5-6.0	50-85	830	29	67	110 kg	11100152

Marathon Awards:





MARATHON RACER

The lightest Marathon. RaceGuard for good puncture protection. SpeedGrip Compound for the best handling characteristics. With its LiteSkin sidewall the Racer stays at an excellent weight level. A very sporty Marathon tire.



MARATHON RACER Performance Line, Wired tire – HS 429

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	40-305	16x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	255	9	67	65 kg	11100296
18"	40-355	18x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	295	10	67	70 kg	11100295
20"	40-406	20x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	340	12	67	75 kg	11100294
26"	40-559	26x1.50	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	465	16	67	95 kg	11100293
28"	30-622	28x1.20, 700x30C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.5-7.0	65-100	395	14	67	85 kg	11100291
	35-622	28x1.35, 700x35C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.5-6.5	65-95	465	16	67	95 kg	11100290
	40-622	28x1.50, 700x38C	RaceGuard	E-25	SpeedGrip	Black-Reflex	Lite	4.0-6.0	55-85	495	17	67	105 kg	11100289





SCHWALBE PROTECTION




MARATHON ALMOTION

The next evolutionary phase. New is the V-Guard version. The ideal construction for Almotion. Fast, safe, agile. With additional weight saving on the tire.

Anyone who wants to exploit the potential of modern tire technology wholeheartedly rides Tubeless. Tubeless tires guarantee the lowest rolling resistance while maintaining a very high puncture resistance.

*(This rating refers to tubeless operation.)




SCHWALBE PROTECTION



MARATHON SUPREME

Dynamic in its purest form. The Supreme was the first Evolution line Marathon and now in its second generation. The OneStar compound makes it even faster. With the new profile it not only looks good, but also rolls more nimbly than ever before. Maximum comfort and speed are achieved in its Tubeless Easy version – unbeatable at the very fastest.

*(This rating refers to tubeless operation.)



MARATHON ALMOTION Evolution Line, Folding tire – HS 453

	ERTRO	Size	!	⚡	🌀	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
NEW!	26"	55-559	26x2.15	V-Guard	OneStar	Black-Reflex	Lite	2.0-4.0	30-55	665	23	67	130 kg	11653996
NEW!	27.5"	55-584	27.5x2.15, 650B	V-Guard	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	695	25	67	120 kg	11653995
NEW!	28"	40-622	28x1.50, 700x38C	V-Guard	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	500	18	67	110 kg	11653994
NEW!		50-622	28x2.00	SnakeSkin, TLE	OneStar	Black-Reflex	Snake	2.5-4.5	35-65	790	28	67	125 kg	11600835.01
NEW!				V-Guard	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	675	24	67	125 kg	11653992
NEW!		55-622	28x2.15	SnakeSkin, TLE	OneStar	Black-Reflex	Snake	2.0-4.0	30-55	880	31	67	130 kg	11600836.01
NEW!				V-Guard	OneStar	Black-Reflex	Lite	2.0-4.0	30-55	740	26	67	130 kg	11653993

MARATHON SUPREME Evolution Line, Folding tire – HS 469


26"	42-559	26x1.60	V-Guard	E-25	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	440	16	67	100 kg	11600776
	50-559	26x2.00	V-Guard	E-25	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	560	20	67	120 kg	11600777
27.5"	42-584	27.5x1.60, 650B	V-Guard	E-25	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	470	17	67	105 kg	11600778
28"	32-622	28x1.25, 700x32C	V-Guard	E-25	OneStar	Black-Reflex	Lite	4.5-6.5	65-95	380	13	67	85 kg	11600787
	37-622	28x1.40, 700x35C	V-Guard	E-25	OneStar	Black-Reflex	Lite	4.0-6.0	55-85	440	16	67	100 kg	11600780
			MicroSkin, TLE	E-25	OneStar	Black-Reflex	Micro	4.0-6.0	55-85	545	19	67	100 kg	11600831
	42-622	28x1.60, 700x40C	V-Guard	E-25	OneStar	Black-Reflex	Lite	3.5-5.5	50-80	490	17	67	110 kg	11600758
			MicroSkin, TLE	E-25	OneStar	Black-Reflex	Micro	3.5-5.5	50-80	640	23	67	110 kg	11600823
	50-622	28x2.00	V-Guard	E-25	OneStar	Black-Reflex	Lite	2.5-4.5	35-65	640	23	67	125 kg	11600782



MARATHON MONDIAL

The ultimate touring tire, made for roads, tracks and trails of all continents. The tread pays homage to its legendary Marathon XR predecessor. Construction and compounding are naturally the very latest Schwalbe Evo technology. TravelStar compound for the best handling characteristics, Double Defense technology makes it light, but with an extremely robust construction. The world is round. Ride it.

⚠ For great expeditions always choose the Evo version (Double Defense).



MARATHON MONDIAL Evolution Line, Folding tire – HS 428

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26 "	50-559	26x2.00	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	2.5-5.0	35-70	740	26	67	130 kg	11600244.02
	55-559	26x2.15	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	2.5-5.0	35-70	865	31	67	135 kg	11600302.02
27.5 "	50-584	27.5x2.00, 650B	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	2.5-5.0	35-70	780	28	67	130 kg	11600785
28 "	37-622	28x1.40, 700x35C	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	4.0-6.0	55-85	570	20	67	105 kg	11600246.02
	42-622	28x1.60, 700x40C	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	3.5-6.0	50-85	650	23	67	120 kg	11600243.02
	50-622	28x2.00	DD, V-Guard	E-25	TravelStar	Black-Reflex	Snake	2.5-5.0	35-70	825	29	67	135 kg	11600379.02


MARATHON MONDIAL Performance Line, Wired tire – HS 428

26 "	50-559	26x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	720	25	67	115 kg	11100307
28 "	37-622	28x1.40, 700x35C	RaceGuard	E-25	Endurance	Black-Reflex	Lite	4.0-6.0	55-85	580	20	67	100 kg	11100308
	42-622	28x1.60, 700x40C	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.5-6.0	50-85	650	23	67	110 kg	11100309
	47-622	28x1.75	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.0-5.5	45-80	750	26	67	115 kg	11101344



SCHWALBE PROTECTION

7




Most effective protection belt for bicycle tires. 5mm flexible, special India rubber. Partly made from recycled rubber.

SmartGuard®: The safest puncture belt for bicycle tires. Unbeatable for more than 15 years. It has proved itself in practice more than any other tire. Only tires with **SmartGuard®** are real "flat-less" tires. Available exclusively from Schwalbe.

SMARTGUARD® | FLAT-LESS


6



Tubeless technology. High density fabric combined with latex sealant liquid

TUBELESS EASY


6



2 layers of nylon carcass 2.5mm flexible, special India rubber

DUALGUARD


6



V-GUARD
Combined puncture protection. Extremely lightweight and cut resistant high-tech fabric under the tread and SnakeSkin fabric on the sidewalls.

DOUBLE DEFENSE®

6



RACEGUARD
Combined puncture protection. All around SnakeSkin fabric and RaceGuard under the tread.

DOUBLE DEFENSE®


6



GREENGUARD
Combined puncture protection. Flexible, special India rubber under the tread and SnakeSkin fabric on the sidewalls.

DOUBLE DEFENSE®

5



Extremely lightweight and cut resistant high-tech fabric.

V-GUARD

5



3mm flexible, special India rubber. Partly from recycling.

GREENGUARD®


5



3mm rubber layer

PUNCTUREGUARD


4



2 layers of crosswise Nylon fabric, 67 EPI carcass

RACEGUARD®

3



Layer from natural rubber, reinforced with Kevlar® fibres.

K-GUARD

2



Tires, made from high-quality carcass fabric without a separate protection belt.

LITESKIN & PERFORMANCE



MINIMUM STANDARD
for all Schwalbe-tires: 50 EPI carcass.

BEST USE - TOUR


PUNCTURE PROTECTION LEVEL								MODELL	LINE	PURPOSE															
7	6	5	4	3	2	1				FITNESS				CITY / TOUR				TRAVEL				ALL TERRAIN / GRAVEL			
								MARATHON PLUS	PERFORM.																
								MARATHON PLUS TOUR	PERFORM.																
								MARATHON PLUS MTB	PERFORM.																
								G-ONE SPEED	EVO. TLE																
								MARATHON SUPREME	EVO. TLE																
								MARATHON GT	PERFORM.																
								MARATHON ALMOTION	EVO. TLE																
								MARATHON GT TOUR	PERFORM.																
								BIG BEN PLUS	PERFORM. DD																
								SUPER MOTO-X	PERFORM. DD																
								G-ONE ALLROUND	EVO. TLE																
								MARATHON MONDIAL	EVO. DD																
								MARATHON GT 365	PERFORM.																
								G-ONE BITE	EVO. TLE																
								MARATHON SUPREME	EVOLUTION																
								MARATHON ALMOTION	EVOLUTION																
								BIG APPLE PLUS	PERFORM.																
								MARATHON	PERFORM.																
								ENERGIZER PLUS	PERFORM.																
								ENERGIZER PLUS TOUR	PERFORM.																
								DELTA CRUISER PLUS	ACTIVE																
								LAND CRUISER PLUS	ACTIVE																
								KOJAK	PERFORM.																
								G-ONE SPEED	PERFORM.																
								TRYKER	PERFORM.																
								MARATHON RACER	PERFORM.																
								BIG APPLE	PERFORM.																
								BIG BEN	PERFORM.																
								MARATHON MONDIAL	PERFORM.																
								G-ONE ALLROUND	PERFORM.																
								SPICER	ACTIVE																
								BIG APPLE	ACTIVE																
								CITY JET	ACTIVE																
								LITTLE JOE	ACTIVE																
								ROAD CRUISER	ACTIVE																
								FAT FRANK	ACTIVE																
								SILENTO	ACTIVE																
								BIG BEN	ACTIVE																
								DELTA CRUISER	ACTIVE																
								RANGE CRUISER	ACTIVE																
								LAND CRUISER	ACTIVE																

BIG APPLE

Air suspension built-in. The Big Apple started off the Balloonbike trend more than ten years ago: Comfortable cycling without using complicated technology! Air cushion tires are used as natural suspension. Inflated to around 2 Bar a Balloonbike rolls really easily and with a full suspension effect. A normal tire with a width of 37 mm must be inflated to a rock-hard 4 bar, in order to roll similarly well.



Big Apple Plus. Now enjoy Balloonbike comfort with extra safe 3 mm GreenGuard puncture protection.



BIG APPLE Performance Line, Wired tire – HS 430

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
16"	50-305	16x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-5.0	30-70	370	13	67	70 kg	11100683
18"	50-355	18x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-5.0	30-70	470	17	67	75 kg	11100684
20"	50-406	20x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	495	17	67	85 kg	11100304
	55-406	20x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	530	19	67	95 kg	11100303
24"	50-507	24x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	620	22	67	100 kg	11100302
26"	50-559	26x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	675	24	67	125 kg	11100298
	55-559	26x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	710	25	67	130 kg	11100297
	60-559	26x2.35	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	780	28	67	140 kg	11100299
28"	50-622	28x2.00	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	740	26	67	135 kg	11100305
	55-622	28x2.15	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	810	29	67	140 kg	11100306
	60-622	28x2.35	RaceGuard	E-25	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	890	31	67	145 kg	11100417

BIG APPLE Active Line, Wired tire – HS 430

12"	50-203	12x2.00	K-Guard		Black 'n' Roll	Black-Reflex	Twin	2.0-4.0	30-55	285	10	50	55 kg	11100681.02
14"	50-254	14x2.00	K-Guard		SBC	Black-Reflex	Lite	2.0-4.0	30-55	340	12	50	60 kg	11100682
26"	55-559	26x2.15	K-Guard		SBC	Black-Reflex	Twin	2.0-4.0	30-55	920	32	50	115 kg	11100426.01
28"	50-622	28x2.00	K-Guard		SBC	Black-Reflex	Twin	2.5-5.0	35-70	930	33	50	115 kg	11100429.01

BIG APPLE PLUS Performance Line, Wired tire – HS 430

20"	55-406	20x2.15	GreenGuard	E-25	Endurance	Black-Reflex	Twin	2.0-4.0	30-55	730	26	67	100 kg	11100666
26"	55-559	26x2.15	GreenGuard	E-25	Endurance	Black-Reflex	Twin	2.0-4.0	30-55	1000	35	67	130 kg	11100667
28"	50-622	28x2.00	GreenGuard	E-25	Endurance	Black-Reflex	Twin	2.5-5.0	35-70	1100	39	67	135 kg	11100668

BIG BEN

Big Apple got a brother. The comfort is the same, but the profile and the optics are clearly focused. The design was so good that we have also made it in a "normal" tire size. Because a 40 mm tire width is not so "big", it is called Little Big Ben.

With ECE=R75 certification for fast E-bikes.



Big Ben Plus. The robust 3 mm GreenGuard protection and reinforced sidewalls make this tough Balloonbike tire a real slogger. ECE-R75 approved, comfortable and resilient. The perfect choice for cargo bikes and every kind of E-Bikes.

	Rolling	Road Grip	Off-Road Grip	Protection	Durability
RaceGuard					
K-Guard					
Big Ben Plus					

BIG BEN Performance Line, Wired tire – HS 439

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	55-406	20x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	575	20	67	95 kg	11100554
24"	55-507	24x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	700	25	67	118 kg	11100555
26"	55-559	26x2.15	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.0-4.0	30-55	760	27	67	128 kg	11100557
27.5"	50-584	27.5x2.00, 650B	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	745	26	67	130 kg	11100952
28"	40-622	28x1.50, 700x38C	RaceGuard	E-25	Endurance	Black-Reflex	Lite	3.5-6.0	50-85	590	21	67	100 kg	11100564
	50-622	28x2.00	RaceGuard	E-50	Endurance	Black-Reflex	Lite	2.5-5.0	35-70	795	28	67	135 kg	11100567

BIG BEN Active Line, Wired tire – HS 439

26"	55-559	26x2.15	K-Guard		SBC	Brown-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100558
			K-Guard		SBC	Creme-Reflex	Twin	2.0-4.0	30-55	910	32	50	115 kg	11100559
27.5"	50-584	27.5x2.00, 650B	K-Guard		SBC	Black	Twin	2.5-5.0	35-70	835	29	50	115 kg	11100965
28"	40-622	28x1.50, 700x38C	K-Guard		SBC	Brown-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100565
			K-Guard		SBC	Creme-Reflex	Twin	3.5-6.0	50-85	695	25	50	100 kg	11100566
	50-622	28x2.00	K-Guard		SBC	Brown-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100568
			K-Guard		SBC	Creme-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11100569
			K-Guard		SBC	Black-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11101224
			K-Guard		SBC	Coffee-Reflex	Twin	2.5-5.0	35-70	890	31	50	115 kg	11101225

BIG BEN PLUS Performance Line, Wired tire – HS 439

20"	55-406	20x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	680	24	67	95 kg	11101122
24"	55-507	24x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	835	29	67	118 kg	11101340
26"	55-559	26x2.15	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.0-4.0	30-55	935	33	67	128 kg	11101123
27.5"	50-584	27.5x2.00, 650B	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.5-5.0	35-70	860	30	67	128 kg	11101124
28"	50-622	28x2.00	DD, GreenGuard	E-50	Endurance	Black-Reflex	Snake	2.5-5.0	35-70	920	32	67	132 kg	11101125



Big Ben. In classic colors.
Creme, Coffee, Brown



KOJAK

Kojak makes no compromises. Its home is the road. Although the fast, sporty, tread-less slick weighs just 295 g (35-559) it still has a RaceGuard protection belt and reflective labels.



CITY JET

Very British. One of the most popular tires on the island.



KOJAK Performance Line, Folding tire – HS 385															
	ETRTO	Size	!	⚡	⚙	☀	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.	
17 "	32-369	17x1 1/4	RaceGuard		SpeedGrip	Black	Lite	5.0-8.0	70-115	195	7	67	70 kg	11600157.02	
18 "	32-355	18x1.25	RaceGuard		SpeedGrip	Black	Lite	5.0-8.0	70-115	190	7	67	65 kg	11600156.02	
20 "	35-406	20x1.35	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	230	8	67	70 kg	11600046.02	
26 "	35-559	26x1.35	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	295	10	67	90 kg	11600045.02	
	50-559	26x2.00	RaceGuard		SpeedGrip	Black	Lite	2.0-5.0	30-70	460	16	67	130 kg	11600083.02	
28 "	35-622	28x1.35, 700x35C	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	330	12	67	100 kg	11600020.02	
KOJAK Performance Line, Wired tire – HS 385															
16 "	32-349	16x1 1/4	RaceGuard		SpeedGrip	Black	Lite	5.0-8.0	70-115	230	8	67	65 kg	11100175.02	
20 "	35-406	20x1.35	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	285	10	67	70 kg	11100063.02	
26 "	35-559	26x1.35	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	395	14	67	90 kg	11100062.02	
	50-559	26x2.00	RaceGuard		SpeedGrip	Black	Lite	2.0-5.0	30-70	570	20	67	130 kg	11100159.02	
27.5 "	35-584	27.5x1.35, 650B	RaceGuard		SpeedGrip	Black	Lite	4.0-6.5	55-95	410	14	67	95 kg	11100887.02	
CITY JET Active Line, Wired tire – HS 474															
26 "	40-559	26x1.50	K-Guard		SBC	Black	Lite	3.5-5.5	50-80	490	17	50	90 kg	11101102	
			K-Guard		SBC	Beige-Skin	Lite	3.5-5.5	50-80	490	17	50	90 kg	11101103	
	50-559	26x1.95	K-Guard		SBC	Black	Lite	2.0-4.5	30-65	575	20	50	105 kg	11101104	
			K-Guard		SBC	Beige-Skin	Lite	2.0-4.5	30-65	575	20	50	105 kg	11101105	



FAT FRANK

Looks seductively good on any Cruiser. Also as an affordable Active Line version. The new colour variant with brown tread and white sidewall is particularly attractive.



SPICER

Active Line tire with dynamic tread and K-Guard puncture protection. Looks nice on every Fitness and Urban bike.



SILENTO

Great rolling properties and good grip. Of course with K-Guard puncture protection.



FAT FRANK Active Line, Wired tire – HS 375

	ETRTO	Size	!	⚡	⚙	⚙	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26"	60-559	26x2.35	K-Guard		SBC	Black-Reflex	Lite	1.5-4.0	20-55	815	29	50	140 kg	11100181.01
			K-Guard		SBC	Brown/Whitewall-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11100596
			K-Guard		SBC	Creme-Reflex	Twin	1.5-4.0	20-55	975	34	50	140 kg	11133372.01
28"	50-622	28x2.00	K-Guard		SBC	Black-Reflex	Lite	2.0-4.5	30-65	765	27	50	135 kg	11100219.01
			K-Guard		SBC	Brown/Whitewall-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11100582
			K-Guard		SBC	Black/Coffee-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11101227
			K-Guard		SBC	Coffee/Whitewall-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11101228
			K-Guard		SBC	Creme-Reflex	Twin	2.0-4.5	30-65	890	31	50	135 kg	11152385.01

SPICER Active Line, Wired tire – HS 442

26"	40-559	26x1.50	K-Guard		SBC	Black-Reflex	Lite	4.0-6.0	55-85	590	21	50	90 kg	11100534
28"	30-622	28x1.20, 700x30C	K-Guard		SBC	Black-Reflex	Lite	4.5-7.0	65-100	525	19	50	80 kg	11100538
	35-622	28x1.35, 700x35C	K-Guard		SBC	Black-Reflex	Lite	4.5-6.5	65-95	580	20	50	90 kg	11100549
	40-622	28x1.50, 700x38C	K-Guard		SBC	Black-Reflex	Lite	4.0-6.0	55-85	650	23	50	100 kg	11100551


SILENTO Active Line, Wired tire – HS 421

26"	47-559	26x1.75	K-Guard		SBC	Black-Reflex	Lite	2.5-4.5	35-65	625	22	50	100 kg	11100183.01
28"	37-622	28x1.40, 700x35C	K-Guard		SBC	Black-Reflex	Lite	3.0-5.0	45-70	560	20	50	90 kg	11100038.01
	42-622	28x1.60, 700x40C	K-Guard		SBC	Black-Reflex	Lite	3.0-5.0	45-70	620	22	50	100 kg	11100026.01
	47-622	28x1.75	K-Guard		SBC	Black-Reflex	Lite	2.5-4.5	35-65	695	25	50	110 kg	11100241.01

DELTA CRUISER
DELTA CRUISER PLUS

The Delta Cruiser. The classic center rib profile is versatile and offers pleasant rolling characteristics. Of course, the Delta Cruiser is equipped with 50 EPI carcass, K-Guard and reflective lines.

We also offer it as the **Delta Cruiser Plus** with 3 mm Puncture Guard. Schwalbe Protection level 5. A recommendation for E-Bikes up to 25 Km/h.



DELTA CRUISER Active Line, Wired tire – HS 431

	ETRTO	Size	!	⚡	🔗	🌀	Skin	Bar	Psi	g	o2	EPI	Load	Art.-No.
24 "	37-540	24x1 3/8*	K-Guard		SBC	Whitewall	Twin	2.5-4.5	35-65	510	18	50	75 kg	11129062.01
26 "	37-590	26x1 3/8, 650x35A	K-Guard		SBC	Black	Twin	4.0-6.0	55-85	670	24	50	90 kg	11101081
			K-Guard		SBC	Whitewall	Twin	4.0-6.0	55-85	670	24	50	90 kg	11101083
28 "	28-622	28x1.10, 700x28C	K-Guard		SBC	Gumwall	Twin	4.0-7.0	55-100	550	19	50	75 kg	11101086
			K-Guard		SBC	Whitewall	Twin	4.0-7.0	55-100	550	19	50	75 kg	11101087
	37-622	28x1.40, 700x35C	K-Guard		SBC	Creme	Twin	4.0-6.0	55-85	695	25	50	90 kg	11101091
	40-635	28x1 1/2, 700x38B	K-Guard		SBC	Creme	Twin	3.5-6.0	50-85	795	28	50	100 kg	11101094

*Profil HS 392


DELTA CRUISER PLUS Active Line, Wired tire – HS 431

NEW!	20 "	47-406	20x1.75	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.0-5.0	45-70	670	24	50	75 kg	11101072
	24 "	37-540	24x1 3/8*	PunctureGuard	E-25	SBC	Black-Reflex	Twin	2.5-4.5	35-65	615	22	50	75 kg	11159009
	26 "	47-559	26x1.75	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.0-5.0	45-70	895	32	50	100 kg	11101073
50-559		26x2.00	PunctureGuard	E-25	SBC	Black-Reflex	Twin	2.5-5.0	35-70	985	35	50	110 kg	11101074	
NEW!	26 "	37-590	26x1 3/8	PunctureGuard		SBC	Creme-Reflex	Twin	4.0-6.0	55-85	710	25	50	90 kg	11159005
NEW!				PunctureGuard	E-25	SBC	Black-Reflex	Twin	4.0-6.0	55-85	710	25	50	90 kg	11159010
28 "		28-622	28x1.10, 700x28C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	4.0-7.0	55-100	590	21	50	75 kg	11101075
	32-622	28x1.25, 700x32C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	4.5-6.5	65-95	670	24	50	80 kg	11101076	
	37-622	28x1.40, 700x35C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	4.0-6.0	55-85	775	27	50	90 kg	11101077	
NEW!	28 "			PunctureGuard		SBC	Brown-Reflex	Twin	4.0-6.0	55-85	775	27	50	90 kg	11159006
NEW!				PunctureGuard		SBC	Creme-Reflex	Twin	4.0-6.0	55-85	775	27	50	90 kg	11159007
40-622		28x1.50, 700x38C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.5-6.0	50-85	890	31	50	100 kg	11101078	
	47-622	28x1.75	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.0-5.0	45-70	995	35	50	110 kg	11101079	
	40-635	28x1 1/2, 700x38B	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.5-6.0	50-85	910	32	50	100 kg	11101080	
				PunctureGuard		SBC	Creme-Reflex	Twin	3.5-6.0	50-85	910	32	50	100 kg	11159008

*Profil HS 392

LAND CRUISER
LAND CRUISER PLUS

The Land Cruiser. As ever it's ready for any terrain. In northern Germany, the Land Cruiser is even considered an MTB tire. Nevertheless, it rolls really easily on the road. The optional **Land Cruiser Plus** version with 3 mm PunctureGuard (Schwalbe Protection Level 5) is a recommendation for E-Bikes up to 25 km/h.



LAND CRUISER Active Line, Wired tire – HS 450

	ETRTO	Size	!	⚡	⚙	⚙	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
24 "	47-507	24x1.75	K-Guard		SBC	Black	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101030
	50-507	24x2.00	K-Guard		SBC	Black	Twin	2.5-5.0	35-70	770	27	50	90 kg	11101031
26 "	47-559	26x1.75	K-Guard		SBC	Black	Twin	3.0-5.0	45-70	750	26	50	100 kg	11101033
	50-559	26x2.00	K-Guard		SBC	Black	Twin	2.5-5.0	35-70	850	30	50	110 kg	11101036
28 "	37-622	28x1.40, 700x35C	K-Guard		SBC	Black	Twin	4.0-6.0	55-85	710	25	50	90 kg	11101040
	42-622	28x1.60, 700x40C	K-Guard		SBC	Black	Twin	3.5-6.0	50-85	750	26	50	100 kg	11101043
	47-622	28x1.75	K-Guard		SBC	Black	Twin	3.0-5.0	45-70	820	29	50	110 kg	11101046

LAND CRUISER PLUS Active Line, Wired tire – HS 450

24 "	50-507	24x2.00	PunctureGuard	E-25	SBC	Black-Reflex	Twin	2.5-5.0	35-70	850	30	50	90 kg	11101032
26 "	47-559	26x1.75	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.0-5.0	45-70	910	32	50	100 kg	11101035
	50-559	26x2.00	PunctureGuard	E-25	SBC	Black-Reflex	Twin	2.5-5.0	35-70	950	34	50	110 kg	11101038
27.5 "	50-584	27.5x2.00, 650B	PunctureGuard	E-25	SBC	Black-Reflex	Twin	2.5-5.0	35-70	980	35	50	115 kg	11101039
28 "	37-622	28x1.40, 700x35C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	4.0-6.0	55-85	760	27	50	90 kg	11101042
	42-622	28x1.60, 700x40C	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.5-6.0	50-85	890	31	50	100 kg	11101045
	47-622	28x1.75	PunctureGuard	E-25	SBC	Black-Reflex	Twin	3.0-5.0	45-70	970	34	50	110 kg	11101047

ROAD CRUISER

Urban, individual and dynamic. The completely revised Road Cruiser impresses due to its appealing tread design and plenty of color options for bicycles from 12" up to 28" inch. The outstanding feature of the new Road Cruiser, however, is in the tread and its Green Compound. A rubber made of renewable and recycled raw materials in such a quality, that we use it for the first time in a conventional bicycle tire. More information about Green Compound can be found on the next page.



ROAD CRUISER Active Line, Wired tire – HS 484

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.	
12 "	50-203	12x2.00	K-Guard	Green Compound	Black	Twin	2.0-4.5	30-65	320	11	50	55 kg	11101255	
16 "	47-305	16x1.75	K-Guard	Green Compound	Black	Twin	2.5-4.5	35-65	395	14	50	65 kg	11101256	
			K-Guard	Green Compound	Black-Reflex	Twin	2.5-4.5	35-65	395	14	50	65 kg	11101299	
20 "	47-406	20x1.75	K-Guard	Green Compound	Black	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101258	
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101293	
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	545	19	50	75 kg	11101300	
22 "	44-484	22x1 1/2*	K-Guard	SBC	Black-Reflex	Twin	2.0-4.5	30-65	585	21	50	80 kg	11131603.01	
	47-457	22x1.75*	K-Guard	SBC	Black-Reflex	Twin	2.0-4.5	30-65	610	22	50	80 kg	11120377.01	
24 "	47-507	24x1.75	K-Guard	Green Compound	Black	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101260	
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101262	
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101301	
26 "	47-559	26x1.75	K-Guard	Green Compound	Gumwall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101264	
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101265	
			K-Guard	SBC	Brown-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101266	
			K-Guard	SBC	Creme-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101267	
			K-Guard	Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	720	25	50	100 kg	11101302	
27.5 "	37-584	27.5x1.40, 650x35B	K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	55-85	580	20	50	85 kg	11101269	
			K-Guard	Green Compound	Black-Reflex	Twin	4.0-6.0	55-85	580	20	50	85 kg	11101303	
	44-584	27.5x1.65, 650x42B	K-Guard	Green Compound	Black-Reflex	Twin	3.5-5.5	50-80	660	23	50	95 kg	11101304	
28 "	32-622	28x1.25, 700x32C	K-Guard	Green Compound	Black	Twin	4.5-6.5	65-95	550	19	50	80 kg	11101271	
			K-Guard	Green Compound	Whitewall	Twin	4.5-6.5	65-95	550	19	50	80 kg	11101273	
	37-622	28x1.40, 700x35C	K-Guard	Green Compound	Gumwall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101275	
			K-Guard	Green Compound	Whitewall	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101276	
			K-Guard	Green Compound	Black-Reflex	Twin	4.0-6.0	55-85	625	22	50	90 kg	11101305	
	42-622	28x1.60, 700x40C	K-Guard	Green Compound	Black/Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101278	
			K-Guard	Green Compound	Whitewall-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101279	
			K-Guard	SBC	Brown-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101280	
				K-Guard	SBC	Creme-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101281
				K-Guard	SBC	Coffee-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101282
				K-Guard	Green Compound	Black-Reflex	Twin	3.5-6.0	50-85	705	25	50	100 kg	11101306
	47-622	28x1.75	K-Guard	Green Compound	Gumwall	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101285	
			K-Guard	Green Compound	Whitewall	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101286	
			K-Guard	SBC	Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101288	
			K-Guard	Green Compound	Black/Coffee-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101296	
K-Guard			Green Compound	Black-Reflex	Twin	3.0-5.0	45-70	800	28	50	110 kg	11101307		

*HS 377



RANGE CRUISER

The Range Cruiser impresses with its powerful all-round tread design. A versatile touring tire which can be used universally. With its central rib it rolls very comfortably and offers good grip on loose surfaces. The K-Guard equips Range Cruiser effectively against punctures.

With this best seller you get a lot of tire for an unbeatable price. Of course with dynamo ribbing.



RANGE CRUISER Active Line, Wired tire – HS 457

	ETRTO	Size	!	⚡	⚙	●	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
26 "	47-559	26x1.75	K-Guard		SBC	Black	Twin	3.0-5.0	45-70	780	28	50	100 kg	11100947
28 "	37-622	28x1.40, 700x35C	K-Guard		SBC	Black-Reflex	Twin	4.0-6.0	55-85	630	22	50	90 kg	11100873
			K-Guard		SBC	Black	Twin	4.0-6.0	55-85	630	22	50	90 kg	11100948
	40-622	28x1.50, 700x38C	K-Guard		SBC	Black-Reflex	Twin	4.0-6.0	55-85	745	26	50	100 kg	11100874
			K-Guard		SBC	Black	Twin	4.0-6.0	55-85	745	26	50	100 kg	11100949
	47-622	28x1.75	K-Guard		SBC	Black-Reflex	Twin	3.0-5.0	45-70	860	30	50	110 kg	11100875
			K-Guard		SBC	Black	Twin	3.0-5.0	45-70	860	30	50	110 kg	11100950



TREAD RUBBER WITH POLYMERS ONLY MADE FROM RENEWABLE AND RECYCLED RAW MATERIALS.

GREEN COMPOUND. Special technology from Schwalbe. For the first time it is possible to produce a bicycle tread rubber with polymers only made from renewable and recyclable raw materials in sophisticated standard quality (grip/durability).

WHY USE RECYCLED MATERIAL?

Recycling of rubber materials and the increased use of renewable raw materials saves large amounts of energy and resources in the production of tires.

WHY DOESN'T SCHWALBE USE GREEN COMPOUND FOR ALL TIRES?

We are working hard to use more recycled and renewable materials in our future compounds. But it is still not possible to make high-quality compounds for every purpose out of these new materials. However, GREEN COMPOUND excellently meets the requirements that we have for an Active Line standard tire like the proven and popular Road Cruiser.



MORE RECYCLING: We use recycled materials also for the production of bicycle tubes. More information on page 98/99.



HS 110



HS 116



HS 127



HS 140



HS 228



HS 158



HS 159



HS 166



HS 180

Classics. Tires in traditional sizes and classic tread designs. Active Line quality. K-Guard puncture protection. Wired tires.

HS 110		Active Line, Wired tire												
	ETRTO	Size	!	⚡	🌀	☀️	Skin	Bar	Psi	🇩🇪	🇺🇸	EPI	Load	Art.-No.
20 "	37-438	20x1 3/8	K-Guard		SBC	Black-Reflex	Twin	2.5-4.0	35-55	410	14	50	60 kg	1119007.01
22 "	37-489	22x1 3/8	K-Guard		SBC	Black-Reflex	Twin	2.5-4.0	35-55	520	18	50	65 kg	11122007.01
HS 116		Active Line, Wired tire												
18 "	37-390	18x1 3/8, 450x35A	K-Guard		SBC	Gumwall	Twin	2.5-4.0	35-55	370	13	50	55 kg	11110571.01
HS 127		Active Line, Wired tire												
24 "	37-540	24x1 3/8	K-Guard		GRC	Grey	Twin	2.5-4.5	35-65	495	17	50	75 kg	10281620.01
HS 140		Active Line, Wired tire												
12 "	47-203	12 1/2x1.75	K-Guard		SBC	White Line	Twin	2.0-3.0	30-45	235	8	50	45 kg	11102050.01
14 "	37-288	14x1 3/8, 350x35A	K-Guard		SBC	White Line	Twin	2.0-3.0	30-45	365	13	50	40 kg	11104050.01
HS 158		Active Line, Wired tire												
12 "	62-203	12 1/2x2 1/4	K-Guard, Reinforced		GRC	Grey	Twin	1.5-2.5	20-35	650	23	50	70 kg	10213622.01
HS 159		Active Line, Wired tire												
18 "	47-355	18x1.75	K-Guard		SBC	White Line	Twin	2.5-3.0	35-45	450	16	50	65 kg	11110053.01
20 "	54-428	20x2.00	K-Guard		SBC	Black	Twin	2.0-3.0	30-45	610	22	50	85 kg	11119100.01
27 "	28/32-630	27x1 1/4	K-Guard		SBC	Whitewall	Twin	3.5-6.0	50-85	550	19	50	70 kg	11157063.01
	28/32-630	27x1 1/4	K-Guard		SBC	Gumwall	Twin	3.5-6.0	50-85	550	19	50	70 kg	11157073.01
HS 166		Active Line, Wired tire												
22 "	37-490	22x1 3/8, 550x35A	K-Guard		SBC	Gumwall	Twin	2.5-4.0	35-55	450	16	50	65 kg	11123070.01
HS 180		Active Line, Wired tire												
26 "	28/32-590	26x1 1/8x1 1/4, 650x28/32A	K-Guard		SBC	Gumwall	Twin	3.5-6.0	50-85	500	18	50	65 kg	11139170.01
HS 228		Active Line, Wired tire												
22 "	25-489	22x1.00	K-Guard		GRC	Grey	Lite	6.0-7.5	85-110	270	10	50	55 kg	10275671.01
24 "	25-540	24x1.00	K-Guard		GRC	Grey	Lite	6.0-10.0	85-145	340	12	50	60 kg	10282675.01



LITTLE JOE

The first real kids tire from Schwalbe. Little Joe is made for your child: **He's cool.** The profile works on mountain bikes yet still rolls well on the road. The reflective label is prominent ensuring good visibility. **He's light.** As folding tire with LiteSkin sidewall considerable weight is saved on the wheel. Most saving is in the size 37-406. **He's safe.** The K-Guard and 50 EPI carcasses provide the necessary puncture protection.



KID PLUS

For buggies. With extra-safe protection (Puncture Guard). The special tread compound Black'n'Roll will not leave unsightly skid marks on floors.



TRACER

Follow my leader. The first special tire for bicycle trailers. Material is used only where it is needed. Thus the Tracer is at the same time lighter, more durable and more comfortable than other tires of the same size. Naturally with 50 EPI carcass, K-Guard and a single-sided reflective line.



TRYKER

The first special tire for tricycle recumbents. Tire construction and profile contours are co-ordinated with the special requirements of a multi-track vehicle in mind. Tricycle recumbents exert completely different loads on tires than do (normal) bicycles. Nevertheless the tires must be light and fast, because drive is still achieved through muscle power and should therefore be as effective as possible. Massive motor vehicle tires are out of the question. The Tryker takes on the challenge of minimal rolling friction and high durability for the recumbent tricyclist. It has ECE-R75 certification for faster E-Bikes.

LITTLE JOE Active Line, Folding tire – HS 371

	ETRTO	Size	!	⚡	⚙	🌑	Skin	Bar	Psi	g	oz	EPI	Load	Art.-No.
20"	37-406	20x1.40	K-Guard		Endurance	Black	Lite	3.0-7.0	45-100	290	10	50	70 kg	11600846
	50-406	20x2.00	K-Guard		Endurance	Black	Lite	3.0-5.0	45-70	430	15	50	75 kg	11600847

KID PLUS Active Line, Wired tire – HS 413

12"	47-203	12x1.75	PunctureGuard		Black 'n' Roll	Black	Twin	2.0-4.5	30-65	350	12	50	55 kg	11102413.01
14"	47-288	14x1.75	PunctureGuard		Black 'n' Roll	Black	Twin	2.0-4.5	30-65	450	16	50	60 kg	11100795

TRACER Active Line, Wired tire – HS 418

20"	47-406	20x1.75	K-Guard		SBC	Grey Stripes-Reflex	Lite	1.5-3.5	20-50	470	17	50	60 kg	11100448.01
-----	--------	---------	---------	--	-----	---------------------	------	---------	-------	-----	----	----	-------	-------------

TRYKER Performance Line, Folding tire – HS 433

20"	40-406	20x1.50	RaceGuard	E-50	Endurance	Black-Reflex	Lite	4.0-6.0	55-85	320	11	67	73 kg	11600303
-----	--------	---------	-----------	------	-----------	--------------	------	---------	-------	-----	----	----	-------	----------



Tan Caglar: Wheelchair model,
professional Wheelchair basketball
player and Comedian.
www.tan-caglar.de

MARATHON PLUS

The Flat-less tire for wheelchairs. The Marathon has become the absolute benchmark for puncture-resistant pneumatic tires on wheelchairs. The Smart Guard protection belt is made from a proportion of recycled natural rubber. The “anti-aging” sidewall construction can withstand typical overloading caused by low inflation pressure for much longer.

Note: Use a pressure gauge to adjust tire pressures as the common ‘thumb check’ is insufficient due to the special construction of the Marathon Plus.



MARATHON PLUS Evolution Line, Wired tire – HS 440

	ETRTO	Size	!			Skin	Bar	Psi	 g	 oz	EPI	Load	Art.-No.
22 "	25-489	22x1.00	SmartGuard	Black 'n' Roll	Black-Reflex	Twin	6.0-10.0	85-145	470	17	67	55 kg	10275440.01
24 "	25-540	24x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	500	18	67	60 kg	10283440
			SmartGuard	Black 'n' Roll	Black-Reflex	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282440.01
	37-540	24x1 3/8	SmartGuard	Black 'n' Roll	Black	Twin	3.5-6.0	50-85	780	28	67	75 kg	10281440
26 "	25-559	26x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	520	18	67	60 kg	10231440
		26x1.00	SmartGuard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	570	20	67	65 kg	10284440

MARATHON PLUS Performance Line, Wired tire – HS 440

24 "	25-540	24x1.00	SmartGuard	GRC	Grey/Black	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282540
	37-540	24x1 3/8	SmartGuard	GRC	Grey/Black	Twin	3.5-6.0	50-85	780	28	67	75 kg	10281540

SCHWALBE IS THE ONLY MAKER TO DESIGN PNEUMATIC TIRES SPECIFICALLY FOR WHEELCHAIR USERS. OUR SOLUTIONS:

FLAT-LESS

SmartGuard puncture protected wheelchair tires combine the comfort and light running of pneumatic tires with the puncture protection of PU tires.

2GRIP

Hand-friendly tires. The side walls are completely smooth, so the tires glide silkily past the hands. Patent protected and standard on all Schwalbe wheelchair tires.

BLACK 'N' ROLL

Wheelchairs with black tires?

Schwalbe has made it possible. We developed a special Black'n'Roll compound that does not leave unsightly marks on indoor floors. Additionally it is far more robust and much longer lasting.



RIGHTRUN PLUS

The latest addition to the “Flat-less” family. The RightRun Plus offers slick tire performance with SmartGuard, 'flat-less', puncture protection.



RIGHTRUN

Our entry level tire, but packed with features: Effective puncture protection layer, hand-friendly 2Grip side walls, and attractive two color compound. Robust Black'n'Roll tread center compound that is non-marking neatly completes the feature list.



DOWNTOWN

An allrounder with grip and comfort. With a puncture protection layer and hand-friendly 2Grip side walls.

RIGHTRUN PLUS Performance Line, Wired tire – HS 387

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
22 "	25-489	22x1.00	SmartGuard	Black 'n' Roll	Grey Stripes	Twin	6.0-10.0	85-145	470	17	67	55 kg	10275397.02
24 "	25-540	24x1.00	SmartGuard	Black 'n' Roll	Grey Stripes	Twin	6.0-10.0	85-145	500	18	67	60 kg	10282397.02

RIGHTRUN Active Line, Wired tire – HS 387

20 "	25-451	20x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	260	9	50	50 kg	10100824
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	260	9	50	50 kg	10273328.01
22 "	25-489	22x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	285	10	50	55 kg	10100825
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	285	10	50	55 kg	10275387.01
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	295	10	50	55 kg	10277387.01
24 "	25-540	24x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	315	11	50	60 kg	10100826
			K-Guard	Black 'n' Roll	Blue Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282388.01
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282387.01
			K-Guard	Black 'n' Roll	Red Stripes	Lite	6.0-10.0	85-145	315	11	50	60 kg	10282389.01
26 "	23-559	26x7/8	K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	310	11	50	60 kg	10283387.01
	28-559	26x1.10	K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	350	12	50	60 kg	11159012
	25-590	26x1.00	K-Guard	Black 'n' Roll	Black	Lite	6.0-10.0	85-145	350	12	50	65 kg	10285391
			K-Guard	Black 'n' Roll	Grey Stripes	Lite	6.0-10.0	85-145	350	12	50	65 kg	10285387.01

DOWNTOWN Active Line, Wired tire – HS 342

24 "	25-540	24x1.00	K-Guard	Black 'n' Roll	Black	Twin	6.0-10.0	85-145	420	15	50	60 kg	10283342
			K-Guard	GRC	Grey/Black	Twin	6.0-10.0	85-145	420	15	50	60 kg	10282645.01
	37-540	24x1 3/8	K-Guard	GRC	Grey/Black	Twin	3.5-5.0	50-70	520	18	50	75 kg	10281643



AIRBORNE

The lightweight for the wheelchair. It is exactly these tires used by Aaron Fotheringham at his spectacular stunt shows where he performs backflips off jumps in his wheelchair. With 30 mm the Airborne is wider and more comfortable than regular wheelchair tires. The additional comfort is not only for the backflip landing. Low weight and low rolling resistance give momentum for rolling in general. In addition, the HD-Speed Guard provides excellent puncture protection.



LAND CRUISER

The off road wheelchair tire. Land Cruiser is suitable for occasional off road use. Note: The inside diameter of this 24" tire is 507mm. So it is not compatible with the usual 24" wheelchair rim size of 540mm. Ensure that both the rim and tire sizes are compatible i.e. 507mm.



HS 158 HS 127 HS 228

CLASSICS

Classics. Tires in traditional sizes and classic tread designs. Active Line quality. K-Guard puncture protection. Wired tires.

AIRBORNE Evolution Line, Folding tire – HS 408

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
24 "	30-540	24x1.20	HD-SpeedGuard	Black 'n' Roll	Black	Twin	4.0-6.5	55-95	400	14	67	70 kg	11640408.03
26 "	30-559	26x1.20	HD-SpeedGuard	Black 'n' Roll	Black	Twin	4.0-6.5	55-95	420	15	67	70 kg	11641408.03

LAND CRUISER Active Line, Wired tire – HS 450

24 "	47-507	24x1.75	K-Guard	SBC	Black	Twin	3.0-5.0	45-70	680	24	50	85 kg	11101030
	50-507	24x2.00	K-Guard	SBC	Black	Twin	2.5-5.0	35-70	770	27	50	90 kg	11101031

HS 158 Active Line, Wired tire

12 "	62-203	12 1/2x2 1/4	K-Guard, Reinforced	GRC	Grey	Twin	1.5-2.5	20-35	650	23	50	70 kg	10213622.01
------	--------	--------------	---------------------	-----	------	------	---------	-------	-----	----	----	-------	-------------

HS 127 Active Line, Wired tire

24 "	37-540	24x1 3/8	K-Guard	GRC	Grey	Twin	2.5-4.5	35-65	495	17	50	75 kg	10281620.01
------	--------	----------	---------	-----	------	------	---------	-------	-----	----	----	-------	-------------

HS 228 Active Line, Wired tire

22 "	25-489	22x1.00	K-Guard	GRC	Grey	Lite	6.0-7.5	85-110	270	10	50	55 kg	10275671.01
24 "	25-540	24x1.00	K-Guard	GRC	Grey	Lite	6.0-10.0	85-145	340	12	50	60 kg	10282675.01

SCHWALBE ONE

Schwalbe One. The name alone indicates how significant this tire is for Schwalbe. With a sporty tread design, excellent Race-Compound and quality workmanship, the Schwalbe One sets a new benchmark in terms of quality and Performance. Originally developed for competitions, we have made this outstanding tire wheelchair accessible by using our WheelStar compounds. Schwalbe One is fast and reliable at the same time. The great puncture protection comes from the V-Guard, made from a special fabric, which is very light and extremely cut resistant.

TOUR TEST SIEGER
"Its forgiving steering behaviour is stable and easy to control. Excellent suspension and shock absorption. It provides speed, grip and safety, while remaining very balanced and also very comfortable."

TUBE
LESS
EASY

TEST
Climber-Reifen
1,4
TOUR
HEFT 6/2018

RoadBIKE
11/16
TIPP
Preis-
Leistung

Tip RoadBike
(11/16): best-value!



SPEEDAIR

The Indoor sports specialist. Exceptionally nimble and easy running. The center tread is asymmetrically designed to match the wheel camber angle of indoor wheelchairs.



SCHWALBE ONE Evolution Line, Folding tire, WheelStar – HS 462A

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
24 "	25-540	24x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	205	7	127	70 kg	11600870
26 "	25-559	26x1.00	V-Guard	WheelStar	Black	Lite	6.0-9.0	85-130	215	8	127	70 kg	11600871

SCHWALBE ONE Evolution Line, Folding tire, OneStar – HS 462A

	20 "	25-451	20x1.00	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	175	6	127	70 kg	11600872
	26 "	23-571	650x23C	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	205	7	127	70 kg	11600945
	27.5 "	25-584	650x25B	V-Guard	OneStar	Black	Lite	6.0-8.0	85-115	215	8	127	70 kg	11600869
	28 "	23-622	700x23C	V-Guard	OneStar	Black	Lite	6.0-10.0	85-145	210	7	127	70 kg	11600862
		25-622	700x25C	V-Guard	OneStar	Black	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600863
				V-Guard	OneStar	Red Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600865
				V-Guard	OneStar	Blue Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600866
				V-Guard	OneStar	White Stripes	Lite	6.0-9.0	85-130	230	8	127	70 kg	11600867
NEW!				V-Guard	OneStar	Classic-Skin	Lite	6.0-9.0	85-130	230	8	127	70 kg	11601050
		28-622	700x28C	V-Guard	OneStar	Black	Lite	6.0-8.0	85-115	245	9	127	75 kg	11600864
NEW!		30-622	28x2.1, 700x30C	V-Guard	OneStar	Black	Lite	4.5-7.0	65-100	265	9	127	75 kg	11653988

NEW! SCHWALBE ONE Performance Line, Folding tire – HS 462

28 "	25-622	700x25C	Performance, RaceGuard, TLE	Dual	Black	Micro	5.0-7.5	70-110	350	12	67	70 kg	11601117.01
------	--------	---------	-----------------------------	------	-------	-------	---------	--------	-----	----	----	-------	-------------

SCHWALBE PRO ONE

The fastest road tire in the world. The latest tubeless technology for the wheelchair. A truly thrilling ride. It's fast. It's reliable. It's light. The patented MicroSkin construction makes this all possible. The rolling resistance is minimal! All around cut resistance and puncture protection are extraordinary, especially in combination with Doc Blue Professional sealant. This is the absolute top model from Schwalbe!

! You can also use the Schwalbe Pro One with a normal tube, but its true strengths are experienced only in tubeless form.



TOUR TESTWINNER
"With all its features, the properties of the **Schwalbe Pro One** can't be beaten. The weight advantage of its tubeless-system also played an important role. This made it an overall test winner."



Bikeradar.com (2017)



RoadBike
TESTWINNER
12/2017



DURANO

Mile eater. The popular Durano has outstanding qualities: Extremely high mileage. Dual Compound for best grip - even training on wet winter roads. Proven RaceGuard protection belt.

SCHWALBE PRO ONE Evolution Line, Folding tire – HS 462

	ETRTO	Size	!			Skin	Bar	Psi			EPI	Load	Art.-No.
20 "	28-406	20x1.10	MicroSkin, TLE	OneStar	Black	Micro	6.0-8.0	85-115	205	7	127	70 kg	11600811
26 "	28-559	26x1.10	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	275	10	127	75 kg	11601076
27.5 "	25-584	650x25B	MicroSkin, TLE	OneStar	Black	Micro	5.0-7.5	70-110	265	9	127	70 kg	11600874
28 "	23-622	700x23C	MicroSkin, TLE	OneStar	Black	Micro	5.0-8.5	70-125	240	8	127	70 kg	11600808
	25-622	700x25C	MicroSkin, TLE	OneStar	Black	Micro	5.0-7.5	70-110	260	9	127	70 kg	11600809
	28-622	700x28C	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	280	10	127	75 kg	11600810
	30-622	28x1.20	MicroSkin, TLE	OneStar	Black	Micro	4.0-6.5	55-95	295	10	127	75 kg	11653989

DURANO Performance Line, Folding tire – HS 464

20 "	28-406	20x1.10	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	200	7	67	70 kg	11600683
26 "	28-559	26x1.10	RaceGuard	Dual	Black	Lite	6.0-8.0	85-115	280	10	67	70 kg	11600686
28 "	23-622	700x23C	RaceGuard	Dual	Black	Lite	6.0-10.0	85-145	225	8	67	70 kg	11600645

SPEEDAIR Performance Line, Wired tire – HS 343

24 "	20-540	24x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	220	8	67	55 kg	10281353.02
26 "	20-559	26x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	230	8	67	55 kg	10231353.02
	20-590	26x3/4	Performance	Silica	White	Lite	6.0-10.0	85-145	245	9	67	60 kg	10285353.02
28 "	23-622	700x23C	Performance	Silica	White	Lite	6.0-10.0	85-145	305	11	67	70 kg	10290353.02

NUMBER 1 BICYCLE TUBE



RELIABLE

Bicycle dealers appreciate its high reliability. Each tube is inflated at the factory for 24 hours and tested for leaks.

RETAINS AIR LONGER

In manufacturing, we ensure a very high butyl content and a very high material purity. So Schwalbe tubes retain air pressure considerably longer than other tubes.



VERSIONS FOR EVERY DEMAND

STANDARD

High reliability.
Proven millions of times.

EXTRALIGHT

True reliability.
Low weight.

IN THE SPECIALIST TRADE



GROUP TUBE SYSTEM

A Schwalbe tube is extremely elastic and fits several tire sizes. For this reason we also call it a 'Group Tube'. For example, the 19A tube fits tire sizes from 27.5" to 29" and widths from 40mm to 62mm.

100% RECYCLABLE

We have developed in our own factory a special devulcanization process. As a result, we can use recycled material without any loss of quality in the production of new tubes.

*(Tested: Schwalbe SV20 Extralight)

XXLIGHT

When every gram counts.

FREERIDE

Large volume.
Low Weight.

DOWNHILL

Extremely durable.
Reinforced rubber valve base.

TUBES

[illegible]

						27.5+	
		26+				29+	
WHEELCHAIR	WHEELCHAIR	DOWNHILL	FREERIDE	FATBIKE	XX-LIGHT	FREERIDE	FREERIDE
24"	24"	26"	26"	26"	26"	29"	27.5"
20-540 25-540 28-540 25-541 28-541	20-540 25-540 28-540 25-541 28-541	54-559 57-559 60-559 62-559 65-559 70-559 75-559	54-559 57-559 60-559 62-559 65-559 70-559 75-559	90-559 100-559 110-559 120-559	40-559 47-559 50-559 54-559	65-584 70-584 75-584 54-622 57-622 60-622 62-622 65-622 70-622 75-622	54-584 57-584 60-584 62-584 65-584 70-584 75-584
9A	9B	13D	13F	13J	14A	19F	21F
	EXTRALIGHT						
95g	65g	290g	185g	390g	95g	215g	200g
 10419240	 10519290	 10425740	 10425790	 10400193	 10424740	 10400323	 10400030
 10419213	 10519293		 10425793		 10424743		 10400073

		27.5+	
		29+	
WHEELCHAIR	WHEELCHAIR	FREERIDE	FREERIDE
24"	24"	26"	27.5"
20-540 25-540 28-540 25-541 28-541	20-540 25-540 28-540 25-541 28-541	54-559 57-559 60-559 62-559 65-559 70-559 75-559	54-584 57-584 60-584 62-584 65-584 70-584 75-584
9A	9B	13D	21F
	EXTRALIGHT		
95g	65g	290g	200g
 10419240	 10519290	 10425740	 10400030
 10419213	 10519293		 10400073

		MTB	ROAD			TOUR	29er		
26 "	26 "	26 "	28 "	28 "	28 "	28 "	29/28/27.5 "	27.5 "	
20-559 25-559 20-571 23-571	47-559 47-571 30-584 35-584 47-584 32-590 37-590 44-590 32-597	40-559 47-559 50-559 54-559 57-559 60-559 62-559*	18-622 20-622 22-622 23-622 25-622 28-622* 22-630 25-630	28-622 30-622 32-622 28-630 32-630	40-609* 28-622 30-622 32-622 37-622 40-622 42-622 47-622* 32-630* 40-635*	50-584 60-584 62-584 40-622 47-622 50-622 57-622 62-622 40-635	40-584 47-584 50-584 54-584 57-584 60-584 62-584		
11	12	13	15	16	17	19	21		
EXTRALIGHT									
60g	140g	190g	105g	135g	150g	220g	205g		
AV 11	AV 12	AV 13	AV 15	DV 16	AV 17	AV 19	AV 21		
10422310	10423340	10425340 10925440(WP)	10427340	10431311	10429340 10929440(WP)	10430340 10930340(WP)	10400050		
SV 11	DV 12	DV 13	DV 15	SV 16	DV 17	DV 19	SV 21		
10422313	10423611 10923311(WP)	10425311 10925311(WP)	10427611 10927611(WP)	10431343	10429311 10929311(WP)	10430311 10930311(WP)	10400153		
SV 11 60mm	SV 12	SV 13	SV 15	SV 16 60mm	SV 17	SV 19			
10422363	10423343	10425343 10925443(WP)	10427343 10927443(WP)	10431363	10429343 10929443(WP)	10430343 10930343(WP)			
		SV 13 60mm	SV 15 60mm		SV 17 60mm				
		10425363	10400083		10400093				
			SV 15 60mm		SV 17 60mm				
			10427363 10927063(WP)		10429363				
		14	20		18	19A	21A		
		EXTRALIGHT	EXTRALIGHT		EXTRALIGHT	EXTRALIGHT	EXTRALIGHT		
		130g	65g		105g	140g	135g		
		AV 14	SV 20		SV 18	SV 19A	SV 21A		
		10424340	10426343		10428343	10430943	10400163		
		SV 14	SV 20 60mm						
		10424343	10400103						
		SV 14 60mm	SV 20 60mm						
		10424363	10426363						
			SV 20 80mm						
			10426383						

*not Extralight, **only Extralight, WP = Workshop packing (50 tubes rolled in a carton)



		WHEELCHAIR	DOWNHILL				DOWNHILL			WHEELCHAIR
18 "	20 "	20 "	20 "	22 "	22 "	24 "	24 "	26 "	26 "	26 "
47-355 50-355 54-355 57-355 60-355	37-438 28-440 37-440 28-451 37-451		54-406 57-406 60-406 62-406 65-406 70-406 75-406	25-489 28-489 25-501 28-501	40-457 47-457 50-457 54-457	18-520 20-520 22-520 23-520 25-520 28-520	54-507 57-507 60-507 62-507 65-507 70-507 75-507	20-559 25-559 20-571 23-571	25-559 28-559 32-559 35-559 37-559 40-559	25-584 28-584 20-590 25-590
5A	7A	7B	7D	8A	8B	9C	10D	11A	12A	12B
95g	105g	85g	200g	80g	140g	90g	260g	95g	120g	90g
SV 5A	AV 7A	AV 7B	AV 7D	AV 8A	DV 8B	SV 9C	AV 10D	AV 11A	AV 12A	AV 12B
10412513	10416310	10416290	10415740	10417240	10400011	10418343	10420740	10422240	10432340	10423290
	DV 7A	SV 7B						SV 11A	DV 12A	SV 12B
	10416311	10400013						10422213	10432341	10423223
	SV 7A								SV 12A	
	10416313								10432343	



TIRE BOOSTER

The easy way to inflate tubeless tires. With the new TIRE BOOSTER, tubeless tire assembly can be accomplished easily. Even without a compressor. With a power of up to eleven bar every tire immediately seats itself safely on the rim and seals everything evenly. If you need an even bigger flow of air, a special adapter is also available. The 435 g light, handy cylinder is the perfect remedy for every tubeless tire assembly, whether at home or on your trips.

New: Mounting Strap. This allows the Tire Booster to be fixed directly to the floor pump. Ideal for a tidy bike workshop and an interesting alternative to expensive pumps with an air reservoir.

How to use the Tire Booster?
Hints for use, at:
www.schwalbe.com/tubeless

Art.-No. 6080.01
Only for SV valves.
(Item without floor pump)



TUBELESS RIM TAPE

The tubeless rim tape and valve allows conventional wheels to be sealed and prepared for tubeless use.

The **tubeless rim tape** is extremely user friendly and at the same time very high pressure resistant. Even on road bikes a single ply of tape is sufficient.

- 10 m x 19 mm, Art.-No. 887019
- 10 m x 21 mm, Art.-No. 887021
- 10 m x 23 mm, Art.-No. 887023
- 10 m x 25 mm, Art.-No. 887025
- 10 m x 27 mm, Art.-No. 887027
- 10 m x 29 mm, Art.-No. 887029
- NEW!** 10 m x 32 mm, Art.-No. 887032
- NEW!** 10 m x 37 mm, Art.-No. 887037
- NEW!** 10 m x 42 mm, Art.-No. 887042

! Only use wheels that have been specifically approved by the manufacturer for Tubeless conversion. Especially with the high-pressure demands on race bikes this is very important.

We also test all current tubeless-compatible road bike rims for compatibility with our tires. An overview and all important information about tubeless can be found at: www.schwalbe.com/de/tubeless-technology



TUBELESS VALVES

These **Tubeless valves** are made of aluminum and are very light. In black-anodized they look very sleek on each rim. The conical valve base works universally and will fit in most rims.

- TL Valve, 40 mm, 2er Set, Art.-No. 3460
- Extension, 30 mm, 2er Set, Art.-No. 3461
- Extension, 65 mm, 2er Set, Art.-No. 3462

⚠ If these valves do not work in some rare cases than you best use the valves provided by the wheel manufacturer.



TUBELESS EASY KIT

All in one package for a tubeless conversion. You can buy all accessories separately or choose this whole set. The Schwalbe Tubeless Easy Kit offers everything to convert your bike to tubeless. It contains two Tubeless rim tapes, two Tubeless valves, 2 bottles Doc Blue, the mounting fluid Easy Fit as well as a set of tire levers. The kit is available with rim tapes in a width of 21, 23 and 25mm – for every purposes whether MTB or road bike.

- Tubeless Easy Kit 21, Art.-No. 16620021
- Tubeless Easy Kit 23, Art.-No. 16620023
- Tubeless Easy Kit 25, Art.-No. 16620025



DOC BLUE PROFESSIONAL

Ideally suited for Tubeless conversions. Produced by Stan's NoTubes! It can also be used as a puncture protection preventative for bicycle tubes, tubular tires and standard Tubeless systems.

- 60-ml-bottle, Art.-No. 3710
- 500-ml-bottle, Art.-No. 3711

⚠ **Dose:** 60 ml/tire (Race bike 30 ml). Effective ca. 2-7 Months. Thereafter dries to a rubber film. Can be renewed. Only suitable for tubes with a removable valve core. Not effective on large defects (cuts/bursts).



TREAD CUTTER

The idea for this special tool comes from the Downhill Worldcup and was then jointly developed with tool manufacturer Unior tools.

The **Tread Cutter** is the first set of pliers made specifically to fine-tune MTB tires. With it, you can cut the lugs off with a smooth edge and – thanks to the cutting-height adjustment – to your exact required height. The Tread Cutter is designed for absolute fine tuning of a tire tread with the idea to optimize a tire even better for exceptional situations.



Art.-No. 6025

Details for use:
www.schwalbe.com/treadcutter

TIRE LEVERS

Makes changing tires a snap. The new shape and surface of the tire lever makes the assembly and disassembly of a tire more enjoyable. For both tires and hands too!

The **tire levers** are especially helpful in difficult assembly operations. Clip it onto the rim, to fix the already mounted section of the tire, and it won't slide out when the last section is levered onto the rim. Patent Pending.*

3 piece set, Art.-No. 1847
(10 Sets in a display)



AIRMAX PRO

The **digital pressure gauge** is **very precise**, measuring pressures up to 11 bar and is suitable for both Auto and Presta valves. It will also function with Schwalbe's 'classic' bicycle valve.*

Art.-No. 6010

Test tire pressures at least once per month with a pressure gauge. Testing by thumb is completely unreliable as with just half of the required pressure the tire will feel hard. Insufficient air pressure is the most common bicycle problem that results in dramatically increased rolling resistance and premature tire wear.



**FREE
RIDE
TIPP**

MULTITOOL

13 in 1 Multi tool with valve functions. Why does Schwalbe offer a multi tool? Because we wanted to have a handy tool that integrates the functions for valve inserts (SV and AV) and valve extensions. Especially in times of tubeless, puncture protection liquids and screw on air pumps there is more and more need to take out or tighten a valve insert.

We have completely revised the Multitool and added some further, useful tools and functions! 2, 2.5, 3, 4, 5, 6, 8 mm hex 25 mm Torx, slotted screwdriver, SV valve insert, valve extension SV, AV valve core, bottle opener.

84,5 g, Art.-No. 6015.01



With anti-corrosion coating!

EASY FIT

Special assembly liquid for bicycle tires. A practical sponge applicator allows the liquid to be applied to the tire bead very simply - without smudging fingers. When inflating, the tire bead slides easily into the correct position on the rim. The liquid evaporates completely after about 10 minutes!

Sponge applicator, 50 ml, Art.-No. 3700
Refill, 1000 ml, Art.-No. 3701



TUBULAR GLUE

Fix the tire securely to the **rim with tubular** cement. The 90 g tube is sufficient for two new wheels. For Aluminium and Carbon rims.

90 g Tubular Glue, Art.-No. 3713
180 g Glue can, Art.-No. 3708



GLUELESS PATCHES

With the new self-adhesive patches from Schwalbe you can repair a flat tube fast and without any difficulty. Just roughen the area around the hole with sandpaper before you stick the patch to the tube and in the blink of an eye you are able to ride on.

6 Patches, Art.-No. 3900
(20 Sets in a display)



SADDLE BAG

Complete with tube and two tire levers.

26" (Tube No. 13), Art.-No. 1653A
28" (Tube No. 17), Art.-No. 1653B
27.5/29" (Tube No. 19), Art.-No. 1653C

Roadbike (Tube No. 15), Art.-No. 1613A.01

Now also for MTB and Touring bikes.



HIGH-PRESSURE-RIM TAPE

The third important factor – besides tube and tire – for puncture protection. The rim tape effectively protects the tube against mechanical damage, for example from spoke heads and metal burrs around the spoke holes.

	ETRTO	Max bar/psi	Art.-No.
16 "	22-305	7/100	10870060
18 "	18-355	10/145	10870061
20 "	22-406	7/100	10870062
	25-406	7/100	10870063
24 "	20-507	7/100	10870080
	22-507	7/100	10870082
	32-507	7/100	10870084
	16-540	10/145	10870086
26 "	14-559	7/100	10870094
	20-559	7/100	10870100
	22-559	7/100	10870102
	25-559	7/100	10870105
	32-559	7/100	10870106
	16-571	10/145	10870090

	ETRTO	Max bar/psi	Art.-No.
26 "	18-559/571	10/145	10870200
27.5 "	20-584	7/100	10870252
	22-584	7/100	10870250
	25-584	7/100	10870255
	34-584	7/100	10870257
	38-584	7/100	10870261
	41-584	7/100	10870258
	45-584	10/145	10870260
28 "	14-622	7/100	10870310
	16-622	10/145	10870300
	18-622	10/145	10870330
	20-622	10/145	10870350.01
	22-622	10/145	10870352.01
	25-622	7/100	10870355

Twin-pack:

26 "	14-559	7/100	11874094
	20-559	7/100	11874100
	22-559	7/100	11874102
28 "	14-622	7/100	11874310

28 "	16-622	10/145	11874300
	18-622	10/145	11874330
	20-622	10/145	11874350.01
	22-622	10/145	11874352.01



HIGH-PRESSURE-CLOTH RIM TAPE

Made from high-quality polyester that is light, yet withstands high pressures. The special adhesive prevents slipping under high loads and temperatures.

	SIZE	Max bar/psi	Art.-No.
	25m x 15mm	10/145	880018
	25m x 18mm	10/145	880017
	2m x 15mm	10/145	880016
	2m x 18mm	10/145	880015



25 m workshop roll.

Pair-set. With valve hole.

CLOTH RIM TAPE – 50m-ROLL

This economical polyester tape is still available on a 50 m roll.

	SIZE	Max bar/psi	Art.-No.
	19 mm	10/145	880001
	15 mm	10/145	880002

Note for all tapes: For racing rims (13C, 14C) use only widths 18 or 19mm!



VALVE EXTENSION

For high pressure (Presta) valve with removable valve core. Aluminum.
2 per set. Valve core removal key included.

- 17 mm, silver, no thread, Art.-No. 3453
- 30 mm, black, threaded, Art.-No. 3461
- 65 mm, black, threaded, Art.-No. 3462



The valve extensions in 30mm and 65mm are tubeless compatible.


MAGNETIC DUSTCAP

This dustcap is really special. It is equipped with a powerful neodymium magnet and would love to take on the task of a spoke magnet for your bike computer. So your bike can again look a little bit smarter.

SV, Art.-No. 6674.01
(15 Sets in a display)




Valve	PART	Quantity	Art.-No.
AV	Valve insert	25	3610
	Rim nut	50	3601
	Dust cap	25	6610




Valve	PART	Quantity	Art.-No.
DV	Valve insert	25	3361
	Rim nut	50	3601
	Top nut	50	3602
	Dust cap	25	6610



Valve	PART	Quantity	Art.-No.
SV	Valve insert (Incl. cap and key)	25	3363
	Rim nut	50	3620
	Dust cap	25	6613



Valve	PART	Quantity	Art.-No.
	Valve adapter from DV/SV to AV	1	3622
	Valve key	1	3450



OVERVIEW & LEGEND

	ETRTO	TIRES	TUBES
12 "	47-203	Black Jack, Kid Plus, HS140	1
	50-203	Big Apple, Road Cruiser	1
	62-203	HS158	1
14 "	50-254	Big Apple	2A
	37-288	HS140	2
	47-288	Kid Plus	2
16 "	40-305	Marathon Racer	2
	47-305	Black Jack, Mad Mike, Marathon, Road Cruiser	3
	50-305	Big Apple	3
	57-305	Mad Mike	3
	30-349	Winter	4
	32-349	Kojak	4
	35-349	Marathon, Marathon Plus	4
17 "	32-369	Kojak	5
18 "	32-355	Kojak	4
	40-355	Marathon Racer	5
	42-355	Winter	5
	44-355	Marathon	5
	47-355	Black Jack, HS159	5, 5A
	50-355	Big Apple	5A
	37-390	HS116	5
20 "	28-406	Durano, Schwalbe Pro One	6, 6A
	35-406	Marathon Plus, Kojak	6, 6A
	37-406	Little Joe	6, 6A
	40-406	Marathon, Marathon GT 365, Marathon Racer, Tryker	6,6A,7,7C
	42-406	Marathon Winter Plus	7, 7C
	47-406	Marathon, Marathon Plus, CX Comp, Delta Cruiser Plus, Road Cruiser, TRacer, Black Jack, Mad Mike	7, 7C
	50-406	Big Apple, Little Joe	7, 7C
	54-406	Crazy Bob, Jumpin´ Jack, Knobby	7, 7C, 7D
	55-406	Big Apple, Big Apple Plus, Big Ben, Big Ben Plus, Marathon Winter Plus	7, 7C, 7D
	57-406	Mad Mike, Jumpin´ Jack	7, 7C, 7D
	60-406	Smart Sam	7, 7C, 7D
	62-406	Super Moto-X	7, 7C, 7D
	54-428	HS159	7
	37-438	HS110	7A
	25-451	Rightrun, Schwalbe One	7B
	28-451	Durano	7A
22 "	47-457	Road Cruiser	8B
	44-484	Road Cruiser	8
	25-489	Marathon Plus, Rightrun, Rightrun Plus, HS228	8A
	37-489	HS110	8
	37-490	HS166	8
	25-501	Rightrun	8A
24 "	47-507	Marathon, Marathon Plus, Marathon Winter Plus, Road Cruiser, Land Cruiser, CX Comp, Black Jack	9, 10

Quality Lines

Evolution Line: The very best possible. Highest grade materials. Latest technology.

Performance Line: Excellent quality for intensive use.

Active Line: Reliable brand quality

Terminology

Apex: Reinforced sidewall offers more protection for off road tires.

LiteSkin: Skin Tires have light, thin sidewalls. Advantages: Weight saving and reduced rolling resistance.

MicroSkin: New, patented design which makes tubeless tires very light and high pressure. capable.

Reinforced: Strengthened.

SnakeSkin: A light and flexible carcass makes the tire highly resistant to scrubbing.

Super Gravity: Special carcass construction is nearly as robust as a Downhill tire but lighter.

Tubular: The tube is sewn directly into the tire. The tire is then glued onto a special rim.

Tubeless: A bicycle tube is not required. Tire and rim are designed so they seal directly against one another.

Tubeless Easy: These tires can be converted to tubeless tires using liquid sealant. The standard for premium Schwalbe tires. Here, the conversion is particularly simple due to SnakeSkin technology.

Tubeless Ready: Special tubeless technology for Schwalbe Performance tires. Similar to Tubeless Easy.

	ETRTO	TIRES	TUBES
	50-507	Big Apple, Land Cruiser, Land Cruiser Plus	10
	54-507	Rocket Ron, Smart Sam, Black Jack	10, 10D
	55-507	Big Ben, Big Ben Plus	10, 10D
	57-507	Table Tob	10, 10D
	60-507	Hans Dampf, Smart Sam, Crazy Bob	10, 10D
	23-520	Durano	9C
	20-540	Speedair	9A, 9B
	25-540	Marathon Plus, Schwalbe One, Rightrun, Rightrun Plus, Downtown, HS228	9A, 9B
	30-540	Airborne	9
	37-540	Marathon Plus, Delta Cruiser, Delta Cruiser Plus, Downtown, HS127	9
26 "	20-559	Speedair	11, 11A
	23-559	Rightrun	11, 11A
	25-559	Marathon Plus, Schwalbe One	11,11A,12A
	28-559	Schwalbe Pro One, Durano, Rightrun	12A
	30-559	Airborne	12A
	32-559	Marathon	12A
	35-559	Marathon Plus, Kojak, Insider, CX Pro	12A
	40-559	Marathon, Marathon Plus, Marathon Racer, Spicer, City Jet	12A,13, 14, 14A
	42-559	Marathon Supreme	13,14,14A
	47-559	Marathon, Marathon Plus, Marathon Plus Tour, Marathon Winter Plus, Winter, Black Jack, Energizer Plus, Energizer Plus Tour, Road Cruiser, Delta Cruiser Plus, Range Cruiser, Land Cruiser, Land Cruiser Plus, Silento	12, 13, 14, 14A
	50-559	Marathon, Marathon Plus, Marathon Plus Tour, Marathon Mondial, Marathon Supreme, Marathon Winter Plus, Marathon GT 365, Marathon GT Tour, Hurricane, Black Jack, CX Comp, Kojak, Big Apple, Land Cruiser, Land Cruiser Plus, Delta Cruiser Plus, City Jet	13, 14, 14A
	54-559	Nobby Nic, Rocket Ron, Rapid Rob, Smart Sam, Smart Sam Plus, Ice Spiker Pro, Black Jack, Marathon Plus MTB	13, 14, 14A, 13D, 13F
	55-559	Big Apple, Big Apple Plus, Big Ben, Big Ben Plus, Marathon Mondial, Marathon Almotion	13, 14, 13D, 13F
	57-559	Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Smart Sam, Smart Sam Plus, Table Tob, Rapid Rob, Tough Tom, Black Jack, Marathon Plus MTB	13, 14, 13D, 13F
	60-559	Magic Mary, Hans Dampf, Nobby Nic, Crazy Bob, Big Apple, Space, Fat Frank	13, 14, 13D, 13F
	62-559	Super Moto-X	13, 14, 13D, 13F
	65-559	Magic Mary	13D, 13F
	100-559	Jumbo Jim	13J
	110-559	Jumbo Jim	13J
	120-559	Jumbo Jim	13J
	23-571	Schwalbe One	11, 11A
	20-590	Speedair	12B
	25-590	Marathon Plus, Rightrun	12B
	28/32-590	HS180	12

Compounds

ADDIX: New developed high-performance compound. For MTB tires in the version Speed, Speedgrip, Soft, Ultra Soft and Addix Performance. For Roadbike in the version ADDIX Race and for E-Bikes in the version ADDIX-E.

Black’n’Roll: Special rubber compound for wheelchairs. Leaves no unsightly marks on indoor floors and lasts much longer than a normal grey wheelchair tire compound.

Dual: Two different rubber compounds for optimal performance.

Endurance: The Marathon compound for the highest durability.

Energizer: Extremely grippy compound for E-Bikes.

Four Season: Very versatile rubber compound, specially made for conditions throughout the year.

GRC: Grey compound for wheelchair tires.

One Star Triple Compound: Specially developed for the Schwalbe One. A completely new Polymer base makes possible a radical reduction in rolling resistance and cut protection.

Roller: Specially designed for turbo trainers.

SBC: **S**chwalbe **B**asic **C**ompound: Versatile quality compound for all applications.

Silica: Special filler in the rubber mixture that positively influences the rolling resistance and wet-grip.

Speedgrip: Sporty rubber compound with extremely low rolling resistance and exceptional grip.

TravelStar Compound: Triple compound. Perfectly adapted to the use on long bike tours.

Winter: Special compound for spike tires.

WheelStar Compound: The Speed-Compound specially made for wheelchair racers.

	ETRTO	TIRES	TUBES
	37-590	Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus	12
	42-590	Marathon Plus	12
27 "	28/32-630	HS159	16, 17
27.5 "	32-630	Marathon	16, 17
	25-584	Schwalbe Pro One, Schwalbe One	12B
	30-584	Schwalbe G-One Speed	12
	33-584	Schwalbe X-One Allround	12
	35-584	Kojak, Schwalbe G-One Allround	12
	37-584	Road Cruiser	12
	40-584	Schwalbe G-One Allround, Schwalbe G-One Speed, Marathon Plus	12, 21, 21A
	42-584	Marathon Supreme	12,21,21A
	44-584	Marathon, Road Cruiser	12,21,21A
	50-584	Marathon Supreme, Marathon Almotion, Marathon Mondial, Energizer Plus, Schwalbe G-One Speed, Hurricane, Big Ben, Big Ben Plus, Land Cruiser Plus	19,19A, 21, 21A
	54-584	Rocket Ron, Thunder Burt, Schwalbe G-One Bite, Smart Sam, Rapid Rob, Marathon Plus MTB	19,19A,21, 21A,21F
	55-584	Marathon Almotion	19,19A,21, 21A, 21F
	57-584	Magic Mary, Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Schwalbe G-One Allround, Smart Sam, Smart Sam Plus, Rapid Rob, Tough Tom, Ice Spiker Pro, Marathon Plus MTB	19, 19A, 21, 21A, 21F
	60-584	Schwalbe G-One Speed, Magic Mary, Dirty Dan, Rock Razor, Hans Dampf, Nobby Nic, Fat Albert Front, Fat Albert Rear, Tough Tom	19, 19A, 21, 21A, 21F
	62-584	Super Moto-X	19, 21, 21A, 21F
	65-584	Magic Mary, Hans Dampf, Rock Razor, Nobby Nic, Rocket Ron, Ice Spiker Pro, Smart Sam	19F, 21F
	70-584	Eddy Current Front, Eddy Current Rear, Magic Mary, Hans Dampf, Nobby Nic, Rocket Ron, Schwalbe G-One Allround, Super Moto-X	19F, 21F
28 "	75-584	Nobby Nic, Rocket Ron	19F, 21F
	20-622	Lugano	15, 20
	22-622	Schwalbe Pro One HT, Lugano T	
	23-622	Schwalbe Pro One, Schwalbe One, Durano, Durano DD, Durano Plus, Insider, Lugano, Marathon, Speedair	15, 20
	25-622	Schwalbe Pro One, Schwalbe Pro One HT, Schwalbe One, Durano, Durano DD, Durano Plus, Lugano, Lugano Endurance, Lugano T, Marathon, Marathon Plus	15, 20
	27-622	Schwalbe Pro One HT	
	28-622	Schwalbe Pro One, Schwalbe E-One, Schwalbe One, Durano, Durano DD, Durano Plus, Lugano, Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus	15, 16, 17, 18
	30-622	Schwalbe Pro One, Schwalbe One, Schwalbe G-One Speed, CX Pro, CX Comp, Winter, Marathon Racer, Spicer	17, 18

Symbols	
ETRTO	Size indication (European Tire and Rim Technical Organization). The tire sizing 37-622 indicates width (37 mm) and inner diameter (622 mm).
Size	Other sizes. (Inch- and Frensh sizes)
!	Version
⚡	E-Bike Ready. Recommendation for the use of a tire on E-bikes. For standard, slow Pedelecs (E-25) or with ECE-R-75 mark for fast E-bikes (E-50).
🌀	Compound.
🌈	Colourway
Skin	Skin describes the sidewall. • Lite. Light and thin. Consists only of the rubberized casing. • Micro. Special cross fabric. Applied to the inner surface of a tire. Very light, cut resistant and air tight. • Twin. An additional rubber coating on the side protects against cuts and allows for uniform colouring. • Snake. Very light and effective protection using SnakeSkin fabric.
Bar	Min. / max. Pressure in bar.
Psi	Min. / max. Pressure in psi.
🏊	Approx. weight (Weights given are within +/- 8%)


	ETRTO	TIRES	TUBES
	32-622	Schwalbe E-One, Durano, Marathon Plus, Marathon Supreme, Marathon, Energizer Plus, Delta Cruiser Plus, Road Cruiser	17, 18
	33-622	Schwalbe X-One Allround, Schwalbe X-One Speed, Schwalbe X-One Bite	17, 18
29 "	35-622	Schwalbe G-One Allround, Schwalbe G-One Speed, Schwalbe X-One Allround, Kojak, CX Comp, Rapid Rob, Marathon Winter Plus, Winter, Marathon Racer, Spicer, Insider	17, 18
	37-622	Marathon Supreme, Marathon Mondial, Marathon Plus, Marathon Plus Tour, Marathon, Marathon GT, Marathon GT 365, Marathon GT Tour, Energizer Plus, Energizer Plus Tour, Smart Sam, Delta Cruiser, Delta Cruiser Plus, Road Cruiser, Range Cruiser, Land Cruiser, Land Cruiser Plus, Silento	17, 18
	40-622	Schwalbe G-One Allround, Schwalbe G-One Speed, Schwalbe G-One Bite, Marathon Almotion, Marathon Plus, Marathon, Marathon Racer, Marathon CROSS, Marathon GT, Marathon GT 365, Marathon GT Tour, Energizer Plus, Energizer Plus Tour, Little Big Ben, Range Cruiser, Delta Cruiser Plus, Spicer, CX Comp	17, 18, 19, 19A
	42-622	Marathon Supreme, Marathon Mondial, Marathon Winter, Marathon Plus Tour, Smart Sam, Smart Sam Plus, Hurricane, Winter, Land Cruiser, Land Cruiser Plus, Road Cruiser, Silento	17, 18, 19, 19A
	44-622	Smart Sam	17,19,19A
	47-622	Marathon Mondial, Marathon Plus, Marathon Plus Tour, Marathon GT 365, Marathon GT Tour, Marathon, Energizer Plus, Energizer Plus Tour, Delta Cruiser Plus, Road Cruiser, Range Cruiser, Land Cruiser, Land Cruiser Plus, Silento	17,19, 19A
	50-622	Marathon Supreme, Marathon Almotion, Marathon Mondial, Marathon Winter Plus, Marathon, Marathon GT, Marathon GT 365, Energizer Plus, Big Apple, Big Apple Plus, Big Ben, Big Ben Plus, Fat Frank	19, 19A
	55-622	Big Apple, Marathon Almotion	19, 19A, 19F
	60-622	Big Apple	19,19A,19F
	40-635	Winter, Marathon Plus, Marathon, Delta Cruiser, Delta Cruiser Plus, Winter	17, 19, 19A
	47-622	Smart Sam	17,19,19A
	50-622	Dirty Dan, Furious Fred, Schwalbe G-One Speed, Hurricane	19, 19A
	54-622	Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Smart Sam, Smart Sam Plus, Rapid Rob, Marathon Plus MTB	19, 19A, 19F
	57-622	Magic Mary, Nobby Nic, Racing Ralph, Racing Ray, Rocket Ron, Thunder Burt, Ice Spiker Pro, Schwalbe G-One Allround, Marathon Plus MTB, Smart Sam, Smart Sam Plus, Rapid Rob, Tough Tom	19, 19A, 19F
	60-622	Schwalbe G-One Speed, Magic Mary, Dirty Dan, Rock Razor, Hans Dampf, Nobby Nic, Fat Albert Front, Fat Albert Rear	19, 19A, 19F
	62-622	Eddy Current Front	19,19A,19F
	65-622	Eddy Current Front, Eddy Current Rear, Magic Mary, Hans Dampf, Nobby Nic	19F

🏊	Weight in ounces , 1 oz = 28,35 g
EPI	Carcass density. Ends per Inch. The denser the carcass, the higher the quality of the tire. A "T" in front of the number points out a tubular carcass. This carcass is not strictly comparable. Material and manufacturing differ significantly.
Index	Special code , which indicates the maximum load as well as the maximum speed of a tire. The load is indicated as number (e.g. 28 = 100 Kg). The speed is indicated as letter (e.g. B = 50 Km/h).
Load	Maximum Load (per tire at max. pressure)

All photos, images, graphics and text in this catalogue are protected by copyright. In order to secure rights for use, our agreement in writing should be sought. Errors and omissions excepted. Technical details subject to change.

More Information: www.schwalbe.com

GREEN MI



GREENGUARD®
Honoured with the Eurobike Gold Award in 2010



SCHWALBE TUBE RECYCLING
Honoured with the Eurobike GreenAward in 2015



GREEN COMPOUND
Honoured with the Eurobike GreenAward in 2017

SCHWALBE TUBES

TUBE RECYCLING

Every Schwalbe tube is 100% recyclable. Without any loss of quality we can use recycled material in the production of new tubes. We have developed in our own factory a special devulcanization process and for several years, it has proved very successful. Right now every Schwalbe standard tube is made up of 20% recycled old tubes.

Taking into account all transport routes, the energy balance is positive. Just a fifth of the energy is used in comparison with the production of new butyl.

GREEN COMPOUND

Tread rubber with polymers only made from renewable and recycled raw materials.

Special technology from Schwalbe. For the first time it is possible to produce the tread rubber of a bicycle tire with polymers only from renewable and recycled raw materials in a demanding standard quality (grip/durability). This saves large amounts of energy and resources in the manufacture of tires.



GREENGUARD



Puncture protection with recycled natural rubber. GreenGuard is the name of the 3 mm thick green puncture protection belt made of special India rubber. Highly elastic and partly made from recycled material, it is also used for Germany's best-selling bicycle tire, the Schwalbe Marathon.

GUT ZU WISSEN

Do not change tires too early. A bicycle tire can still be used without problems even with a worn tread (exception: MTB tyres). The tire does not need to be replaced until the puncture protection belt or carcass threads become visible. However, as resistance to punctures is also influenced by the thickness of the tread, it may make sense to change the tyre beforehand.

Pay attention to air pressure. The sidewalls of bicycle tires often break before the tread has worn through. In the vast majority of cases, this premature wear is due to continued use with insufficient air pressure, causing unnecessarily high abrasion. Therefore, check the air pressure of tires at least once a month.

**SCHWALBE HEADQUARTERS**

RALF BOHLE GMBH
51580 REICHSHOF
GERMANY
T +49-2265-1090
WWW.SCHWALBE.COM

SCHWALBE NEDERLAND B.V.

2132 PX HOOFDORP
T +31-23-5555265
WWW.SCHWALBE.NL

SCHWALBE NORTH AMERICA

FERNDAL, WA
T +1-888-700-5860
WWW.SCHWALBETIRES.COM

SCHWALBE TYRES UK LTD.

SHROPSHIRE TF1 7ET
T +44-1952-602680
WWW.SCHWALBE.CO.UK

SCHWALBE FRANCE SARL

38510 MORESTEL
T +33-4-74805842
WWW.SCHWALBE.FR

SCHWALBE ITALIA S.R.L.

20864 AGRATE BRIANZA (MB)
T +39-039-6058078
WWW.SCHWALBE.IT

**SCHWALBE INTERNATIONAL**

WWW.SCHWALBE.COM/INTERNATIONAL

**FOLLOW US ON:**

FACEBOOK.COM/SCHWALBETIRES
INSTAGRAM.COM/SCHWALBETIRES