

CATALOG  
2020

20  
20









# ENGINEERED TO PERFORM BUILT TO WIN

The goal of our marketing and advertising plan is to bring awareness to all our brands through focused campaigns that reach the greatest numbers of consumers. We utilize the latest technologies in social media and multimedia, in addition to conventional outlets such as print ads and event sponsorships. Our extensive athlete and professional team sponsorship programs place our brands in prominent display on the world's stage. This is achieved by partnering with the best brand ambassadors to ride and promote our products. FSA products can not only be seen at the Grand Tours, World Cups, Crankworx and IronMan events, but also at your local track, cyclocross, criterium races and bike festivals.





€ 579,00

## CRANKSET K-FORCE

### PRODUCT INFORMATION



- Hollow carbon arms with UD carbon finish
- Forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- AL7075 Torx T-30 alloy chainring bolts

### SIZES


- Length - 170mm, 172.5mm, 175mm
- BCD - 110mm
- 53/39T, 52/36T, 50/34T

### WEIGHT

- 606 grams (53/39T x 170mm)

# WE DASHBOARD

Wireless Desktop Application and App for Smartphones to customize and diagnostic your K-FORCE WE you can calculate the level of the battery based on the use of the bike and count the front and rear shifts. The K-FORCE WE DASHBOARD App is available for iOS and Android.



€ 499,00

## REAR DERAILLEUR K-FORCE WE

PRODUCT INFORMATION   Bluetooth®

- Hollow carbon arms with UD carbon finish
- Forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- AL7075 Torx T-30 alloy chainring bolts

### SIZES

- Max Sprocket - 32T
- Total Capacity - 37T

### WEIGHT

- 216 grams



€ 406,00

## FRONT DERAILLEUR K-FORCE WE

PRODUCT INFORMATION   Bluetooth®

- K-Force WE 2 x 11-speed
- All stainless steel hardware – Titanium
- ANT, ANT+ and Bluetooth
- Shifter Compatibility: K-Force WE
- Crank Compatibility: K-Force WE

### SIZES

- Maximum Tooth Differential: 16T
- Fits standard braze-on mounts

### WEIGHT

- 162 grams



€ 246,00

## CASSETTE K-FORCE

PRODUCT INFORMATION

- 11-speed cassette sprocket
- Titanium and Heat-Treated carbon steel cogs
- Large contact area saves alloy freehub bodies
- High performance and great durability

### SIZES

- Combinations: 11-25, 11-28, 11-32

### WEIGHT

- 203 grams (11-28T)







€ 246,90

## SHIFTERS - RIM BRAKE K-FORCE WE

PRODUCT INFORMATION  Bluetooth®

- Wireless technology to communicate with derailleurs
- Optimal ergonomics with levers in two sizes
- Adjustable reach
- UD carbon levers
- 2X front, 11-speed rear
- Compatibility: FSA K-Force WE
- Coin Cell Battery 2032

### SIZES

- 2 lever sizes: regular and compact

### WEIGHT

- 308 grams (pair)

€ 539,00

## SHIFTERS - DISC BRAKE K-FORCE WE

PRODUCT INFORMATION  Bluetooth®

- Compact master cylinder
- Minimal hood and housing design for optimum ergonomics
- Top mount bleed port
- Lever reach adjustment
- Roller actuator lever design
- Integrated reservoir
- Composite lever blade
- Delrin™ piston guide
- Oversized lever pivot bushings
- Stainless steel pivot pin
- High pressure three layer FSA hose
- O-ring sealed hose connection
- Custom compound pads
- Flat mount caliper

### WEIGHT

- 455.4 grams (pair)



€ 77,70

## ROTORS K-FORCE WE

### PRODUCT INFORMATION


- Two piece rotor design with forged aluminum carrier
- Countersunk rivets and disc screw mount points
- Double disc ground stainless steel rub ring
- 140mm and 160mm front and rear rotor sizes
- Rounded edge shape

#### SIZES

- 160mm and 140mm rotors

#### WEIGHT

- 120 grams (160mm)
- 100 grams (140mm)



€ 291,00

## BRAKE K-FORCE WE

### PRODUCT INFORMATION

- Dual-pivot design
- Lightweight alloy components
- Titanium fasteners
- Sculpted box-section brake arms providing high stiffness with a positive feel

#### SIZES

- Reach 40-50mm
- Rim capacity 18-28mm

#### WEIGHT

- 299 grams (pair)



€ 54,00

## CHAIN K-FORCE WE

### PRODUCT INFORMATION

- 11 speed compatible
- Quiet and efficient performance
- Superior durability
- Lightweight design hollow pin

#### SIZES

- 5.6mm width

#### WEIGHT

- 250 grams (116 Links)







€ 309,00

## HANDLEBAR K-FORCE COMPACT

PRODUCT INFORMATION **ACR SCR**

- Aerodynamic integrated Cable Routing (ACR)
- Semi-integrated Cable Routing (SCR)
- Continuous UD carbon composite construction
- Wide 110mm center section
- Reinforced and textured clamping areas

### SIZES

- Ø31.8mm x L400, 420, 440mm (c-c)
- 125mm drop, 80mm reach
- 4° outward bend

### WEIGHT

- 185 grams (420mm)

€ 249,00

## STEM K-FORCE LIGHT

PRODUCT INFORMATION

- Monocoque carbon body
- Full carbon body and alloy faceplate

### SIZES

- -6° x L90, 100, 110, 120, 130mm
- Ø31.8mm fork clamp diameter
- Ø31.8mm handlebar clamp diameter
- 40mm fork clamp stack height
- Shim to adapt 1-1/4" stem to 1-1/8" steer tube

### WEIGHT

- 250 grams (116 Links)



€ 139,00

## STEM K-FORCE LIGHT 2.0

PRODUCT INFORMATION

- Alloy 6061/T6 body
- Carbon faceplate
- Titanium hardware

### SIZES

- ±6° x L60, 70, 80, 90, 100, 110, 120, 130mm
- Ø31.8mm handlebar clamp
- 41mm fork clamp stack height

### WEIGHT

- 126 grams (100mm)



€ 209,00

## SEATPOST K-FORCE SB25

### PRODUCT INFORMATION




- Forged alloy Minimal Top Clamp
- One piece continuous carbon fiber construction

#### SIZES

- L350mm x Ø27.2, Ø31.6mm
- L350mm x Ø25.4, Ø27.2, Ø31.6mm
- L400mm x Ø27.2, Ø31.6mm
- 25mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

#### WEIGHT

- 188 grams (Ø27.2 x 350mm)



w/ drive train battery adapter  
Removable plastic sleeve



w/ drive train battery adapter  
Removable plastic sleeve

€ 209,00

## SEATPOST K-FORCE SBO

### PRODUCT INFORMATION



- Forged alloy Minimal Top Clamp
- One piece continuous carbon fiber construction

#### SIZES

- L350 x Ø27.2, 31.6mm
- L400 x Ø27.2, 31.6mm
- Zero Setback
- Fits Ø7mm standard rails and 7x9mm oval rails

#### WEIGHT

- 185 grams (Ø27.2x350mm)





€ 249,00

**HANDLEBAR**  
**SL-K COMPACT**

PRODUCT INFORMATION **ACR** **SCR**


- Aerodynamic integrated Cable routing (ACR)
- Semi-integrated Cable routing (SCR)
- Continuous UD carbon monocoque construction
- Reinforced and textured clamping areas
- Internal cable routing options for Di2
- Wide 120mm center section

**SIZES**

- Ø31.8mm x L380, 400, 420, 440mm (c-c)
- 125mm drop, 80mm reach
- 4° outward bend

**WEIGHT**

- 185 grams (420mm)



**SEMI INTEGRATED CABLE ROUTING (SCR)**

Cleanly routes electronic wiring through handlebar and stem and can adapt to any frame routing. Brake cables/hoses route through handlebar only. Suitable to all frame (AM solution)



€ 119,00

**STEM**  
**SL-K**

PRODUCT INFORMATION **SCR**

- Semi integrated Cable Routing (SCR)
- 3D Forged and CNC machine AL2014

**SIZES**

- ±6° or -17°
- L70, 80, 90, 100, 110, 120, 130mm
- Ø31.8mm handlebar clamp diameter
- 40mm fork clamp stack height
- Shim to adapt 1-1/4" stem to 1-1/8" steer tube

**WEIGHT**

- 159 grams (100mm x ±6°)
- 164 grams (100mm x -17°)

SCR hole





€ 445,00

## CRANKSET SL-K LIGHT ABS

### PRODUCT INFORMATION

**XABS**  
ASYMMETRICAL

**BB36**

HOLLOW CARBON

- Hollow carbon arms with UD carbon finish
- Forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- Fits Shimano and SRAM 10-11 speed systems

### SIZES

- Length - 170mm, 172.5mm, 175mm
- BCD - 110mm
- 53/39T, 52/36T, 50/34T

### WEIGHT

- 653 grams (53/39T x 170m)



€ 99,00

## SEATPOST SL-K ITC SB20/10

### PRODUCT INFORMATION

**ITC**

- UD carbon shaft with bonded alloy head
- Forged alloy ITC (Independent Top Clamp)
- Chromoly hardware

### SIZES

- L350mm x Ø27.2, Ø31.6mm
- L400mm x Ø27.2, Ø31.6mm
- 20mm / 10 mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 220 grams (Ø27.2mm x 350mm)





€ 99,00

## HANDLEBAR ENERGY COMPACT

PRODUCT INFORMATION **ACR SCR**

- Aerodynamic integrated Cable Routing
- Semi-integrated Cable routing (SCR)
- Double butted and tapered AL7050
- 34mm ergonomic flat top
- Wide 110mm center section

### SIZES

- Ø31.8mm x W400, 420, 440 (c-c)
- 125mm drop, 80mm reach
- 4° outward bend

### WEIGHT

- 269 grams (420mm)



### SEMI INTEGRATED CABLE ROUTING (SCR)

Cleanly routes electronic wiring through handlebar and stem and can adapt to any frame routing. Brake cables/hoses route through handlebar only. Suitable to all frame (AM solution)



€ 75,50

## STEM ENERGY

PRODUCT INFORMATION **SCR**

- Semi integrated cable routing (SCR)
- 3D forged and CNC machined from AL2014
- 4 bolt sculped SL faceplate

### SIZES

- ±6° x L80, 90, 100, 110, 120, 130mm
- Ø31.8mm handlebar clamp diameter
- 40mm fork clamp stack height

### WEIGHT

- 113 grams (100mm)

SCR hole





€ 289,00

## CRANKSET ENERGY MODULAR

### PRODUCT INFORMATION



- Hollow forged alloy arms
- Forged AL7050 BB386EVO spindle
- AL7075 100% CNC machine chainrings
- Chromoly chainring bolts
- Fits Shimano and SRAM 10-11 speed systems

### SIZES

- Length - 170mm, 172.5mm, 175mm
- Direct mount
- 52/36T, 50/34T, 48/32T, 46/30T

### WEIGHT

- 822 grams (53/39T x 170mm)



€ 59,00

## SEATPOST ENERGY SBS SB20

### PRODUCT INFORMATION



- 3D forged and CNC machined AL6066
- Alloy head
- Directionally butted tube (thicker wall fore and aft)
- Chromoly hardware

### SIZES

- L350mm x Ø27.2, Ø31.6mm
- 20mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 275 grams (Ø27.2mm)







€ 59,00

## HANDLEBAR GOSSAMER COMPACT

### PRODUCT INFORMATION

- Double butted, tapered and shot-peened AL6066
- 34mm Ergo flat top
- 110mm wide round center section makes it easy to mount accessories

#### SIZES

- Ø31.8mm x W380, 400, 420, 440 (c-c)
- 125mm drop, 80mm reach
- 4° outward bend

#### WEIGHT

- 310 grams (420mm)

€ 49,00

## STEM GOSSAMER

### PRODUCT INFORMATION

- 3D forged and CNC machined from AL6061/T6
- 4-bolt cold forged front clamp diameter
- Chromoly hardware

#### SIZES

- ±6° x L70, 80, 90, 100, 110, 120, 130mm
- Ø31.8mm handlebar clamp diameter
- 40mm fork clamp stack height

#### WEIGHT

- 144 grams (100mm)



€ 98,00

## BRAKESET GOSSAMER

### PRODUCT INFORMATION

- Ratcheting quick release lever
- Lightweight, compact dual pivot design
- Stainless steel main pivot bolts
- Stainless steel cable attachment hardware
- Adjustable spring tension

#### SIZES

- Reach - 40-50mm
- Rim capacity - up to 28mm

#### WEIGHT

- 365 grams (pair)



€ 169,00

## CRANKSET GOSSAMER PRO ABS

PRODUCT INFORMATION **XABS** **386**

- Cold forged AL6061/T6 aluminum crank arms
- Forged AL7050 BB386EVO spindle
- Fits Shimano and SRAM 10-11 speed systems

### SIZES

- Length - 165mm, 170mm, 172.5mm, 175mm
- 53/39T, 52/36T, 50/34T, 48/32T, 46/30T

### WEIGHT

- 751 grams



Available also in 1x version



€ 39,00

## SEATPOST GOSSAMER SB20

PRODUCT INFORMATION **NANO**

- AL6061 tube with forged alloy head
- 1-bolt NANO adjust saddle clamp
- Chromoly hardware

### SIZES

- L350mm x Ø27.2, Ø31.6mm
- 20mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 302 grams (Ø27.2 x 350mm)





€ 399,00

## CRANKSET KFX MODULAR 1X

PRODUCT INFORMATION **3E6**   **DMII**

- Hollow forged alloy arms
- Forged AL7050 BB386EVO spindle
- AL7075 100% CNC machine chainrings
- AL7075 Torx T-30 alloy chainring bolts
- Fits Shimano and SRAM 10-11 speed systems

### SIZES

- Length - 170mm, 175mm
- Direct mount
- 38T, 36T, 34T, 32T, 30T

### WEIGHT

- 520 grams (30T)

€ 189,00

## HANDLEBAR KFX

PRODUCT INFORMATION **ICR**

- Integrated Cable Routing (ICR)
- Carbon composite construction
- Full-width flat-top design (patent pending)
- Reinforced brake-lever and bar-end zones
- Reinforced and textured stem clamp zone
- Compatible with Di2 systems

### SIZES FLAT


- Ø31.8mm x W700, 760mm
- 9° back sweep, 4° up sweep (700, 760mm)

### SIZES RISER

- Ø31.8mm x W660, 700mm
- 18mm rise, 9° back sweep, 4° up sweep

### WEIGHT

- 160 grams (700mm x Flat)
- 155 grams (700mm x Riser)



Flat



Riser



€ 179,00

## STEM KFX

### PRODUCT INFORMATION



- 3D forged and CNC machined AL2014
- Carbon Structural Integration (CSI)
- Titanium hardware

### SIZES

±12° x L60, 70, 80, 90, 100, 110mm  
 Ø31.8mm handlebar clamp diameter  
 35mm fork clamp stack height

### WEIGHT

- 143 grams (100mm)



€ 219,00

## SEATPOST KFX SBO

### PRODUCT INFORMATION



- Forged alloy Minimal Top Clamp (MTC)
- Zero setback for forward saddle placement
- One piece continuous carbon fiber construction
- M5 chromoly hardware

### SIZES

- L400mm x Ø27.2, Ø31.6mm
- Zero Setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 181 grams (Ø27.2 x 350mm)





€ 529,00

## CRANKSET K-FORCE MODULAR

PRODUCT INFORMATION **FSA** **DMII** **MegaTooth**

- Hollow carbon fiber arms with UD finish
- Forged AL7050 BB392EVO spindle
- Ø30mm forged AL7050 spindle
- AL7075 100% CNC chainrings
- AL7075 Torx T-30 alloy chainring bolts
- Fits Shimano and SRAM 11-12 speed system

### SIZES 1x

- Length - 170mm, 175mm
- 38T, 36T, 34T, 32T, 30T, 28T

### SIZES 2x

- Length - 170mm, 175mm
- 38/28T, 38/24T, 36/26T, 36/22T, 24/24T, 34/22T

### WEIGHT

- 535 grams (30T x 170mm)
- 560 grams (36/26T x 170mm)

€ 179,00

## HANDLEBAR K-FORCE FLAT

PRODUCT INFORMATION **ICR**

- Integrated Cable Routing (ICR)
- Carbon composite construction
- Full-width flat-top design (patent pending)
- Reinforced brake-lever and bar-end zones
- Reinforced and textured stem clamp zone
- Compatible with Di2 systems

### SIZES FLAT


- Ø31.8mm x W700, 760mm
- 9° back sweep, 4° up sweep

### SIZES RISER


- Ø31.8mm x W700mm
- 18mm rise, 9° back sweep, 4° up sweep

### WEIGHT

- 175 grams (700mm x Flat)
- 180 grams (700mm x Riser)



Flat



Riser



€ 155,90

## STEM K-FORCE

### PRODUCT INFORMATION




- 3D forged and CNC machined AL2014
- Carbon Structural Integration (CSI)
- Titanium hardware

### SIZES

- $\pm 12^\circ \times L60, 70, 80, 90, 100, 110, 120\text{mm}$
- $\varnothing 31.8\text{mm}$  handlebar clamp diameter
- 35mm fork clamp stack height

### WEIGHT

- 143 grams (100mm)



w/ drive train battery adapter  
Removable plastic sleeve

€ 209,00

## SEATPOST K-FORCE SBO

### PRODUCT INFORMATION



- Forged alloy Minimal Top Clamp (MTC)
- Zero setback for forward saddle placement
- One piece continuous carbon fiber construction
- M5 chromoly hardware

### SIZES

- L400mm x  $\varnothing 27.2, \varnothing 31.6\text{mm}$
- Zero Setback
- Fits  $\varnothing 7\text{mm}$  standard rails and 7x9mm oval rails

### WEIGHT

- 181 grams ( $\varnothing 27.2 \times 350\text{mm}$ )







€ 489,00

## CRANKSET SL-K MODULAR

### PRODUCT INFORMATION



- Hollow carbon fiber arms with UD finish
- Forged AL7050 BB392EVO spindle
- Ø30mm forged AL7050 spindle
- AL7075 100% CNC chainrings
- AL7075 Torx T-30 alloy chainring bolts
- Fits Shimano and SRAM 11-12 speed system

### SIZES 1x

- Length - 170mm, 175mm
- 38T, 36T, 34T, 32T, 30T, 28T, 26T

### SIZES 2x

- Length - 170mm, 175mm
- 38/28T, 38/24T, 36/26T, 36/24T, 36/22T

### WEIGHT

- 517 grams (30T x 170mm)
- 581 grams (36/24T x 170mm)

€ 119,00

## HANDLEBAR SL-K

### PRODUCT INFORMATION

- UD carbon and AL6066 material
- Carbon Structural Integration (CSI)
- Textured stem clamp zone

### SIZES FLAT


- Ø31.8mm x W700, 740mm
- 9° back sweep, 4° up sweep

### SIZES RISER

- Ø31.8mm x W760mm
- 18mm rise, 9° back sweep, 4° up sweep

### WEIGHT

- 215 grams (740mm x Flat)
- 230 grams (760mm x Riser)



Flat



Riser

€ 99,00

## STEM SL-K

### PRODUCT INFORMATION



- 3D forged and CNC machined AL2014
- Face Plate - Carbon structural Integration
- Chromoly hardware

#### SIZES

- -12° x L60, 70, 80, 90, 100, 110, 120, 130, 140mm
- Ø31.8mm handlebar clamp diameter
- 34mm fork clamp stack height

#### WEIGHT

- 133 grams (100mm)



€ 119,00

## STEM SL-K DROP

### PRODUCT INFORMATION

- Flat head stem with aggressive drop
- 2D forged and CNC machined AL7050
- 4-bolt cold-forged alloy faceplate
- Chromoly hardware

#### SIZES

- -20° x L50, 60, 70, 80, 90, 100, 110, 120mm
- Ø31.8mm handlebar clamp diameter
- 28mm fork clamp stack height

#### WEIGHT

- 162 grams (80mm)



w/ drive train battery adapter  
Removable plastic sleeve

€ 99,00

## SEATPOST SL-K ITC SB0

### PRODUCT INFORMATION



- UD carbon shaft with bonded alloy head
- Forged alloy ITC (Independent Top Clamp)
- Chromoly hardware

#### SIZES

- L400mm x Ø27.2, 31.6mm
- 0mm/15mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

#### WEIGHT

- 230 grams (Ø27.2 x 400mm)



€ 249,00

## CRANKSET GRADIENT MODULAR 1X

PRODUCT INFORMATION



- Convertible spider design
- Thick-Thin tooth design for maximum chain engagement
- Direct mount forged then CNC machined AL7075 chainring
- Fits Shimano and SRAM 11-12 speed system

SIZES

- Length - 165, 170mm, 175mm
- 38T, 36T, 34T, 32T, 30T, 28T

WEIGHT

- 628 grams (30T x 170mm)

€ 169,00

## HANDLEBAR GRADIENT CARBON 35

PRODUCT INFORMATION

- Light enough for XC, but strong enough for Freeride
- Carbon composite construction
- Reinforced and texture clamping areas

SIZES - RISER 20

- Ø35 x W800mm
- 20mm rise
- 8° back sweep x 5° up sweep

SIZES - RISER 30

- Ø35 x W800mm
- 30mm rise
- 8° back sweep x 5° up sweep

WEIGHT

- 250 grams (800mm x 20mm)
- 250 grams (800mm x 30mm)



\*Available also in Ø31.8mm



\*Available also in Ø31.8mm



€ 99,00

## STEM GRADIENT 35

### PRODUCT INFORMATION

- 3D forged then CNC machined
- 4 bolt AL2014 faceplate
- Chromoly bolts

### SIZES

- +6° x L35, 50mm
- Ø35mm handlebar clamp
- 40mm fork clamp stack height

### WEIGHT

- 123 grams (L35mm)
- 157 grams (L50mm)



€ 97,00

## HANDLEBAR GRADIENT RISER

### PRODUCT INFORMATION

- Shot-peened to increase surface hardness
- Triple butted and tapered AL7050/T6

### SIZES - RISER 25

- Ø31.8 x W760, 800mm
- 25mm rise
- 9° back sweep x 6° up sweep

### SIZES - RISER 40

- Ø31.8 x W800mm
- 40mm rise
- 9° back sweep x 6° up sweep

### WEIGHT

- 295 grams (800mm x 25mm)
- 315 grams (800mm x 40mm)



Riser 25



Riser 40





€ 99,00

## STEM GRADIENT DIRECT MOUNT

### PRODUCT INFORMATION

- Forged and CNC machined from AL6061
- 4 bolt AL6061 faceplate

#### SIZES

- +5° x L45mm
- Boxer mount standard
- Ø31.8mm handlebar clamp
- 8.5mm stack height

#### WEIGHT

- 118 grams

€ 99,00

## STEM GRADIENT

### PRODUCT INFORMATION


- 3D forged and CNC machined from AL2014
- 4 bolt AL2014 faceplate

#### SIZES

- +6° x L45, 60mm
- Ø31.8mm handlebar clamp
- 40mm fork clamp stack height

#### WEIGHT

- 145 grams (45mm)



Flat bar remote lever



€ 299,90

## DROPPER POST FLOWTRON

### PRODUCT INFORMATION



- Lightweight alloy sealed cartridge
- Shifter style remote lever with cable clamp
- 3-pin brass keyway system
- One piece stanchion and Seatpost head
- Internal cable routing
- Cam actuator with 3 position adjustable remote lever

- Trail / Enduro / All Mountain / Dh

#### SIZES

- Length - 421mm, 446mm
- Ø30.9, Ø31.6mm
- Travel -125, 150mm
- Insertion Depth - 285mm and 310mm
- 0 setback, two bolt clamp
- Fits Ø7mm standard rails and 7x9mm oval rails

#### WEIGHT

- 586 grams (125mm/30.9mm)



€ 249,00

## DROPPER POST FLOWTRON 27.2

### PRODUCT INFORMATION



- Lightweight alloy sealed cartridge
- Shifter style remote lever with cable clamp
- 3-pin brass keyway system
- One piece stanchion and Seatpost head
- Internal cable routing
- Cam actuator with 3 position
- Remote lever for drop or flat bar available
- Forged alloy ITC (Independent Top Clamp)
- XC, Marathon and Gravel

### SIZES

- Length - 363mm
- Ø27.2mm
- Travel - 100mm
- Insertion Depth - 100mm
- 0mm/15mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 500 grams (100mm/27.2mm w/o remote)







€ 139,00

## CRANKSET AFTERBURNER MODULAR

### PRODUCT INFORMATION



- Convertible spider design
- Thick-Thin tooth design for maximum chain engagement
- Hollow forged AL7050 crank arms
- 24mm chromoly spindle
- Direct mount forged then CNC machined AL7075 chainring
- Fits Shimano and SRAM 11-12 speed system

### SIZES 1x

- Length - 170mm, 175mm
- 38T, 36T, 34T, 32T, 30T, 28T, 26T

### SIZES 2x

- Length - 170mm, 175mm
- 38/28T, 38/24T, 36/26T, 36/24T, 36/22

### WEIGHT

- 695 grams (30T x 170mm)
- 794 grams (36/26T x 170mm)

€ 99,00

## HANDLEBAR AFTERBURNER

### PRODUCT INFORMATION

- Triple-buttressed, tapered and shot peened AL7050/T76
- Shot peened for surface hardness

### SIZES FLAT

- Ø31.8mm x W740mm
- 9° back sweep, 0° up sweep

### SIZES RISER

- Ø31.8mm x W740mm
- 9° back sweep, 0° up sweep

### WEIGHT

- 285 grams (740mm x Flat)
- 275 grams (740mm x Riser)



Flat



Riser

€ 75,90

## STEM AFTERBURNER

### PRODUCT INFORMATION

- 3D forged and CNC machined from AL6061/T6
- 4-bolt cold forged front clamp
- Chromoly hardware

### SIZES

- -12° x L60, 70, 80, 90, 100, 110, 120 mm
- Ø31.8mm handlebar clamp diameter
- 34mm fork clamp stack height

### WEIGHT

- 128 grams (100mm)



€ 87,26

## SEATPOST AFTERBURNER SBO

### PRODUCT INFORMATION



- AL2014 3D forged and CNC shaft
- Forged Alloy "MTC" head
- M5 chromoly hardware

### SIZES

- Length 400mm x Ø27.2, Ø31.6mm
- Zero setback
- Fits Ø7mm standard rails and 7x9mm oval rails

### WEIGHT

- 228 grams (Ø27.2 x 350mm)





€ 1349,00

## WHEELSET K-FORCE AGX

### PRODUCT INFORMATION




- Asymmetric rim design
- 25mm depth x 26.1mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with QR/TA-15 axle compatibility
- Rear hub with QR/X-12 axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,464 grams / pair (29")
- 1,390 grams / pair (27.5")

### RIM PROFILE



### INTENDED USE

XC

MARATHON

GRAVEL

CYCLOCROSS

€ 1199,00

## WHEELSET SL-K AGX

### PRODUCT INFORMATION



- Asymmetric rim design
- 25mm depth x 26.1mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with QR/TA-15 axle compatibility
- Rear hub with QR/X-12 axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,500 grams / pair (29")
- 1,450 grams / pair (27.5")





€ 629,00

## WHEELSET AGX

### PRODUCT INFORMATION



- Asymmetric rim design
- 25mm depth x 26.1mm wide alloy rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with QR/TA-15 axle compatibility
- Rear hub with QR/X-12 axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,740 grams / pair (29")
- 1,660 grams / pair (27.5")

### INTENDED USE


XC

MARATHON

GRAVEL

CYCLOCROSS

### RIM PROFILE



€ 349,00

## WHEELSET NON SERIES OFF-ROAD

### PRODUCT INFORMATION



- Asymmetric rim design
- 25mm depth x 26.1mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with QR/TA-15 axle compatibility
- Rear hub with QR/X-12 axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,660 grams / pair (29")
- 1,590 grams / pair (27.5")



€ 1349,00

## WHEELSET K-FORCE WIDER25


**PRODUCT INFORMATION**     **Wider**

- Asymmetric rim design
- 30mm depth x 30mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle compatibility
- Rear hub with TA-12 X 148mm axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,566 grams / pair (29")
- 1,488 grams / pair (27.5")

### RIM PROFILE



### INTENDED USE

XC

MARATHON

TRAIL

€ 1199,00

## WHEELSET SL-K WIDER25

**PRODUCT INFORMATION**     **Wider**

- Asymmetric rim design
- 30mm depth x 30mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle compatibility
- Rear hub with TA-12 X 148mm axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,602 grams / pair (29")
- 1,548 grams / pair (27.5")



€ 629,00

## WHEELSET AFTERBURNER WIDER27

PRODUCT INFORMATION     **Wider**

- Asymmetric rim design
- Hookless bead rims
- 25mm depth x 27mm wide alloy rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle compatibility
- Rear hub with TA-12 X 148mm axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,830 grams / pair (29")
- 1,745 grams / pair (27.5")


### INTENDED USE

TRAIL

ENDURO

ALL-MOUNTAIN

### RIM PROFILE



€ 1349,00

## WHEELSET GRADIENT WIDER29

PRODUCT INFORMATION     **Wider**

- Asymmetric rim design
- Hookless bead rims
- 30mm depth x 35mm wide carbon rim
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- Alloy P. R. A. hubs for direct pull spokes
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle compatibility
- Rear hub with TA-12 X 148mm axle compatibility
- Cartridge bearings (2F+4R)
- 2-cross double butted aero spokes
- Brass nipples
- Artisan built, entirely by hand
- 6-pawl aluminum for SMN 9-11 sp or SRAM 10 / XD 11-12 speed freehub

### WEIGHT

- 1,736 grams / pair (29")
- 1,676 grams / pair (27.5")





€ 1249,00

## POWERBOX CARBON

PRODUCT INFORMATION **386**   Bluetooth

- Carbon composite arms with UD finish
- Forged and CNC machined AL6061 spider
- 30mm forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- Optimized for 11-Speed systems
- Including - R/L Balance and Bluetooth

### SIZES

- Length - 165, 170, 172.5, 175, 177.5, 180mm
- BCD - 110mm ABS
- 53/39T, 52/36T, 50/34T

### AVAILABLE SEPARATELY

- 56/46T AERO
- 55/39T AERO
- 54/42T AERO
- 54/39T AERO
- 55T
- 54T
- 42T

### WEIGHT

- 810 grams (53/39T x 170mm)

€ 1249,00

## POWERBOX CARBON SUPERCOMPACT

PRODUCT INFORMATION **386**   Bluetooth

- Carbon composite arms with UD finish
- Forged and CNC machined AL6061 spider
- 30mm forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- Optimized for 11-Speed systems
- Including - R/L Balance and Bluetooth

### SIZES

- Length - 165, 170, 172.5, 175mm
- BCD - 120/90mm
- 48/32T, 46/30T

### WEIGHT

- 704 grams (46/30T x 170mm)



€ 699,00

## POWERBOX ALLOY

PRODUCT INFORMATION **386** **ANT+** **Bluetooth**

- Cold forged AL6061/T6 aluminum crank arms
- BB386EVO 30mm AL 7050 alloy spindle fits every frame (purchase BB separately)
- AL7075 100% CNC Stealth black chainrings
- Fits Shimano and SRAM 10-11 speed systems
- Including - Bluetooth

### SIZES

- Length - 165, 170, 172.5, 175mm
- BCD - 110mm ABS
- 53/39T, 52/36T, 50/34T

### AVAILABLE SEPARATELY

- 56/46T AERO
- 55/39T AERO
- 54/42T AERO
- 54/39T AERO
- 55T
- 54T
- 42T

### WEIGHT

- 962 grams (53/39T x 170mm)



€ 699,00

## POWERBOX ALLOY SUPERCOMPACT

PRODUCT INFORMATION **386** **ANT+** **Bluetooth**

- Cold forged AL6061/T6 aluminum crank arms
- BB386EVO 30mm AL 7050 alloy spindle fits every frame (purchase BB separately)
- AL7075 100% CNC Stealth black chainrings
- Fits Shimano and SRAM 10-11 speed systems
- Including - Bluetooth

### SIZES

- Length - 165, 170, 172.5, 175mm
- BCD - 120/90mm
- 48/32T, 46/30T

### WEIGHT

- 933 grams (46/30T x 170mm)





€ 1199,00

## POWERBOX MTB CARBON

### PRODUCT INFORMATION



- Convertible spider design
- Hollow carbon composite arms with UD finish
- BB392EVO 30mm AL 7050 alloy spindle
- AL7075 100% CNC chainrings
- Thick-Thin chainring tooth design
- Fits Shimano and SRAM 11-12 speed system
- Including - R/L Balance and Bluetooth

### SIZES

- Length - 170mm, 175mm
- BCD - 96/68mm
- 36T, 34T, 32T, 30T (1X)
- 36/24T, 38/26T (2X)

### WEIGHT

- 683 grams (30T x 170mm)
- 728 grams (36/24T x 170mm)

€ 649,00

## POWERBOX MTB ALLOY 1X

### PRODUCT INFORMATION



- Cold forged AL6061/T6 aluminum crank arms
- Forged and CNC machined AL6061 spider
- 30mm forged AL7050 BB386EVO spindle
- AL7075 100% CNC chainrings
- Optimized for 11-12 Speed systems
- Including - Bluetooth

### SIZES

- Length - 170, 175mm
- BCD - 96/68mm
- 36T, 34T, 32T, 30T

### WEIGHT

- 870 grams (30T x 170mm)





## EUROPE

|                |                                     |                               |                    |
|----------------|-------------------------------------|-------------------------------|--------------------|
| BENELUX        | CODAGEX                             | Info@codagex.be               | 0032 14347474      |
| BULGARIA       | MAXCOM LTD.                         | Aftermarket@sprintmaxcom.com  | 00359 32600897     |
| CZECH REP.     | DEMA SENICA A.S.                    | Sport@dema.sk                 | 00421 346945111    |
| CROATIA        | KEINDL SPORT                        | Info@keindl-sport.com         | 00385 13708323     |
| CYPRUS         | A & P ANDREOU BROTHERS LTD          | Mariap@andreou.com            | 00357 – 24811031   |
| DENMARK        | BJARNE, EGEDESØ A/S                 | Info@bikersbest.dk            | 0045 63168001      |
| FINLAND        | BJARNE, EGEDESØ A/S                 | Info@bikersbest.dk            | 0045 63168001      |
| FRANCE         | ESM, SPORT                          | Info@esm-sport.com            | 0033 0479843680    |
| FRANCE         | SAVOYE                              | Info@savoie.fr                | 00334 74 36 13 77  |
| GERMANY        | MERIDA & CENTURION GERMANY GMBH     | Vertrieb@merida-centurion.com | 0049 07159 9459-30 |
| GERMANY        | TACX GERMANY                        | Info@tacxgermany.de           | 0049 7529 9743-0   |
| GREECE         | RACING CYCLES LTD                   | Sales@racingcycles.eu         | 0035-722210700     |
| GREECE         | A.TSERPE & SIA EE                   | Othios@gmail.com              | 0030 210 9913510   |
| HUNGARY        | PRO ROAD BIKE Kft.                  | Info@proroadbike.hu           | 0036 70 606 7024   |
| ITALY          | RMS S.P.A.                          | Info@rms.it                   | 0362 27301         |
| ITALY          | CICLO PROMO COMPONENTS S.P.A.       | Info@ciclopromo.com           | 0039-04231996363   |
| MALTA          | MAGRI CYCLES & SPARES               | Magricyc@nextgen.net.mt       | 00356-21414399     |
| NORWAY         | BJARNE, EGEDESØ A/S                 | Info@bikersbest.dk            | 0045 63168001      |
| POLAND         | DEMA SENICA A.S.                    | Sport@dema.sk                 | 00421-346945111    |
| PORTUGAL       | CICLO COIMBROES                     | Geral@ciclocويمbroes.com      | 00351 - 223794461  |
| ROMANIA        | CROSSBIKE                           | Office@crossbike.ro           | 0735 151 260       |
| RUSSIA         | VELOMARKET CSKA                     | Sergey@velomarket-cska.ru     | 007-4956132938     |
| RUSSIA         | JSC VELOCENTER 24                   | Tbogdanova@velo.ru            | 007 095 123 04 60  |
| SLOVAKIA       | DEMA SENICA A.S.                    | Sport@dema.sk                 | 00421-346945111    |
| SLOVENIA       | VEB COMPANY                         | Veb-company@siol.net          | 0038-614303922     |
| SOUTH AFRICA   | CAPEGRO SPORTS                      | fsa@capegroports.co.za        | 0027 72 3799074    |
| SPAIN          | COMET DISTRIBUCIONES COMERCIAL S.A. | fsa@comet.es                  | 0034-943331393     |
| SWEDEN         | BJARNE EGEDESØ A/S                  | Info@bikersbest.dk            | 0045 63168001      |
| SWISS          | BELIMPORT                           | Daniele@belimport.ch          | 0041 91 260 35 15  |
| U.K. & IRELAND | SOLENT                              | Sales@windwave.co.uk          | 0044-2392521912    |



**FULL SPEED AHEAD USA**  
12212 CYRUS WAY  
MUKILTEO, WA 98275-5702  
PH. 1 425 488 8653  
FAX 1 425 489 1083

---

**FULL SPEED AHEAD EUROPE**  
VIA DEL LAVORO, 56  
20874 BUSNAGO, (MB), ITALY  
PH. +39 039 688 52 65  
FAX +39 039 682 33 36

---

FOLLOW US ON:



[facebook.com/fullspeedahead](https://facebook.com/fullspeedahead)



[instagram.com/fsa\\_road](https://instagram.com/fsa_road)



For further information please visit our  
website [WWW.FULLSPEEDAHEAD.COM](http://WWW.FULLSPEEDAHEAD.COM).  
FSA reserves the rights to change items  
and prices without prior notice.